

**State : Grades 4-6  
Spring 2010**

**Texas School Survey  
of Drug and Alcohol Use  
2010  
Part II: State Results**

**State : Grades 4-6  
Spring 2010**

## **1. General Substance Tables**

**State : Grades 4-6  
Spring 2010**

**State : Grades 4-6  
Spring 2010**

**Table T-1: How recently, if ever, have you used...**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Any tobacco product?</b>					
	<b>All</b>	5.6%	3.1%	2.5%	94.4%
	<b>Grade 4</b>	3.9%	2.3%	1.6%	96.1%
	<b>Grade 5</b>	4.6%	2.2%	2.3%	95.4%
	<b>Grade 6</b>	8.4%	4.7%	3.7%	91.6%
<b>Cigarettes?</b>					
	<b>All</b>	4.7%	2.5%	2.2%	95.3%
	<b>Grade 4</b>	2.9%	1.6%	1.2%	97.1%
	<b>Grade 5</b>	3.7%	1.8%	2.0%	96.3%
	<b>Grade 6</b>	7.5%	4.2%	3.3%	92.5%
<b>Smokeless tobacco?</b>					
	<b>All</b>	1.5%	0.9%	0.6%	98.5%
	<b>Grade 4</b>	1.3%	0.9%	0.4%	98.7%
	<b>Grade 5</b>	1.3%	0.7%	0.6%	98.7%
	<b>Grade 6</b>	1.9%	1.1%	0.9%	98.1%

**Table T-2: Average number of times selected tobacco products were used by those who reported use of ..**

	<b>School Year</b>	<b>Lifetime</b>
<b>All</b>	3.0	3.0
<b>Grade 4</b>	2.7	2.7
<b>Grade 5</b>	2.9	2.8
<b>Grade 6</b>	3.1	3.1

**State : Grades 4-6  
Spring 2010**

**Table T-3: Average age of first use of tobacco:**

	Grade 4	Grade 5	Grade 6
<b>Cigarettes</b>			
	8.3	9.1	10.0
<b>Smokeless Tobacco</b>			
	8.3	9.0	10.0
<b>Any Tobacco</b>			
	8.2	9.0	9.9

**Table T-4: Age of first use of tobacco by family situation:**

		Never	Under 8	8	9	10	11	Over 11
<b>Two Parent Family</b>								
	<b>All</b>	95.9%	1.0%	0.5%	0.7%	0.7%	0.6%	0.5%
	<b>Grade 4</b>	97.4%	0.9%	0.7%	0.6%	0.3%	0.1%	0.0%
	<b>Grade 5</b>	96.7%	0.9%	0.5%	0.7%	0.9%	0.4%	0.1%
	<b>Grade 6</b>	93.6%	1.1%	0.4%	0.8%	1.1%	1.5%	1.5%
<b>Other Family Situation</b>								
	<b>All</b>	91.2%	2.0%	1.3%	1.4%	1.7%	1.4%	1.0%
	<b>Grade 4</b>	93.2%	2.3%	1.7%	1.8%	0.7%	0.2%	0.0%
	<b>Grade 5</b>	92.9%	1.7%	1.2%	1.1%	1.7%	1.0%	0.3%
	<b>Grade 6</b>	87.7%	2.0%	1.1%	1.3%	2.5%	2.8%	2.6%

**State : Grades 4-6  
Spring 2010**

**Table T-5: About how many of your close friends use ...**

		Never Heard Of	None	Some	Most
<b>Any tobacco product?</b>					
	All	2.6%	83.0%	13.1%	1.3%
	Grade 4	3.9%	86.4%	8.9%	0.8%
	Grade 5	2.3%	86.1%	10.8%	0.8%
	Grade 6	1.7%	76.3%	19.9%	2.2%
<b>Cigarettes?</b>					
	All	4.4%	82.7%	11.8%	1.0%
	Grade 4	6.6%	84.8%	7.9%	0.6%
	Grade 5	4.0%	86.0%	9.4%	0.6%
	Grade 6	2.6%	77.2%	18.4%	1.8%
<b>Smokeless tobacco?</b>					
	All	7.1%	87.8%	4.5%	0.5%
	Grade 4	11.3%	85.6%	2.7%	0.4%
	Grade 5	6.0%	89.8%	3.8%	0.4%
	Grade 6	4.0%	88.1%	7.1%	0.8%

**Table T-6: Have you ever been offered ...**

		Never Heard Of	Yes	No
<b>Any tobacco product?</b>				
	All	3.1%	12.3%	84.6%
	Grade 4	4.6%	9.7%	85.7%
	Grade 5	2.7%	10.9%	86.4%
	Grade 6	1.9%	16.3%	81.7%
<b>Cigarettes?</b>				
	All	4.8%	10.6%	84.6%
	Grade 4	7.0%	8.1%	84.9%
	Grade 5	4.5%	9.4%	86.1%
	Grade 6	2.8%	14.5%	82.7%
<b>Smokeless tobacco?</b>				
	All	7.4%	4.4%	88.1%
	Grade 4	11.7%	3.3%	84.9%
	Grade 5	6.2%	4.0%	89.7%
	Grade 6	4.3%	6.0%	89.7%

**State : Grades 4-6  
Spring 2010**

**Table T-7: How dangerous do you think it is for kids your age to use ...**

		Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
<b>Any tobacco product?</b>						
	<b>All</b>	1.9%	75.4%	17.4%	0.9%	4.4%
	<b>Grade 4</b>	2.9%	77.8%	14.0%	0.7%	4.6%
	<b>Grade 5</b>	1.6%	76.8%	16.6%	0.6%	4.5%
	<b>Grade 6</b>	1.0%	71.6%	22.0%	1.3%	4.1%
<b>Cigarettes?</b>						
	<b>All</b>	3.4%	64.8%	25.0%	1.1%	5.6%
	<b>Grade 4</b>	5.2%	68.0%	20.2%	0.9%	5.7%
	<b>Grade 5</b>	3.1%	66.1%	24.4%	0.8%	5.5%
	<b>Grade 6</b>	1.8%	60.3%	30.5%	1.7%	5.7%
<b>Smokeless tobacco?</b>						
	<b>All</b>	5.5%	67.4%	19.5%	1.2%	6.5%
	<b>Grade 4</b>	9.3%	67.6%	15.9%	0.8%	6.5%
	<b>Grade 5</b>	4.6%	69.8%	18.6%	0.9%	6.2%
	<b>Grade 6</b>	2.7%	64.7%	24.1%	1.9%	6.7%

**Table T-8: How do your parents feel about kids your age smoking cigarettes?**

	Don't Like	Don't Care	Think It's OK	Don't know
<b>All</b>	86.9%	1.4%	0.3%	11.3%
<b>Grade 4</b>	86.3%	1.0%	0.4%	12.2%
<b>Grade 5</b>	88.0%	1.1%	0.2%	10.7%
<b>Grade 6</b>	86.5%	2.1%	0.3%	11.0%



**State : Grades 4-6  
Spring 2010**

**Table A-1: How recently, if ever, have you used..**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Any alcohol product?</b>					
	<b>All</b>	21.5%	13.7%	7.7%	78.5%
	<b>Grade 4</b>	16.0%	10.6%	5.4%	84.0%
	<b>Grade 5</b>	19.6%	12.2%	7.4%	80.4%
	<b>Grade 6</b>	29.0%	18.6%	10.4%	71.0%
<b>Beer?</b>					
	<b>All</b>	14.4%	8.2%	6.2%	85.6%
	<b>Grade 4</b>	10.7%	6.8%	4.0%	89.3%
	<b>Grade 5</b>	13.3%	7.1%	6.2%	86.7%
	<b>Grade 6</b>	19.3%	11.0%	8.4%	80.7%
<b>Wine coolers?</b>					
	<b>All</b>	8.8%	5.4%	3.4%	91.2%
	<b>Grade 4</b>	5.1%	3.2%	2.0%	94.9%
	<b>Grade 5</b>	7.2%	4.4%	2.8%	92.8%
	<b>Grade 6</b>	14.3%	8.9%	5.4%	85.7%
<b>Wine?</b>					
	<b>All</b>	10.4%	6.3%	4.1%	89.6%
	<b>Grade 4</b>	6.7%	4.1%	2.6%	93.3%
	<b>Grade 5</b>	9.1%	5.6%	3.5%	90.9%
	<b>Grade 6</b>	15.6%	9.4%	6.2%	84.4%
<b>Liquor?</b>					
	<b>All</b>	5.7%	3.6%	2.1%	94.3%
	<b>Grade 4</b>	2.7%	1.6%	1.1%	97.3%
	<b>Grade 5</b>	4.3%	2.7%	1.7%	95.7%
	<b>Grade 6</b>	10.3%	6.7%	3.6%	89.7%

**State : Grades 4-6  
Spring 2010**

**Table A-2: Average number of times selected alcohol products were used by those who reported use of ..**

		<b>School Year</b>	<b>Lifetime</b>
<b>Beer</b>	All	2.7	2.8
	Grade 4	2.3	2.4
	Grade 5	2.5	2.6
	Grade 6	3.2	3.3
<b>Liquor</b>	All	2.9	2.9
	Grade 4	2.7	2.5
	Grade 5	2.6	2.6
	Grade 6	3.1	3.2
<b>Wine</b>	All	2.5	2.6
	Grade 4	2.2	2.2
	Grade 5	2.2	2.4
	Grade 6	2.7	2.8

**State : Grades 4-6  
Spring 2010**

**Table A-3: In the past year, how many times have you had two or more drinks at one time of ..**

		Never	1 Time	2 Times	3+ Times	Ever
<b>Beer?</b>						
	<b>All</b>	87.6%	7.3%	2.6%	2.5%	12.4%
	<b>Grade 4</b>	89.2%	7.0%	2.0%	1.8%	10.8%
	<b>Grade 5</b>	88.9%	6.6%	2.4%	2.2%	11.1%
	<b>Grade 6</b>	84.7%	8.2%	3.4%	3.7%	15.3%
<b>Wine Coolers?</b>						
	<b>All</b>	93.9%	3.3%	1.5%	1.4%	6.1%
	<b>Grade 4</b>	96.9%	1.8%	0.8%	0.6%	3.1%
	<b>Grade 5</b>	94.8%	3.0%	1.2%	1.0%	5.2%
	<b>Grade 6</b>	89.9%	5.0%	2.5%	2.5%	10.1%
<b>Wine?</b>						
	<b>All</b>	94.7%	3.1%	1.0%	1.3%	5.3%
	<b>Grade 4</b>	97.1%	1.9%	0.4%	0.5%	2.9%
	<b>Grade 5</b>	95.8%	2.6%	0.7%	0.9%	4.2%
	<b>Grade 6</b>	90.9%	4.7%	1.8%	2.6%	9.1%
<b>Liquor?</b>						
	<b>All</b>	94.7%	3.0%	1.0%	1.3%	5.3%
	<b>Grade 4</b>	97.2%	1.9%	0.4%	0.5%	2.8%
	<b>Grade 5</b>	95.9%	2.5%	0.7%	0.9%	4.1%
	<b>Grade 6</b>	90.9%	4.7%	1.8%	2.6%	9.1%

**State : Grades 4-6  
Spring 2010**

**Table A-4: Average age of first use of alcohol:**

	Grade 4	Grade 5	Grade 6
<b>Beer</b>	8.1	8.7	9.5
<b>Wine Coolers</b>	8.7	9.3	10.2
<b>Wine</b>	8.6	9.4	10.1
<b>Liquor</b>	8.5	9.7	10.4
<b>Any Alcohol</b>	8.2	8.8	9.5

**Table A-5: Age of first use of alcohol by family situation:**

		Never	Under 8	8	9	10	11	Over 11
<b>Two Parent Family</b>								
	<b>All</b>	81.7%	5.0%	2.6%	3.2%	3.3%	2.7%	1.5%
	<b>Grade 4</b>	86.1%	5.3%	2.7%	3.6%	1.8%	0.4%	0.1%
	<b>Grade 5</b>	83.3%	4.6%	2.3%	3.3%	3.9%	2.4%	0.3%
	<b>Grade 6</b>	75.2%	5.3%	2.7%	2.8%	4.3%	5.6%	4.1%
<b>Other Family Situation</b>								
	<b>All</b>	73.3%	8.6%	3.7%	4.0%	4.6%	3.5%	2.2%
	<b>Grade 4</b>	79.5%	9.1%	3.9%	4.1%	2.8%	0.5%	0.1%
	<b>Grade 5</b>	75.7%	7.8%	3.6%	4.1%	5.5%	2.7%	0.5%
	<b>Grade 6</b>	65.5%	9.0%	3.6%	3.9%	5.3%	7.0%	5.8%

**State : Grades 4-6  
Spring 2010**

**Table A-6 : Lifetime prevalence of use of alcohol by reported conduct problems this school year:**

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
15.7%	59.5%	36.6%	64.5%

**Table A-7: When you drink alcohol, do you get it from ..**

		Don't Drink	Yes	No
<b>Home?</b>	<b>All</b>	78.8%	8.9%	12.3%
	<b>Grade 4</b>	80.8%	6.5%	12.6%
	<b>Grade 5</b>	80.4%	8.0%	11.6%
	<b>Grade 6</b>	75.1%	12.2%	12.7%
<b>Friends?</b>	<b>All</b>	79.7%	3.1%	17.2%
	<b>Grade 4</b>	81.5%	1.4%	17.1%
	<b>Grade 5</b>	81.2%	2.3%	16.5%
	<b>Grade 6</b>	76.2%	5.8%	18.0%
<b>Somewhere else?</b>	<b>All</b>	78.3%	7.5%	14.2%
	<b>Grade 4</b>	80.2%	5.4%	14.5%
	<b>Grade 5</b>	79.8%	6.6%	13.6%
	<b>Grade 6</b>	74.9%	10.6%	14.5%

**State : Grades 4-6  
Spring 2010**

**Table A-8: About how many of your close friends use ..**

		Never Heard Of	None	Some	Most
<b>Any alcohol product?</b>					
	<b>All</b>	1.8%	74.2%	19.4%	4.6%
	<b>Grade 4</b>	2.4%	79.0%	15.8%	2.8%
	<b>Grade 5</b>	1.7%	76.8%	18.0%	3.5%
	<b>Grade 6</b>	1.4%	66.6%	24.4%	7.6%
<b>Beer?</b>					
	<b>All</b>	2.2%	78.4%	16.3%	3.1%
	<b>Grade 4</b>	3.1%	81.9%	13.3%	1.8%
	<b>Grade 5</b>	1.9%	80.6%	15.1%	2.3%
	<b>Grade 6</b>	1.7%	72.6%	20.5%	5.2%
<b>Wine coolers?</b>					
	<b>All</b>	12.4%	77.6%	8.0%	2.0%
	<b>Grade 4</b>	16.3%	77.7%	5.1%	1.0%
	<b>Grade 5</b>	12.4%	79.8%	6.5%	1.3%
	<b>Grade 6</b>	8.5%	75.4%	12.4%	3.7%
<b>Wine?</b>					
	<b>All</b>	3.6%	85.1%	9.8%	1.5%
	<b>Grade 4</b>	5.3%	87.0%	7.0%	0.7%
	<b>Grade 5</b>	3.3%	86.7%	8.9%	1.1%
	<b>Grade 6</b>	2.3%	81.5%	13.7%	2.6%
<b>Liquor?</b>					
	<b>All</b>	8.5%	82.8%	7.1%	1.6%
	<b>Grade 4</b>	14.2%	81.8%	3.4%	0.6%
	<b>Grade 5</b>	7.2%	86.0%	5.8%	1.0%
	<b>Grade 6</b>	4.1%	80.5%	12.1%	3.2%

**State : Grades 4-6  
Spring 2010**

**Table A-9: Have you ever been offered ..**

		Never Heard Of	Yes	No
<b>Any alcohol product?</b>				
	All	2.2%	22.7%	75.1%
	Grade 4	2.9%	18.9%	78.2%
	Grade 5	2.0%	21.3%	76.7%
	Grade 6	1.5%	28.1%	70.4%
<b>Beer?</b>				
	All	2.3%	18.3%	79.4%
	Grade 4	3.4%	15.1%	81.6%
	Grade 5	2.0%	17.1%	80.9%
	Grade 6	1.7%	22.8%	75.5%
<b>Wine coolers?</b>				
	All	12.6%	8.1%	79.3%
	Grade 4	16.5%	4.9%	78.6%
	Grade 5	12.6%	6.9%	80.6%
	Grade 6	8.7%	12.5%	78.8%
<b>Wine?</b>				
	All	3.8%	10.5%	85.7%
	Grade 4	5.4%	7.8%	86.8%
	Grade 5	3.5%	9.5%	87.0%
	Grade 6	2.4%	14.3%	83.4%
<b>Liquor?</b>				
	All	8.4%	6.9%	84.7%
	Grade 4	13.8%	3.9%	82.2%
	Grade 5	7.2%	5.6%	87.2%
	Grade 6	4.1%	11.2%	84.7%

**State : Grades 4-6  
Spring 2010**

**Table A-10: How do your parents feel about kids your age drinking beer?**

	<b>Don't Like</b>	<b>Don't Care</b>	<b>Think It's OK</b>	<b>Don't know</b>
<b>All</b>	82.2%	2.8%	1.2%	13.8%
<b>Grade 4</b>	82.4%	2.2%	1.1%	14.3%
<b>Grade 5</b>	83.6%	2.2%	1.0%	13.3%
<b>Grade 6</b>	80.7%	4.0%	1.5%	13.8%

**Table A-11: How dangerous do you think it is for kids your age to use ..**

	<b>Never Heard Of</b>	<b>Very Dangerous</b>	<b>Dangerous</b>	<b>Not at All Dangerous</b>	<b>Do Not Know</b>
<b>Any alcohol product?</b>					
<b>All</b>	1.2%	71.7%	19.9%	2.3%	4.8%
<b>Grade 4</b>	1.8%	76.1%	15.6%	1.6%	5.0%
<b>Grade 5</b>	1.0%	73.7%	18.8%	1.8%	4.7%
<b>Grade 6</b>	0.9%	65.0%	25.7%	3.7%	4.8%
<b>Beer?</b>					
<b>All</b>	1.5%	52.4%	32.0%	5.6%	8.5%
<b>Grade 4</b>	2.2%	57.1%	27.6%	4.1%	9.0%
<b>Grade 5</b>	1.2%	54.0%	31.8%	4.9%	8.1%
<b>Grade 6</b>	1.0%	45.9%	36.6%	8.0%	8.5%
<b>Wine coolers?</b>					
<b>All</b>	10.6%	51.5%	22.9%	4.4%	10.5%
<b>Grade 4</b>	13.9%	56.2%	17.6%	2.2%	10.0%
<b>Grade 5</b>	10.6%	53.2%	22.3%	3.5%	10.4%
<b>Grade 6</b>	7.4%	44.8%	29.0%	7.6%	11.2%
<b>Wine?</b>					
<b>All</b>	2.4%	52.8%	28.8%	6.3%	9.6%
<b>Grade 4</b>	3.7%	59.2%	24.4%	3.8%	8.9%
<b>Grade 5</b>	2.2%	54.6%	28.8%	5.2%	9.2%
<b>Grade 6</b>	1.3%	44.6%	33.3%	10.0%	10.8%
<b>Liquor?</b>					
<b>All</b>	6.2%	64.5%	20.2%	2.1%	7.0%
<b>Grade 4</b>	10.6%	66.1%	15.3%	1.2%	6.8%
<b>Grade 5</b>	5.3%	66.9%	19.5%	1.4%	6.8%
<b>Grade 6</b>	2.7%	60.3%	25.8%	3.8%	7.4%



**State : Grades 4-6  
Spring 2010**

**Table D-1: How recently, if ever, have you used Marijuana?**

	<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>All</b>	1.9%	1.3%	0.5%	98.1%
<b>Grade 4</b>	0.7%	0.4%	0.3%	99.3%
<b>Grade 5</b>	1.2%	0.7%	0.4%	98.8%
<b>Grade 6</b>	3.8%	2.9%	1.0%	96.2%

**Table D-2: Average number of times marijuana was used by those reporting usage:**

	<b>School Year</b>	<b>Lifetime</b>
<b>All</b>	4.6	4.6
<b>Grade 4</b>	2.7	3.6
<b>Grade 5</b>	4.0	3.8
<b>Grade 6</b>	5.1	5.0

**State : Grades 4-6  
Spring 2010**

**Table D-3: Average age of first use of marijuana:**

Grade 4	Grade 5	Grade 6
8.9	9.8	10.6

**Table D-4: Age of first use of marijuana by family situation:**

		Never	Under 8	8	9	10	11	Over 11
<b>Two Parent Family</b>								
	<b>All</b>	98.8%	0.2%	0.0%	0.1%	0.2%	0.3%	0.4%
	<b>Grade 4</b>	99.6%	0.1%	0.0%	0.1%	0.1%	0.1%	0.0%
	<b>Grade 5</b>	99.4%	0.1%	0.0%	0.1%	0.2%	0.2%	0.1%
	<b>Grade 6</b>	97.3%	0.3%	0.1%	0.2%	0.3%	0.8%	1.0%
<b>Other Family Situation</b>								
	<b>All</b>	96.9%	0.5%	0.1%	0.3%	0.6%	0.7%	0.9%
	<b>Grade 4</b>	99.1%	0.3%	0.1%	0.2%	0.3%	0.1%	0.0%
	<b>Grade 5</b>	98.0%	0.4%	0.0%	0.4%	0.4%	0.6%	0.2%
	<b>Grade 6</b>	94.0%	0.7%	0.3%	0.3%	1.0%	1.4%	2.3%

**Table D-5 : Lifetime prevalence of use of marijuana by reported conduct problems this school year:**

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
0.6%	21.0%	5.4%	26.1%

**State : Grades 4-6  
Spring 2010**

**Table D-6: About how many of your close friends use marijuana?**

	Never Heard Of	None	Some	Most
<b>All</b>	14.1%	78.4%	5.7%	1.8%
<b>Grade 4</b>	23.0%	73.7%	2.6%	0.7%
<b>Grade 5</b>	12.9%	82.2%	3.9%	1.0%
<b>Grade 6</b>	6.5%	79.2%	10.8%	3.6%

**Table D-7: Have you ever been offered marijuana?**

	Never Heard Of	Yes	No
<b>All</b>	13.7%	5.6%	80.7%
<b>Grade 4</b>	22.4%	2.9%	74.7%
<b>Grade 5</b>	12.3%	4.1%	83.6%
<b>Grade 6</b>	6.3%	9.8%	83.9%

**Table D-8: How do your parents feel about kids your age smoking marijuana?**

	Don't Like	Don't Care	Think It's OK	Don't know
<b>All</b>	84.6%	1.1%	0.3%	14.0%
<b>Grade 4</b>	80.7%	0.8%	0.4%	18.1%
<b>Grade 5</b>	86.1%	0.8%	0.2%	12.9%
<b>Grade 6</b>	87.2%	1.6%	0.4%	10.9%

**Table D-9: How dangerous do you think it is for kids your age to use marijuana?**

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
<b>All</b>	11.4%	72.5%	9.2%	1.4%	5.6%
<b>Grade 4</b>	18.9%	66.3%	8.0%	0.8%	5.9%
<b>Grade 5</b>	10.3%	74.6%	8.8%	0.8%	5.6%
<b>Grade 6</b>	4.7%	76.5%	10.8%	2.6%	5.3%

**State : Grades 4-6  
Spring 2010**

**Table I-1: How recently, if ever, have you used Inhalants?**

	Ever Used	School Year	Not Past Year	Never Used
<b>All</b>	10.4%	7.5%	3.0%	89.6%
<b>Grade 4</b>	10.5%	7.4%	3.0%	89.5%
<b>Grade 5</b>	9.0%	6.2%	2.9%	91.0%
<b>Grade 6</b>	11.8%	8.8%	3.0%	88.2%

**Table I-2: Have you ever sniffed any of the following inhalants to get high?**

	Not Used	Used
<b>Correction Fluid/Whiteout</b>		
<b>All</b>	92.9%	7.1%
<b>Grade 4</b>	94.3%	5.7%
<b>Grade 5</b>	93.7%	6.3%
<b>Grade 6</b>	90.7%	9.3%
<b>Gasoline</b>		
<b>All</b>	97.2%	2.8%
<b>Grade 4</b>	96.9%	3.1%
<b>Grade 5</b>	97.4%	2.6%
<b>Grade 6</b>	97.3%	2.7%
<b>Glue</b>		
<b>All</b>	96.8%	3.2%
<b>Grade 4</b>	95.7%	4.3%
<b>Grade 5</b>	97.2%	2.8%
<b>Grade 6</b>	97.6%	2.4%
<b>Paint Thinner</b>		
<b>All</b>	98.0%	2.0%
<b>Grade 4</b>	97.6%	2.4%
<b>Grade 5</b>	98.1%	1.9%
<b>Grade 6</b>	98.1%	1.9%
<b>Spray Paint</b>		
<b>All</b>	97.2%	2.8%
<b>Grade 4</b>	96.8%	3.2%
<b>Grade 5</b>	97.8%	2.2%
<b>Grade 6</b>	97.1%	2.9%
<b>Computer dusting sprays</b>		
<b>All</b>	98.2%	1.8%
<b>Grade 4</b>	97.3%	2.7%
<b>Grade 5</b>	98.6%	1.4%
<b>Grade 6</b>	98.8%	1.2%
<b>Other Inhalants</b>		
<b>All</b>	96.5%	3.5%
<b>Grade 4</b>	96.5%	3.5%
<b>Grade 5</b>	97.3%	2.7%
<b>Grade 6</b>	95.7%	4.3%

**State : Grades 4-6  
Spring 2010**

**Table I-3: Average number of times inhalants were used by those reporting usage:**

	<b>School Year</b>	<b>Lifetime</b>
<b>All</b>	3.3	3.3
<b>Grade 4</b>	2.6	2.8
<b>Grade 5</b>	3.2	3.1
<b>Grade 6</b>	3.6	3.5

**Table I-4: Number of different kinds of inhalants used:**

	<b>None</b>	<b>One</b>	<b>Two to Three</b>	<b>Four Plus</b>
<b>All</b>	89.2%	5.3%	4.0%	1.4%
<b>Grade 4</b>	89.4%	4.8%	4.2%	1.6%
<b>Grade 5</b>	90.7%	4.8%	3.3%	1.3%
<b>Grade 6</b>	87.7%	6.5%	4.4%	1.5%

**State : Grades 4-6  
Spring 2010**

**Table I-5: Average age of first use of inhalants:**

Grade 4	Grade 5	Grade 6
8.3	9.2	10.2

**Table I-6: Age of first use of inhalants by family situation:**

		Never	Under 8	8	9	10	11	Over 11
<b>Two Parent Family</b>								
	<b>All</b>	95.6%	0.9%	0.5%	0.7%	1.0%	0.9%	0.5%
	<b>Grade 4</b>	97.0%	0.9%	0.7%	0.7%	0.6%	0.0%	0.0%
	<b>Grade 5</b>	96.0%	0.9%	0.4%	0.7%	1.1%	0.8%	0.1%
	<b>Grade 6</b>	93.6%	0.7%	0.4%	0.7%	1.3%	1.8%	1.5%
<b>Other Family Situation</b>								
	<b>All</b>	94.0%	1.1%	0.7%	0.7%	1.2%	1.4%	1.0%
	<b>Grade 4</b>	96.8%	1.1%	0.9%	0.6%	0.5%	0.0%	0.0%
	<b>Grade 5</b>	95.8%	0.8%	0.5%	0.6%	1.3%	0.9%	0.1%
	<b>Grade 6</b>	89.8%	1.3%	0.6%	1.0%	1.7%	3.0%	2.6%

**State : Grades 4-6  
Spring 2010**

**Table I-7: Lifetime prevalence of use of inhalants by reported conduct problems this school year:**

No Absences or Conduct Problems	Cut School	Sent to Principal	Both
3.4%	25.7%	10.2%	29.2%

**Table I-8: About how many of your close friends use inhalants?**

	Never Heard Of	None	Some	Most
All	8.3%	81.5%	8.0%	2.1%
Grade 4	13.5%	81.4%	4.1%	0.9%
Grade 5	7.2%	84.4%	6.8%	1.6%
Grade 6	4.2%	78.7%	13.2%	4.0%

**Table I-9: Have you ever been offered inhalants?**

	Never Heard Of	Yes	No
All	8.1%	6.5%	85.4%
Grade 4	13.4%	3.4%	83.2%
Grade 5	7.0%	5.4%	87.6%
Grade 6	3.9%	10.7%	85.4%

**Table I-10: How dangerous do you think it is for kids your age to use inhalants?**

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	6.2%	64.0%	18.4%	2.9%	8.6%
Grade 4	10.9%	63.4%	15.2%	1.7%	8.9%
Grade 5	5.0%	65.9%	18.0%	2.6%	8.5%
Grade 6	2.6%	62.8%	21.9%	4.3%	8.4%

**State : Grades 4-6  
Spring 2010**

**Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ..**

CATEGORY	Yes
<b>An Assembly Program?</b>	All 55.1%
	Grade 4 51.2%
	Grade 5 57.3%
	Grade 6 56.8%
<b>Guidance Counselor?</b>	All 51.2%
	Grade 4 50.9%
	Grade 5 55.1%
	Grade 6 47.6%
<b>Visitor to Class?</b>	All 47.4%
	Grade 4 38.3%
	Grade 5 50.3%
	Grade 6 53.5%
<b>Someone Else at School?</b>	All 38.1%
	Grade 4 35.2%
	Grade 5 38.4%
	Grade 6 40.5%
<b>Your Teacher?</b>	All 53.2%
	Grade 4 51.1%
	Grade 5 53.2%
	Grade 6 55.5%
<b>Any School Source?</b>	All 84.3%
	Grade 4 81.4%
	Grade 5 86.3%
	Grade 6 85.4%



## **2. Prevalence Tables**

**State : Grades 4-6  
Spring 2010**

**State : Grades 4-6  
Spring 2010**

**Table B1: Prevalence and recency of use of selected substances by grade  
All Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.6%	3.1%	2.5%	94.4%
	<b>Grade 4</b>	3.9%	2.3%	1.6%	96.1%
	<b>Grade 5</b>	4.6%	2.2%	2.3%	95.4%
	<b>Grade 6</b>	8.4%	4.7%	3.7%	91.6%
<b>Alcohol</b>					
	<b>All</b>	21.5%	13.7%	7.7%	78.5%
	<b>Grade 4</b>	16.0%	10.6%	5.4%	84.0%
	<b>Grade 5</b>	19.6%	12.2%	7.4%	80.4%
	<b>Grade 6</b>	29.0%	18.6%	10.4%	71.0%
<b>Inhalants</b>					
	<b>All</b>	10.4%	7.5%	3.0%	89.6%
	<b>Grade 4</b>	10.5%	7.4%	3.0%	89.5%
	<b>Grade 5</b>	9.0%	6.2%	2.9%	91.0%
	<b>Grade 6</b>	11.8%	8.8%	3.0%	88.2%
<b>Marijuana</b>					
	<b>All</b>	1.9%	1.3%	0.5%	98.1%
	<b>Grade 4</b>	0.7%	0.4%	0.3%	99.3%
	<b>Grade 5</b>	1.2%	0.7%	0.4%	98.8%
	<b>Grade 6</b>	3.8%	2.9%	1.0%	96.2%

**State : Grades 4-6  
Spring 2010**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	7.0%	3.9%	3.1%	93.0%
	<b>Grade 4</b>	4.9%	2.9%	1.9%	95.1%
	<b>Grade 5</b>	5.9%	3.0%	2.9%	94.1%
	<b>Grade 6</b>	10.4%	5.8%	4.5%	89.6%
<b>Alcohol</b>					
	<b>All</b>	24.0%	14.9%	9.1%	76.0%
	<b>Grade 4</b>	18.9%	12.2%	6.7%	81.1%
	<b>Grade 5</b>	22.4%	13.8%	8.6%	77.6%
	<b>Grade 6</b>	31.0%	19.0%	12.0%	69.0%
<b>Inhalants</b>					
	<b>All</b>	11.2%	7.8%	3.5%	88.8%
	<b>Grade 4</b>	12.4%	8.5%	3.8%	87.6%
	<b>Grade 5</b>	9.6%	6.4%	3.1%	90.4%
	<b>Grade 6</b>	11.8%	8.4%	3.4%	88.2%
<b>Marijuana</b>					
	<b>All</b>	2.4%	1.7%	0.7%	97.6%
	<b>Grade 4</b>	0.9%	0.6%	0.3%	99.1%
	<b>Grade 5</b>	1.5%	0.9%	0.6%	98.5%
	<b>Grade 6</b>	4.9%	3.5%	1.4%	95.1%

**State : Grades 4-6  
Spring 2010**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	4.3%	2.3%	2.0%	95.7%
	<b>Grade 4</b>	3.0%	1.8%	1.2%	97.0%
	<b>Grade 5</b>	3.4%	1.6%	1.8%	96.6%
	<b>Grade 6</b>	6.6%	3.7%	2.9%	93.4%
<b>Alcohol</b>					
	<b>All</b>	19.0%	12.6%	6.4%	81.0%
	<b>Grade 4</b>	13.3%	9.2%	4.1%	86.7%
	<b>Grade 5</b>	16.9%	10.6%	6.2%	83.1%
	<b>Grade 6</b>	27.1%	18.2%	8.9%	72.9%
<b>Inhalants</b>					
	<b>All</b>	9.7%	7.2%	2.5%	90.3%
	<b>Grade 4</b>	8.7%	6.4%	2.3%	91.3%
	<b>Grade 5</b>	8.6%	5.9%	2.7%	91.4%
	<b>Grade 6</b>	11.9%	9.2%	2.7%	88.1%
<b>Marijuana</b>					
	<b>All</b>	1.4%	1.0%	0.4%	98.6%
	<b>Grade 4</b>	0.4%	0.2%	0.2%	99.6%
	<b>Grade 5</b>	0.9%	0.6%	0.3%	99.1%
	<b>Grade 6</b>	2.8%	2.2%	0.6%	97.2%

**State : Grades 4-6  
Spring 2010**

**Table B4: Prevalence and recency of use of selected substances by grade  
White Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.1%	2.8%	2.3%	94.9%
	<b>Grade 4</b>	3.6%	2.2%	1.3%	96.4%
	<b>Grade 5</b>	4.8%	2.3%	2.5%	95.2%
	<b>Grade 6</b>	7.0%	3.9%	3.1%	93.0%
<b>Alcohol</b>					
	<b>All</b>	19.2%	11.7%	7.5%	80.8%
	<b>Grade 4</b>	14.2%	8.7%	5.4%	85.8%
	<b>Grade 5</b>	19.3%	11.8%	7.5%	80.7%
	<b>Grade 6</b>	24.2%	14.7%	9.6%	75.8%
<b>Inhalants</b>					
	<b>All</b>	9.5%	6.4%	3.1%	90.5%
	<b>Grade 4</b>	10.7%	7.7%	3.0%	89.3%
	<b>Grade 5</b>	9.0%	5.4%	3.6%	91.0%
	<b>Grade 6</b>	8.7%	6.2%	2.5%	91.3%
<b>Marijuana</b>					
	<b>All</b>	1.0%	0.6%	0.4%	99.0%
	<b>Grade 4</b>	0.4%	0.2%	0.2%	99.6%
	<b>Grade 5</b>	0.9%	0.6%	0.3%	99.1%
	<b>Grade 6</b>	1.6%	1.0%	0.7%	98.4%

**State : Grades 4-6  
Spring 2010**

**Table B5: Prevalence and recency of use of selected substances by grade  
African/American Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	6.7%	3.1%	3.6%	93.3%
	<b>Grade 4</b>	6.0%	3.2%	2.8%	94.0%
	<b>Grade 5</b>	5.5%	2.5%	3.0%	94.5%
	<b>Grade 6</b>	8.7%	3.7%	5.0%	91.3%
<b>Alcohol</b>					
	<b>All</b>	23.8%	14.6%	9.2%	76.2%
	<b>Grade 4</b>	19.6%	14.5%	5.1%	80.4%
	<b>Grade 5</b>	21.3%	12.3%	9.0%	78.7%
	<b>Grade 6</b>	30.4%	17.1%	13.3%	69.6%
<b>Inhalants</b>					
	<b>All</b>	10.1%	7.7%	2.5%	89.9%
	<b>Grade 4</b>	10.5%	7.9%	2.6%	89.5%
	<b>Grade 5</b>	8.3%	5.8%	2.5%	91.7%
	<b>Grade 6</b>	11.6%	9.2%	2.4%	88.4%
<b>Marijuana</b>					
	<b>All</b>	1.7%	1.2%	0.5%	98.3%
	<b>Grade 4</b>	0.8%	0.5%	0.4%	99.2%
	<b>Grade 5</b>	0.9%	0.6%	0.3%	99.1%
	<b>Grade 6</b>	3.4%	2.6%	0.8%	96.6%

**State : Grades 4-6  
Spring 2010**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.8%	3.4%	2.4%	94.2%
	<b>Grade 4</b>	3.5%	2.2%	1.3%	96.5%
	<b>Grade 5</b>	4.3%	2.2%	2.1%	95.7%
	<b>Grade 6</b>	9.6%	5.7%	3.9%	90.4%
<b>Alcohol</b>					
	<b>All</b>	22.7%	15.2%	7.6%	77.3%
	<b>Grade 4</b>	16.5%	10.9%	5.6%	83.5%
	<b>Grade 5</b>	19.8%	12.8%	7.0%	80.2%
	<b>Grade 6</b>	32.4%	22.1%	10.3%	67.6%
<b>Inhalants</b>					
	<b>All</b>	11.0%	8.0%	3.0%	89.0%
	<b>Grade 4</b>	9.9%	7.0%	2.9%	90.1%
	<b>Grade 5</b>	9.2%	6.7%	2.5%	90.8%
	<b>Grade 6</b>	14.1%	10.5%	3.5%	85.9%
<b>Marijuana</b>					
	<b>All</b>	2.5%	1.9%	0.7%	97.5%
	<b>Grade 4</b>	0.8%	0.6%	0.2%	99.2%
	<b>Grade 5</b>	1.4%	0.8%	0.5%	98.6%
	<b>Grade 6</b>	5.6%	4.3%	1.2%	94.4%



**State : Grades 4-6  
Spring 2010**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	3.4%	1.5%	1.9%	96.6%
	<b>Grade 4</b>	2.9%	1.6%	1.3%	97.1%
	<b>Grade 5</b>	2.6%	1.0%	1.6%	97.4%
	<b>Grade 6</b>	4.6%	1.9%	2.7%	95.4%
<b>Alcohol</b>					
	<b>All</b>	17.3%	10.2%	7.0%	82.7%
	<b>Grade 4</b>	13.6%	8.4%	5.2%	86.4%
	<b>Grade 5</b>	15.7%	9.0%	6.7%	84.3%
	<b>Grade 6</b>	22.6%	13.3%	9.3%	77.4%
<b>Inhalants</b>					
	<b>All</b>	7.7%	5.6%	2.1%	92.3%
	<b>Grade 4</b>	8.2%	6.1%	2.2%	91.8%
	<b>Grade 5</b>	6.9%	4.8%	2.1%	93.1%
	<b>Grade 6</b>	7.8%	5.9%	1.9%	92.2%
<b>Marijuana</b>					
	<b>All</b>	0.8%	0.5%	0.2%	99.2%
	<b>Grade 4</b>	0.4%	0.2%	0.1%	99.6%
	<b>Grade 5</b>	0.5%	0.3%	0.2%	99.5%
	<b>Grade 6</b>	1.4%	1.0%	0.4%	98.6%

**State : Grades 4-6  
Spring 2010**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students Reporting grades lower than A**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	7.0%	4.0%	2.9%	93.0%
	<b>Grade 4</b>	4.6%	2.9%	1.7%	95.4%
	<b>Grade 5</b>	5.7%	2.9%	2.7%	94.3%
	<b>Grade 6</b>	10.7%	6.3%	4.4%	89.3%
<b>Alcohol</b>					
	<b>All</b>	24.1%	16.0%	8.1%	75.9%
	<b>Grade 4</b>	17.8%	12.2%	5.6%	82.2%
	<b>Grade 5</b>	21.9%	14.1%	7.8%	78.1%
	<b>Grade 6</b>	32.8%	21.8%	11.0%	67.2%
<b>Inhalants</b>					
	<b>All</b>	12.1%	8.6%	3.6%	87.9%
	<b>Grade 4</b>	12.0%	8.3%	3.6%	88.0%
	<b>Grade 5</b>	10.3%	7.0%	3.3%	89.7%
	<b>Grade 6</b>	14.3%	10.5%	3.8%	85.7%
<b>Marijuana</b>					
	<b>All</b>	2.6%	1.8%	0.7%	97.4%
	<b>Grade 4</b>	0.9%	0.6%	0.3%	99.1%
	<b>Grade 5</b>	1.5%	0.9%	0.6%	98.5%
	<b>Grade 6</b>	5.3%	4.0%	1.3%	94.7%

**State : Grades 4-6  
Spring 2010**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	4.2%	2.3%	1.9%	95.8%
	<b>Grade 4</b>	2.9%	1.9%	1.0%	97.1%
	<b>Grade 5</b>	3.4%	1.7%	1.7%	96.6%
	<b>Grade 6</b>	6.4%	3.6%	2.9%	93.6%
<b>Alcohol</b>					
	<b>All</b>	18.8%	11.9%	6.9%	81.2%
	<b>Grade 4</b>	14.1%	9.3%	4.7%	85.9%
	<b>Grade 5</b>	17.2%	10.6%	6.6%	82.8%
	<b>Grade 6</b>	25.7%	16.2%	9.5%	74.3%
<b>Inhalants</b>					
	<b>All</b>	10.0%	7.1%	2.8%	90.0%
	<b>Grade 4</b>	10.6%	7.7%	2.9%	89.4%
	<b>Grade 5</b>	9.0%	6.2%	2.8%	91.0%
	<b>Grade 6</b>	10.3%	7.5%	2.8%	89.7%
<b>Marijuana</b>					
	<b>All</b>	1.2%	0.9%	0.4%	98.8%
	<b>Grade 4</b>	0.4%	0.3%	0.1%	99.6%
	<b>Grade 5</b>	0.7%	0.4%	0.3%	99.3%
	<b>Grade 6</b>	2.7%	2.0%	0.7%	97.3%

**State : Grades 4-6  
Spring 2010**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students Not Living With 2 Parents**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	8.7%	4.7%	4.0%	91.3%
	<b>Grade 4</b>	6.2%	3.4%	2.8%	93.8%
	<b>Grade 5</b>	7.2%	3.5%	3.7%	92.8%
	<b>Grade 6</b>	12.3%	7.0%	5.4%	87.7%
<b>Alcohol</b>					
	<b>All</b>	27.2%	17.6%	9.6%	72.8%
	<b>Grade 4</b>	20.7%	13.7%	7.0%	79.3%
	<b>Grade 5</b>	24.7%	15.6%	9.2%	75.3%
	<b>Grade 6</b>	35.4%	23.2%	12.3%	64.6%
<b>Inhalants</b>					
	<b>All</b>	11.5%	8.3%	3.3%	88.5%
	<b>Grade 4</b>	10.3%	7.0%	3.2%	89.7%
	<b>Grade 5</b>	9.3%	6.2%	3.1%	90.7%
	<b>Grade 6</b>	14.8%	11.4%	3.4%	85.2%
<b>Marijuana</b>					
	<b>All</b>	3.2%	2.3%	0.9%	96.8%
	<b>Grade 4</b>	1.2%	0.7%	0.5%	98.8%
	<b>Grade 5</b>	2.2%	1.5%	0.7%	97.8%
	<b>Grade 6</b>	6.0%	4.5%	1.5%	94.0%

**State : Grades 4-6  
Spring 2010**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students Living in Town More Than 3 Years**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	5.3%	3.0%	2.3%	94.7%
	<b>Grade 4</b>	3.5%	2.1%	1.4%	96.5%
	<b>Grade 5</b>	4.3%	2.3%	2.0%	95.7%
	<b>Grade 6</b>	8.0%	4.6%	3.4%	92.0%
<b>Alcohol</b>					
	<b>All</b>	21.7%	13.9%	7.8%	78.3%
	<b>Grade 4</b>	16.5%	10.9%	5.6%	83.5%
	<b>Grade 5</b>	19.6%	12.2%	7.4%	80.4%
	<b>Grade 6</b>	28.6%	18.3%	10.3%	71.4%
<b>Inhalants</b>					
	<b>All</b>	10.3%	7.5%	2.9%	89.7%
	<b>Grade 4</b>	10.3%	7.3%	2.9%	89.7%
	<b>Grade 5</b>	9.1%	6.3%	2.8%	90.9%
	<b>Grade 6</b>	11.6%	8.7%	2.9%	88.4%
<b>Marijuana</b>					
	<b>All</b>	1.9%	1.4%	0.5%	98.1%
	<b>Grade 4</b>	0.7%	0.5%	0.3%	99.3%
	<b>Grade 5</b>	1.2%	0.7%	0.5%	98.8%
	<b>Grade 6</b>	3.7%	2.8%	0.9%	96.3%

**State : Grades 4-6  
Spring 2010**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students Living in Town 3 Years or Less**

		<b>Ever Used</b>	<b>School Year</b>	<b>Not Past Year</b>	<b>Never Used</b>
<b>Tobacco</b>					
	<b>All</b>	7.6%	3.6%	4.0%	92.4%
	<b>Grade 4</b>	5.5%	2.8%	2.6%	94.5%
	<b>Grade 5</b>	6.4%	2.3%	4.2%	93.6%
	<b>Grade 6</b>	11.1%	5.9%	5.2%	88.9%
<b>Alcohol</b>					
	<b>All</b>	23.6%	14.8%	8.8%	76.4%
	<b>Grade 4</b>	17.0%	10.7%	6.3%	83.0%
	<b>Grade 5</b>	22.2%	13.6%	8.6%	77.8%
	<b>Grade 6</b>	32.4%	20.7%	11.6%	67.6%
<b>Inhalants</b>					
	<b>All</b>	11.0%	8.1%	2.9%	89.0%
	<b>Grade 4</b>	10.8%	8.2%	2.6%	89.2%
	<b>Grade 5</b>	9.4%	6.6%	2.8%	90.6%
	<b>Grade 6</b>	13.0%	9.5%	3.5%	87.0%
<b>Marijuana</b>					
	<b>All</b>	2.0%	1.4%	0.6%	98.0%
	<b>Grade 4</b>	0.6%	0.2%	0.4%	99.4%
	<b>Grade 5</b>	1.2%	0.9%	0.3%	98.8%
	<b>Grade 6</b>	4.5%	3.3%	1.2%	95.5%

### **3. Margin Tables**

**State : Grades 4-6  
Spring 2010**



**State : Grades 4-6  
Spring 2010**

The FREQ Procedure

Frequency Missing = 26416.301909

<b>PARENTS ATTEND PTA MEETINGS</b>		
<b>Q10</b>	<b>Frequency</b>	<b>Percent</b>
No	399E3	49.99
Yes	399E3	50.01

Frequency Missing = 29624.939988

<b>EVER INHALED - GASOLINE</b>		
<b>Q11a</b>	<b>Frequency</b>	<b>Percent</b>
Not Used	771E3	97.19
Used	22298	2.81

Frequency Missing = 34877.538972

<b>EVER INHALED - PAINT THINNER</b>		
<b>Q11b</b>	<b>Frequency</b>	<b>Percent</b>
Not Used	766E3	97.95
Used	15990	2.05

Frequency Missing = 46073.390044

<b>EVER INHALED - GLUE</b>		
<b>Q11c</b>	<b>Frequency</b>	<b>Percent</b>
Not Used	754E3	96.85
Used	24534	3.15

Frequency Missing = 49734.149441

<b>EVER INHALED - WHITEOUT</b>		
<b>Q11d</b>	<b>Frequency</b>	<b>Percent</b>
Not Used	723E3	92.87
Used	55496	7.13

Frequency Missing = 49491.606242

<b>GENDER</b>		
<b>Q1</b>	<b>Frequency</b>	<b>Percent</b>
Female	42E4	50.84
Male	406E3	49.16

Frequency Missing = 1612.7111008

<b>GRADE LEVEL</b>		
<b>Q2</b>	<b>Frequency</b>	<b>Percent</b>
Grade 4	282E3	34.10
Grade 5	276E3	33.36
Grade 6	269E3	32.55

<b>WHAT GRADES DO YOU USUALLY GET</b>		
<b>Q6</b>	<b>Frequency</b>	<b>Percent</b>
Mostly A's	302E3	37.40
Mostly B's	38E4	46.96
Mostly C's	103E3	12.71
Mostly D's	15952	1.97
Mostly F's	7761	0.96

Frequency Missing = 19005.363862

<b>LIVED IN THIS TOWN FOR MORE THAN 3 YEARS</b>		
<b>Q7</b>	<b>Frequency</b>	<b>Percent</b>
Don't Know	72920	8.90
No	106E3	12.95
Yes	64E4	78.15

Frequency Missing = 8874.8877219

<b>EITHER PARENT GRADUATE FROM COLLEGE</b>		
<b>Q8</b>	<b>Frequency</b>	<b>Percent</b>
Don't Know	29E4	35.52
No	18E4	22.07
Yes	346E3	42.41

Frequency Missing = 11908.164555

<b>QUALIFY FOR FREE/REDUCED PRICE LUNCH</b>		
<b>Q9</b>	<b>Frequency</b>	<b>Percent</b>
Don't Know	296E3	36.86
No	193E3	24.06
Yes	314E3	39.08

Frequency Missing = 24648.434424

<b>LIVE WITH BOTH PARENTS</b>		
<b>Q3</b>	<b>Frequency</b>	<b>Percent</b>
No	265E3	32.40
Yes	552E3	67.54
YN	515	0.06

Frequency Missing = 11150.152258

<b>AGE</b>		
<b>Q4</b>	<b>Frequency</b>	<b>Percent</b>
8 or younger	243	0.03
9	87383	10.61
10	252E3	30.55
11	27E4	32.84
12	186E3	22.61
13 or older	27650	3.36

Frequency Missing = 4513.7099443

<b>ETHNICITY</b>		
<b>Q5</b>	<b>Frequency</b>	<b>Percent</b>
African/American	111E3	13.86
Asian/American	6812	0.85
Mexican/American	389E3	48.50
Native/American	5858	0.73
Other	19857	2.48
White	269E3	33.58

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 4-6  
Spring 2010**

<b>EVER INHALED - SPRAY PAINT</b>		
<b>Q11e</b>	<b>Frequency</b>	<b>Percent</b>
Not Used	754E3	97.24
Used	21367	2.76

Frequency Missing = 53027.93357

<b>EVER INHALED - COMPUTER DUSTING SPRAYS</b>		
<b>Q11f</b>	<b>Frequency</b>	<b>Percent</b>
Not Used	762E3	98.21
Used	13870	1.79

Frequency Missing = 52556.778842

<b>EVER INHALED - OTHER INHALANTS</b>		
<b>Q11g</b>	<b>Frequency</b>	<b>Percent</b>
Not Used	753E3	96.49
Used	27359	3.51

Frequency Missing = 47566.720168

<b>CIGARETTE USE DURING LIFETIME</b>		
<b>Q12A Frequency Percent</b>		
Never heard of	52700	6.53
Never used	718E3	89.00
1-2 times	28013	3.47
3-10 times	5461	0.68
11+ times	2671	0.33

Frequency Missing = 20604.270021

<b>SNUFF/CHEWING TOBACCO USE IN LIFETIME</b>		
<b>Q12B Frequency Percent</b>		
Never heard of	98872	12.39
Never used	688E3	86.25
1-2 times	8968	1.12
3-10 times	1057	0.13
11+ times	861	0.11

Frequency Missing = 29951.349252

<b>BEER USE DURING LIFETIME</b>		
<b>Q12C Frequency Percent</b>		
Never heard of	17716	2.28
Never used	649E3	83.67
1-2 times	85478	11.03
3-10 times	16793	2.17
11+ times	6615	0.85

Frequency Missing = 52629.134951

<b>WINE COOLER USE DURING LIFETIME</b>		
<b>Q12D Frequency Percent</b>		
Never heard of	159E3	20.17
Never used	564E3	71.33
1-2 times	49288	6.24
3-10 times	11121	1.41
11+ times	6764	0.86

Frequency Missing = 37647.016771

<b>WINE USE DURING LIFETIME</b>		
<b>Q12E Frequency Percent</b>		
Never heard of	35606	4.69
Never used	646E3	85.09
1-2 times	64638	8.51
3-10 times	9152	1.20
11+ times	3878	0.51

Frequency Missing = 68241.248445

<b>LIQUOR USE DURING LIFETIME</b>		
<b>Q12F Frequency Percent</b>		
Never heard of	97269	12.35
Never used	647E3	82.12
1-2 times	33487	4.25
3-10 times	7206	0.92
11+ times	2796	0.36

Frequency Missing = 40577.504244

<b>INHALANT USE DURING LIFETIME</b>		
<b>Q12H Frequency Percent</b>		
Never heard of	89166	11.34
Never used	658E3	83.63
1-2 times	28908	3.68
3-10 times	7131	0.91
11+ times	3557	0.45

Frequency Missing = 41440.157144

<b>MARIJUANA USE DURING LIFETIME</b>		
<b>Q12I Frequency Percent</b>		
Never heard of	155E3	19.49
Never used	624E3	78.76
1-2 times	7965	1.00
3-10 times	2875	0.36
11+ times	2962	0.37

Frequency Missing = 35297.247795

<b>CIGARETTE USE IN PAST SCHOOL YEAR</b>		
<b>Q13A Frequency Percent</b>		
Never heard of	45422	5.66
Never used	736E3	91.78
1-2 times	15699	1.96
3-10 times	3492	0.44
11+ times	1311	0.16

Frequency Missing = 25633.454734

<b>SNUFF/CHEWING TOBACCO USE IN PAST YEAR</b>		
<b>Q13B Frequency Percent</b>		
Never heard of	82732	10.43
Never used	703E3	88.66
1-2 times	5923	0.75
3-10 times	808	0.10
11+ times	518	0.07

Frequency Missing = 34782.388137

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 4-6  
Spring 2010**

<b>BEER USE IN PAST SCHOOL YEAR</b>		
	<b>Q13C Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	15616	2.02
<b>Never used</b>	692E3	89.36
<b>1-2 times</b>	53130	6.86
<b>3-10 times</b>	10315	1.33
<b>11+ times</b>	3329	0.43

Frequency Missing = 53747.395051

<b>WINE COOLER USE IN PAST SCHOOL YEAR</b>		
	<b>Q13D Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	137E3	17.48
<b>Never used</b>	604E3	76.91
<b>1-2 times</b>	33010	4.20
<b>3-10 times</b>	7260	0.92
<b>11+ times</b>	3739	0.48

Frequency Missing = 42635.392113

<b>WINE USE IN PAST SCHOOL YEAR</b>		
	<b>Q13E Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	31864	4.16
<b>Never used</b>	683E3	89.18
<b>1-2 times</b>	43391	5.66
<b>3-10 times</b>	5176	0.68
<b>11+ times</b>	2474	0.32

Frequency Missing = 61728.970124

<b>LIQUOR USE IN PAST SCHOOL YEAR</b>		
	<b>Q13F Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	88973	11.38
<b>Never used</b>	663E3	84.85
<b>1-2 times</b>	22800	2.92
<b>3-10 times</b>	4768	0.61
<b>11+ times</b>	1895	0.24

Frequency Missing = 46227.031023

<b>INHALANT USE IN PAST SCHOOL YEAR</b>		
	<b>Q13H Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	79679	10.18
<b>Never used</b>	672E3	85.89
<b>1-2 times</b>	22469	2.87
<b>3-10 times</b>	5373	0.69
<b>11+ times</b>	2917	0.37

Frequency Missing = 45142.164426

<b>MARIJUANA USE IN PAST SCHOOL YEAR</b>		
	<b>Q13I Frequency</b>	<b>Percent</b>
<b>Never heard of</b>	142E3	18.14
<b>Never used</b>	628E3	80.49
<b>1-2 times</b>	6251	0.80
<b>3-10 times</b>	2015	0.26
<b>11+ times</b>	2448	0.31

Frequency Missing = 47118.99571

<b>AGE WHEN FIRST USED CIGARETTES</b>		
	<b>Q14A Frequency</b>	<b>Percent</b>
<b>7 or younger</b>	8116	1.02
<b>8 years old</b>	4951	0.62
<b>9 years old</b>	6126	0.77
<b>10 years old</b>	7267	0.92
<b>11 years old</b>	6389	0.80
<b>12 or older</b>	5127	0.65
<b>Never heard/used</b>	756E3	95.22

Frequency Missing = 34220.828141

<b>AGE WHEN FIRST USED SNUFF/CHEW TOBACCO</b>		
	<b>Q14B Frequency</b>	<b>Percent</b>
<b>7 or younger</b>	2725	0.35
<b>8 years old</b>	1633	0.21
<b>9 years old</b>	2002	0.26
<b>10 years old</b>	2304	0.29
<b>11 years old</b>	1820	0.23
<b>12 or older</b>	1414	0.18
<b>Never heard/used</b>	772E3	98.48

Frequency Missing = 43984.909894

<b>AGE WHEN FIRST USED BEER</b>		
	<b>Q14C Frequency</b>	<b>Percent</b>
<b>7 or younger</b>	36842	4.79
<b>8 years old</b>	15553	2.02
<b>9 years old</b>	17829	2.32
<b>10 years old</b>	19441	2.53
<b>11 years old</b>	14233	1.85
<b>12 or older</b>	9388	1.22
<b>Never heard/used</b>	656E3	85.27

Frequency Missing = 58837.575795

<b>AGE WHEN FIRST USED WINE COOLERS</b>		
	<b>Q14D Frequency</b>	<b>Percent</b>
<b>7 or younger</b>	9295	1.19
<b>8 years old</b>	7343	0.94
<b>9 years old</b>	9893	1.27
<b>10 years old</b>	12999	1.67
<b>11 years old</b>	13576	1.74
<b>12 or older</b>	8827	1.13
<b>Never heard/used</b>	716E3	92.04

Frequency Missing = 49803.084897

<b>AGE WHEN FIRST USED WINE</b>		
	<b>Q14E Frequency</b>	<b>Percent</b>
<b>7 or younger</b>	11018	1.45
<b>8 years old</b>	8982	1.19
<b>9 years old</b>	14384	1.90
<b>10 years old</b>	16116	2.13
<b>11 years old</b>	15407	2.03
<b>12 or older</b>	9585	1.26
<b>Never heard/used</b>	682E3	90.04

Frequency Missing = 69945.82323

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 4-6  
Spring 2010**

**AGE WHEN FIRST USED LIQUOR**

<b>Q14F Frequency Percent</b>		
7 or younger	4685	0.61
8 years old	3841	0.50
9 years old	6348	0.82
10 years old	8220	1.06
11 years old	10685	1.38
12 or older	7616	0.99
Never heard/used	731E3	94.64

Frequency Missing = 55403.385448

**AGE WHEN FIRST USED INHALANTS**

<b>Q14H Frequency Percent</b>		
7 or younger	7238	0.94
8 years old	4238	0.55
9 years old	5503	0.71
10 years old	7994	1.04
11 years old	7835	1.02
12 or older	5240	0.68
Never heard/used	734E3	95.07

Frequency Missing = 56270.992874

**AGE WHEN FIRST USED MARIJUANA**

<b>Q14I Frequency Percent</b>		
7 or younger	1908	0.25
8 years old	547	0.07
9 years old	1388	0.18
10 years old	2354	0.31
11 years old	3543	0.46
12 or older	4120	0.54
Never heard/used	754E3	98.20

Frequency Missing = 59719.499224

**CLOSE FRIENDS USE CIGARETTES**

<b>Q15A Frequency Percent</b>		
Never heard of	34950	4.42
None	654E3	82.72
Some	93666	11.84
Most	8038	1.02

Frequency Missing = 36944.150415

**CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO**

<b>Q15B Frequency Percent</b>		
Never heard of	55134	7.10
None	682E3	87.84
Some	35271	4.54
Most	4076	0.52

Frequency Missing = 51110.828597

**CLOSE FRIENDS USE BEER**

<b>Q15C Frequency Percent</b>		
Never heard of	17025	2.23
None	6E5	78.41
Some	125E3	16.28
Most	23576	3.08

Frequency Missing = 62921.616275

**CLOSE FRIENDS USE WINE COOLERS**

<b>Q15D Frequency Percent</b>		
Never heard of	95439	12.39
None	598E3	77.65
Some	61513	7.98
Most	15275	1.98

Frequency Missing = 57406.745048

**CLOSE FRIENDS USE WINE**

<b>Q15E Frequency Percent</b>		
Never heard of	27420	3.64
None	641E3	85.06
Some	74077	9.83
Most	11108	1.47

Frequency Missing = 74152.610973

**CLOSE FRIENDS USE LIQUOR**

<b>Q15F Frequency Percent</b>		
Never heard of	65026	8.50
None	633E3	82.79
Some	54281	7.10
Most	12278	1.61

Frequency Missing = 63354.655159

**CLOSE FRIENDS USE INHALANTS**

<b>Q15H Frequency Percent</b>		
Never heard of	63568	8.30
None	624E3	81.51
Some	61593	8.04
Most	16417	2.14

Frequency Missing = 62037.20452

**CLOSE FRIENDS USE MARIJUANA**

<b>Q15I Frequency Percent</b>		
Never heard of	109E3	14.15
None	603E3	78.35
Some	44177	5.74
Most	13549	1.76

Frequency Missing = 58482.82211

**EVER BEEN OFFERED CIGARETTES**

<b>Q16a</b>	<b>Frequency Percent</b>	
Never heard of	37508	4.78
No	663E3	84.58
Yes	83460	10.64

Frequency Missing = 43648.305467

**EVER BEEN OFFERED SNUFF/CHEWING TOBACCO**

<b>Q16b</b>	<b>Frequency Percent</b>	
Never heard of	57408	7.45
No	679E3	88.10
Yes	34284	4.45

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 4-6  
Spring 2010**

Frequency Missing = 57232.184957

<b>EVER BEEN OFFERED BEER</b>		
<b>Q16c</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	17897	2.34
No	606E3	79.35
Yes	14E4	18.30

Frequency Missing = 64465.372561

<b>EVER BEEN OFFERED WINE COOLERS</b>		
<b>Q16d</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	95508	12.59
No	602E3	79.34
Yes	61169	8.06

Frequency Missing = 69450.16909

<b>EVER BEEN OFFERED WINE</b>		
<b>Q16e</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	28247	3.77
No	643E3	85.72
Yes	78896	10.52

Frequency Missing = 77698.333617

<b>EVER BEEN OFFERED LIQUOR</b>		
<b>Q16f</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	63090	8.39
No	637E3	84.73
Yes	51774	6.88

Frequency Missing = 75799.352078

<b>EVER BEEN OFFERED INHALANTS</b>		
<b>Q16h</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	60922	8.08
No	644E3	85.42
Yes	49019	6.50

Frequency Missing = 73837.531209

<b>EVER BEEN OFFERED MARIJUANA</b>		
<b>Q16i</b>	<b>Frequency</b>	<b>Percent</b>
Never heard of	103E3	13.66
No	611E3	80.74
Yes	42433	5.61

Frequency Missing = 71166.728526

<b>IS ALCOHOL OBTAINED FROM HOME</b>		
<b>Q17a</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	615E3	78.80
No	96373	12.34
Yes	69123	8.85

Frequency Missing = 47236.680082

<b>IS ALCOHOL OBTAINED FROM FRIENDS</b>		
<b>Q17b</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	608E3	79.67
No	131E3	17.20
Yes	23857	3.13

Frequency Missing = 64892.709405

<b>IS ALCOHOL OBTAINED SOMEWHERE ELSE</b>		
<b>Q17c</b>	<b>Frequency</b>	<b>Percent</b>
Do Not Drink	602E3	78.32
No	109E3	14.21
Yes	57473	7.47

Frequency Missing = 58787.267542

**DANGEROUS FOR KIDS TO USE CIGARETTES**

<b>Q18A Frequency Percent</b>		
Very dangerous	513E3	64.84
Dangerous	198E3	25.02
Not at all	8981	1.14
Don't know	44475	5.63
Never heard of	26781	3.39

Frequency Missing = 37381.748697

**DANGEROUS FOR KIDS TO USE SNUFF/CHEWING TOBACCO**

<b>Q18B Frequency Percent</b>		
Very dangerous	523E3	67.35
Dangerous	151E3	19.48
Not at all	9022	1.16
Don't know	50240	6.47
Never heard of	43022	5.54

Frequency Missing = 51029.803701

**DANGEROUS FOR KIDS TO USE BEER**

<b>Q18C Frequency Percent</b>		
Very dangerous	401E3	52.40
Dangerous	245E3	31.97
Not at all	43182	5.64
Don't know	65267	8.52
Never heard of	11215	1.46

Frequency Missing = 62120.190619

**DANGEROUS FOR KIDS TO USE WINE COOLERS**

<b>Q18D Frequency Percent</b>		
Very dangerous	395E3	51.45
Dangerous	176E3	22.95
Not at all	33888	4.41
Don't know	80924	10.54
Never heard of	81730	10.65

Frequency Missing = 60249.896945

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 4-6  
Spring 2010**

<b>DANGEROUS FOR KIDS TO USE WINE</b>		
<b>Q18E Frequency Percent</b>		
Very dangerous	401E3	52.85
Dangerous	219E3	28.80
Not at all	47944	6.32
Don't know	73021	9.62
Never heard of	18294	2.41

Frequency Missing = 69149.914167

<b>DANGEROUS FOR KIDS TO USE LIQUOR</b>		
<b>Q18F Frequency Percent</b>		
Very dangerous	492E3	64.47
Dangerous	154E3	20.18
Not at all	16256	2.13
Don't know	53357	6.99
Never heard of	47503	6.22

Frequency Missing = 64760.207779

<b>DANGEROUS FOR KIDS TO USE INHALANTS</b>		
<b>Q18H Frequency Percent</b>		
Very dangerous	489E3	64.03
Dangerous	14E4	18.37
Not at all	21870	2.86
Don't know	65426	8.57
Never heard of	47136	6.17

Frequency Missing = 64362.257227

<b>DANGEROUS FOR KIDS TO USE MARIJUANA</b>		
<b>Q18I Frequency Percent</b>		
Very dangerous	559E3	72.46
Dangerous	71043	9.21
Not at all	10597	1.37
Don't know	43113	5.59
Never heard of	87720	11.37

Frequency Missing = 56486.77607

<b>DRUG/ALCOHOL INFO FROM TEACHER</b>		
<b>Q19a Frequency Percent</b>		
No	353E3	46.75
Yes	402E3	53.25

Frequency Missing = 73113.740421

<b>DRUG/ALC INFO FROM VISITOR TO CLASS</b>		
<b>Q19b Frequency Percent</b>		
No	393E3	52.63
Yes	353E3	47.37

Frequency Missing = 82161.399376

<b>DRUG/ALC INFO FROM ASSEMBLY PROGRAM</b>		
<b>Q19c Frequency Percent</b>		
No	334E3	44.87
Yes	41E4	55.13

Frequency Missing = 84196.476933

<b>DRUG/ALC INFO FROM SCHOOL COUNSELOR</b>		
<b>Q19d Frequency Percent</b>		
No	362E3	48.79
Yes	38E4	51.21

Frequency Missing = 86250.300006

<b>DRUG/ALC INFO FROM SOMEONE ELSE AT SCHOOL</b>		
<b>Q19e Frequency Percent</b>		
No	46E4	61.93
Yes	283E3	38.07

Frequency Missing = 85179.552779

<b>BEER, TWO OR MORE AT ONE TIME</b>		
<b>Q20a Frequency Percent</b>		
Never	69E4	87.63
1 time	57109	7.25
2 times	20329	2.58
3+ times	19941	2.53

Frequency Missing = 40633.86324

<b>WINE COOLERS, TWO OR MORE AT ONE TIME</b>		
<b>Q20b Frequency Percent</b>		
Never	725E3	93.91
1 time	25134	3.26
2 times	11309	1.46
3+ times	10567	1.37

Frequency Missing = 55945.903009

<b>WINE, TWO OR MORE AT ONE TIME</b>		
<b>Q20c Frequency Percent</b>		
Never	73E4	94.65
1 time	23627	3.07
2 times	7531	0.98
3+ times	10069	1.31

Frequency Missing = 57072.16059

<b>LIQUOR, TWO OR MORE AT ONE TIME</b>		
<b>Q20d Frequency Percent</b>		
Never	73E4	94.71
1 time	23261	3.02
2 times	7464	0.97
3+ times	10037	1.30

Frequency Missing = 57129.296016

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

**State : Grades 4-6  
Spring 2010**

**MISSED SCHOOL  
WITHOUT PARENT'S  
CONSENT**

<b>Q21 Frequency Percent</b>		
<b>No</b>	78E4	97.45
<b>Yes</b>	20457	2.55

Frequency Missing = 27075.517576

**PARENTS FEEL ABOUT KIDS  
USING MARIJUANA**

<b>q25 Frequency Percent</b>		
<b>Don't like it</b>	675E3	84.63
<b>Don't care</b>	8476	1.06
<b>Think it's O.K.</b>	2454	0.31
<b>Don't know</b>	112E3	14.00

Frequency Missing = 30263.033354

**SENT TO  
PRINCIPAL/DEAN  
SINCE SEPTEMBER**

<b>Q22 Frequency Percent</b>		
<b>No</b>	614E3	76.77
<b>Yes</b>	186E3	23.23

Frequency Missing = 28596.009243

**PARENTS FEEL ABOUT KIDS  
SMOKING CIGARETTES**

<b>Q23 Frequency Percent</b>		
<b>Don't like it</b>	694E3	86.94
<b>Don't care</b>	11280	1.41
<b>Think it's O.K.</b>	2643	0.33
<b>Don't know</b>	90339	11.32

Frequency Missing = 29822.177537

**PARENTS FEEL ABOUT KIDS  
DRINKING BEER**

<b>Q24 Frequency Percent</b>		
<b>Don't like it</b>	656E3	82.22
<b>Don't care</b>	22157	2.78
<b>Think it's O.K.</b>	9521	1.19
<b>Don't know</b>	11E4	13.81

Frequency Missing = 29942.114511

The frequencies have been weighted so that the analysis reflects  
the distribution of students by grade level in the district