

# Texas School Survey of Drug and Alcohol Use: 2014

## State Report Grades 7-12



## Table of Contents

<b>1</b>	<b>General Substance Use Tables</b>	<b>4</b>
	Tobacco . . . . .	5
	Alcohol . . . . .	9
	Drugs . . . . .	18
	Inhalants . . . . .	33
	Miscellaneous . . . . .	38
<b>2</b>	<b>Prevalence Tables</b>	<b>45</b>
	Table B-1: All Students . . . . .	46
	Table B-2: Male Students . . . . .	50
	Table B-3: Female Students . . . . .	54
	Table B-4: White Students . . . . .	58
	Table B-5: African/American Students . . . . .	62
	Table B-6: Mexican/American Students . . . . .	66
	Table B-7: Students Reporting A Grades . . . . .	70
	Table B-8: Students Reporting Grades Lower Than an A . . . . .	74
	Table B-9: Students Living With 2 Parents . . . . .	78
	Table B-10: Students Not Living With 2 Parents . . . . .	82
	Table B-11: Students who would seek help from adults for substance abuse problems . . . . .	86
	Table B-12: Students who would not seek help from adults for substance abuse problems . . . . .	90
<b>3</b>	<b>Margin Tables</b>	<b>94</b>

# 1 General Substance Use Tables

# Tobacco

Table T-1: How recently, if ever, have you used . . .

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	8.4%	11.9%	22.4%	77.6%
Grade 7	2.6%	3.7%	10.1%	90.0%
Grade 8	5.1%	7.5%	15.0%	85.0%
Grade 9	6.7%	10.1%	21.0%	79.0%
Grade 10	9.6%	13.9%	25.8%	74.2%
Grade 11	13.1%	18.2%	32.1%	67.8%
Grade 12	15.8%	20.9%	34.0%	66.0%
Cigarettes?				
All	6.6%	9.7%	19.9%	80.1%
Grade 7	1.9%	2.8%	8.9%	91.2%
Grade 8	4.0%	6.2%	13.5%	86.5%
Grade 9	4.9%	7.9%	18.6%	81.3%
Grade 10	7.1%	11.1%	22.9%	77.1%
Grade 11	10.6%	15.2%	28.6%	71.3%
Grade 12	13.0%	17.5%	30.3%	69.7%
Smokeless Tobacco?				
All	3.7%	5.3%	8.9%	91.0%
Grade 7	1.0%	1.6%	3.2%	96.8%
Grade 8	2.0%	3.1%	5.6%	94.4%
Grade 9	3.1%	4.5%	8.3%	91.7%
Grade 10	4.5%	6.4%	10.6%	89.4%
Grade 11	5.4%	8.0%	13.2%	86.9%
Grade 12	7.4%	10.0%	15.1%	84.8%

**Table T-2: How often do you normally use tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	83.7%	1.8%	1.5%	2.1%	3.1%	2.8%	5.0%
Grade 7	95.0%	0.2%	0.3%	0.4%	1.0%	1.2%	1.8%
Grade 8	90.1%	0.3%	0.7%	1.2%	1.8%	2.4%	3.4%
Grade 9	85.7%	1.1%	0.9%	2.0%	2.6%	2.3%	5.4%
Grade 10	80.9%	1.9%	1.7%	2.3%	3.4%	4.0%	5.9%
Grade 11	75.4%	2.6%	2.7%	3.6%	5.4%	3.8%	6.6%
Grade 12	71.1%	5.6%	3.4%	3.5%	5.1%	3.7%	7.6%

**Table T-3: Average age of first use of tobacco:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	11.0	11.5	12.3	13.2	14.0	14.8

**Table T-4: If you wanted some, how difficult would it be to get tobacco?**

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	24.6%	21.0%	7.7%	10.1%	14.4%	22.3%
Grade 7	34.4%	36.2%	9.2%	7.7%	6.9%	5.6%
Grade 8	27.9%	28.0%	11.4%	10.4%	11.7%	10.6%
Grade 9	24.9%	21.4%	8.1%	12.2%	14.9%	18.4%
Grade 10	20.5%	16.5%	6.5%	12.4%	20.0%	24.0%
Grade 11	18.9%	11.8%	6.4%	10.4%	18.9%	33.6%
Grade 12	18.8%	7.9%	3.8%	6.7%	14.5%	48.3%

**Table T-5: About how many of your close friends use tobacco?**

	None	A Few	Some	Most	All
All	64.0%	20.9%	9.5%	4.6%	1.0%
Grade 7	85.4%	10.1%	3.3%	0.8%	0.4%
Grade 8	77.3%	15.2%	5.0%	2.1%	0.4%
Grade 9	64.3%	21.5%	9.3%	4.1%	0.8%
Grade 10	56.6%	25.7%	11.6%	5.3%	0.8%
Grade 11	49.6%	28.1%	13.4%	7.4%	1.5%
Grade 12	44.8%	27.1%	16.2%	9.5%	2.4%

**Table T-6: How do your parents feel about kids your age using tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	77.7%	7.1%	5.9%	1.1%	0.9%	7.4%
Grade 7	84.6%	2.5%	2.0%	0.3%	1.1%	9.6%
Grade 8	83.5%	4.4%	3.4%	0.6%	0.4%	7.7%
Grade 9	80.1%	6.2%	5.0%	0.8%	1.2%	6.6%
Grade 10	78.0%	8.2%	6.4%	1.2%	0.4%	5.9%
Grade 11	72.2%	10.2%	8.4%	1.9%	0.7%	6.6%
Grade 12	64.2%	12.7%	11.9%	1.9%	1.5%	7.8%

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	61.6%	23.0%	8.1%	2.2%	5.1%
Grade 7	77.0%	14.5%	3.1%	0.7%	4.7%
Grade 8	67.3%	21.3%	5.4%	1.2%	4.8%
Grade 9	63.6%	22.4%	7.2%	2.0%	4.9%
Grade 10	55.7%	26.6%	10.1%	2.7%	4.9%
Grade 11	52.0%	27.8%	11.7%	2.6%	5.9%
Grade 12	50.3%	27.1%	12.6%	4.6%	5.4%

## Alcohol

Table A-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	21.2%	29.8%	50.5%	49.5%
Grade 7	9.7%	12.4%	30.9%	69.1%
Grade 8	13.2%	19.8%	40.4%	59.7%
Grade 9	19.9%	28.2%	50.2%	49.8%
Grade 10	25.5%	36.3%	58.4%	41.5%
Grade 11	30.1%	41.7%	64.1%	36.0%
Grade 12	32.7%	45.8%	64.3%	35.7%
Beer?				
All	13.8%	20.6%	38.5%	61.5%
Grade 7	5.4%	7.2%	21.7%	78.3%
Grade 8	7.7%	12.2%	29.3%	70.7%
Grade 9	11.9%	18.5%	37.6%	62.4%
Grade 10	15.9%	24.8%	45.1%	54.9%
Grade 11	21.1%	31.0%	50.5%	49.5%
Grade 12	23.7%	34.4%	51.4%	48.6%
Wine Coolers?				
All	12.1%	18.3%	31.8%	68.1%
Grade 7	4.6%	5.9%	14.4%	85.6%
Grade 8	6.2%	10.4%	21.0%	79.0%
Grade 9	11.0%	16.9%	30.9%	69.1%
Grade 10	15.4%	23.4%	39.6%	60.5%
Grade 11	18.7%	27.6%	44.8%	55.2%
Grade 12	19.3%	29.8%	45.5%	54.5%
Wine?				
All	9.0%	14.8%	31.6%	68.4%
Grade 7	4.5%	6.4%	18.1%	82.0%
Grade 8	4.9%	8.8%	23.1%	76.9%
Grade 9	8.9%	14.6%	32.0%	68.0%
Grade 10	10.9%	18.2%	37.0%	62.9%
Grade 11	12.7%	20.4%	40.0%	60.0%
Grade 12	13.9%	23.0%	42.9%	57.1%
Liquor?				
All	13.5%	20.5%	34.7%	65.2%
Grade 7	3.5%	5.0%	12.1%	88.0%
Grade 8	6.8%	11.1%	22.0%	78.0%
Grade 9	12.3%	19.2%	33.5%	66.5%
Grade 10	16.6%	25.6%	43.7%	56.2%
Grade 11	21.3%	31.5%	50.6%	49.4%
Grade 12	23.9%	35.9%	53.3%	46.7%

**Table A-2: How often do you normally use alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	58.7%	0.3%	2.1%	7.3%	11.6%	11.1%	8.8%
Grade 7	81.7%	0.2%	0.8%	1.6%	3.7%	5.8%	6.2%
Grade 8	70.7%	0.2%	1.4%	3.6%	6.6%	9.1%	8.3%
Grade 9	60.1%	0.4%	1.8%	6.5%	11.1%	11.1%	9.0%
Grade 10	49.6%	0.3%	2.1%	9.2%	15.1%	13.4%	10.4%
Grade 11	43.2%	0.3%	3.5%	11.5%	16.9%	14.2%	10.3%
Grade 12	40.9%	0.5%	3.6%	13.3%	18.6%	14.4%	8.7%

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
<b>Beer</b>						
	All	61.6%	38.4%	8.6%	18.5%	11.3%
	Grade 7	78.1%	21.8%	1.9%	9.3%	10.6%
	Grade 8	69.4%	30.7%	3.4%	14.6%	12.7%
	Grade 9	63.1%	37.1%	6.9%	18.2%	12.0%
	Grade 10	55.2%	44.8%	10.8%	22.2%	11.8%
	Grade 11	50.2%	49.8%	14.4%	24.9%	10.5%
	Grade 12	49.2%	50.8%	16.9%	24.0%	9.9%
<b>Wine Coolers</b>						
	All	67.0%	33.0%	6.7%	18.9%	7.4%
	Grade 7	85.5%	14.5%	1.6%	6.6%	6.3%
	Grade 8	77.3%	22.5%	2.6%	12.2%	7.7%
	Grade 9	67.7%	32.3%	5.8%	18.4%	8.1%
	Grade 10	59.0%	41.1%	8.5%	24.7%	7.9%
	Grade 11	54.4%	45.7%	11.0%	27.4%	7.3%
	Grade 12	53.2%	46.8%	12.1%	27.8%	6.9%
<b>Wine</b>						
	All	68.5%	31.3%	2.4%	16.1%	12.8%
	Grade 7	82.1%	18.0%	0.9%	6.5%	10.6%
	Grade 8	75.4%	24.6%	1.5%	11.1%	12.0%
	Grade 9	68.9%	31.0%	2.3%	16.0%	12.7%
	Grade 10	62.1%	37.9%	3.6%	20.7%	13.6%
	Grade 11	60.2%	39.9%	3.5%	22.3%	14.1%
	Grade 12	59.0%	40.9%	3.5%	22.8%	14.6%
<b>Liquor</b>						
	All	64.6%	35.4%	8.5%	18.4%	8.5%
	Grade 7	87.2%	12.7%	1.4%	5.3%	6.0%
	Grade 8	77.4%	22.7%	3.6%	11.0%	8.1%
	Grade 9	66.4%	33.6%	7.3%	17.6%	8.7%
	Grade 10	54.8%	45.3%	11.7%	23.3%	10.3%
	Grade 11	48.9%	51.2%	14.2%	27.2%	9.8%
	Grade 12	46.4%	53.6%	15.6%	29.8%	8.2%

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

	Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol						
All	86.2%	5.2%	3.1%	2.7%	1.1%	1.7%
Grade 7	95.3%	2.2%	1.1%	0.5%	0.3%	0.5%
Grade 8	92.1%	3.4%	1.7%	1.2%	0.4%	1.2%
Grade 9	87.6%	4.9%	2.6%	2.3%	1.1%	1.5%
Grade 10	83.5%	5.5%	4.3%	3.4%	1.2%	2.2%
Grade 11	79.1%	7.3%	4.4%	4.9%	1.6%	2.7%
Grade 12	76.5%	8.6%	5.1%	5.0%	2.0%	2.7%

**Table A-5: Average age of first use of alcohol:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	*	10.6	11.3	12.2	13.0	13.9	14.6

**Table A-6: If you wanted some, how difficult would it be to get alcohol?**

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	19.8%	13.9%	5.9%	11.1%	19.3%	30.0%
Grade 7	29.9%	27.0%	8.3%	10.3%	11.3%	13.2%
Grade 8	23.4%	18.9%	8.0%	11.1%	17.3%	21.3%
Grade 9	19.8%	13.2%	5.6%	12.4%	19.2%	29.7%
Grade 10	15.2%	9.3%	4.7%	11.1%	22.8%	36.9%
Grade 11	13.4%	7.4%	4.4%	10.5%	22.6%	41.8%
Grade 12	14.8%	5.1%	4.1%	10.7%	24.0%	41.4%

**Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?**

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol Since Sept				
All	95.8%	3.3%	0.6%	0.4%
Grade 7	97.0%	2.4%	0.3%	0.2%
Grade 8	96.3%	2.8%	0.5%	0.4%
Grade 9	95.9%	3.2%	0.5%	0.4%
Grade 10	95.3%	3.7%	0.6%	0.4%
Grade 11	95.4%	3.7%	0.6%	0.4%
Grade 12	94.4%	4.3%	0.9%	0.4%

**Table A-8: School year use of alcohol by absences and conduct problems:**

Average days absent due to illness or other reasons	
Alcohol Users	4.5
Alcohol Non-Users	3.3
Average days conduct problems reported	
Alcohol Users	2.6
Alcohol Non-Users	0.9

**Table A-9: During the past twelve months, how many times (if any) have you ...**

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Had A Good Bit To Drink?				
All	94.9%	3.9%	0.7%	0.4%
Grade 9	97.7%	2.0%	0.2%	0.2%
Grade 10	96.6%	2.7%	0.4%	0.3%
Grade 11	94.2%	4.6%	0.8%	0.4%
Grade 12	90.1%	7.2%	1.8%	0.9%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drinking?				
All	96.0%	3.5%	0.4%	0.1%
Grade 7	98.2%	1.6%	0.1%	0.1%
Grade 8	96.9%	2.6%	0.3%	0.2%
Grade 9	96.1%	3.3%	0.5%	0.1%
Grade 10	95.7%	4.0%	0.2%	0.1%
Grade 11	94.6%	4.8%	0.4%	0.2%
Grade 12	93.5%	5.6%	0.8%	0.2%
Been Criticized By Someone You Were Dating Because Of Drinking?				
All	95.1%	4.3%	0.4%	0.2%
Grade 7	98.2%	1.6%	0.1%	0.1%
Grade 8	96.4%	3.3%	0.2%	0.1%
Grade 9	95.4%	3.9%	0.4%	0.2%
Grade 10	94.1%	5.2%	0.4%	0.3%
Grade 11	92.9%	6.1%	0.7%	0.3%
Grade 12	92.7%	6.3%	0.5%	0.5%

**Table A-10: About how many of your close friends use alcohol?**

	None	A Few	Some	Most	All
All	45.0%	23.5%	15.2%	12.7%	3.5%
Grade 7	74.5%	16.7%	5.4%	2.7%	0.7%
Grade 8	60.7%	22.1%	10.9%	5.0%	1.4%
Grade 9	43.3%	27.2%	15.9%	11.0%	2.7%
Grade 10	31.4%	27.8%	20.5%	16.3%	4.0%
Grade 11	26.8%	26.0%	19.9%	21.2%	6.0%
Grade 12	26.6%	21.4%	20.6%	23.6%	7.8%

**Table A-11: Thinking of parties you attended this school year, how often was alcohol used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	46.5%	6.8%	5.5%	9.3%	12.2%	1.8%	17.9%
Grade 7	72.3%	5.5%	3.5%	3.2%	1.8%	2.1%	11.8%
Grade 8	61.0%	8.4%	5.2%	5.4%	3.0%	2.1%	14.9%
Grade 9	44.5%	7.7%	6.9%	10.0%	10.3%	1.5%	19.1%
Grade 10	34.3%	7.4%	6.2%	12.6%	15.8%	1.9%	21.8%
Grade 11	30.9%	6.9%	5.2%	13.0%	20.9%	1.8%	21.3%
Grade 12	30.2%	4.7%	5.7%	13.1%	26.0%	1.0%	19.3%

**Table A-12: How often, if ever, do you get alcohol beverages from ...?**

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	55.1%	20.5%	16.8%	5.3%	2.3%
	Grade 7	68.4%	19.9%	8.4%	2.3%	1.1%
	Grade 8	62.3%	18.8%	13.5%	4.0%	1.3%
	Grade 9	55.5%	19.6%	17.6%	5.4%	1.9%
	Grade 10	50.1%	21.3%	19.1%	6.9%	2.5%
	Grade 11	46.9%	20.9%	22.0%	6.8%	3.3%
	Grade 12	43.4%	23.3%	21.6%	7.2%	4.4%
Friends?						
	All	53.7%	18.2%	13.4%	11.1%	3.7%
	Grade 7	70.3%	21.5%	4.7%	2.8%	0.8%
	Grade 8	63.7%	20.6%	8.9%	5.4%	1.4%
	Grade 9	55.4%	18.7%	14.0%	9.2%	2.7%
	Grade 10	46.9%	17.2%	17.5%	13.4%	5.0%
	Grade 11	42.2%	14.9%	18.3%	18.3%	6.2%
	Grade 12	38.6%	14.9%	19.1%	20.1%	7.1%
Store?						
	All	56.7%	34.2%	4.5%	2.8%	1.7%
	Grade 7	71.5%	26.1%	1.4%	0.7%	0.3%
	Grade 8	65.3%	30.5%	2.3%	1.2%	0.7%
	Grade 9	59.0%	34.4%	3.7%	1.8%	1.1%
	Grade 10	49.9%	39.3%	5.4%	3.3%	2.1%
	Grade 11	47.5%	37.7%	6.7%	4.7%	3.4%
	Grade 12	42.7%	39.2%	8.6%	6.5%	3.1%
Parties?						
	All	52.1%	15.9%	10.3%	11.3%	10.4%
	Grade 7	68.6%	19.2%	5.3%	4.8%	2.1%
	Grade 8	61.2%	17.5%	8.9%	7.8%	4.6%
	Grade 9	53.2%	15.0%	11.6%	11.5%	8.7%
	Grade 10	45.5%	14.4%	12.4%	13.9%	13.8%
	Grade 11	41.3%	14.5%	12.2%	15.9%	16.2%
	Grade 12	38.2%	14.4%	12.1%	15.4%	19.9%
Other Source?						
	All	56.8%	24.7%	9.1%	4.9%	4.4%
	Grade 7	70.4%	21.7%	4.5%	2.1%	1.3%
	Grade 8	64.4%	22.4%	7.0%	3.4%	2.9%
	Grade 9	58.5%	23.9%	9.1%	4.5%	4.0%
	Grade 10	50.6%	26.1%	11.4%	6.6%	5.4%
	Grade 11	47.9%	27.0%	11.9%	6.7%	6.5%
	Grade 12	45.0%	28.2%	12.2%	7.1%	7.5%

**Table A-13: How do your parents feel about kids your age drinking alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	64.9%	13.1%	10.4%	3.5%	1.2%	6.9%
Grade 7	77.2%	6.6%	4.2%	0.9%	1.2%	9.8%
Grade 8	73.2%	10.0%	6.8%	2.0%	0.7%	7.4%
Grade 9	65.8%	13.3%	10.2%	3.2%	1.4%	6.0%
Grade 10	61.7%	15.0%	12.3%	5.1%	0.8%	5.2%
Grade 11	55.9%	16.5%	15.2%	5.3%	1.3%	5.8%
Grade 12	51.8%	18.6%	15.8%	5.0%	1.6%	7.3%

**Table A-14: How dangerous do you think it is for kids your age to use alcohol?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	52.0%	29.3%	12.4%	2.4%	3.9%
Grade 7	65.1%	20.7%	8.5%	1.6%	4.1%
Grade 8	55.2%	26.3%	12.1%	2.2%	4.2%
Grade 9	51.9%	28.9%	13.4%	2.7%	3.1%
Grade 10	47.5%	32.7%	13.3%	2.8%	3.7%
Grade 11	43.7%	35.1%	14.1%	2.9%	4.2%
Grade 12	46.2%	33.7%	13.6%	2.4%	4.0%

# Drugs

Table D-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Marijuana?				
All	9.1%	13.1%	23.2%	76.8%
Grade 7	2.8%	3.6%	7.0%	93.1%
Grade 8	4.6%	7.0%	13.2%	86.8%
Grade 9	8.1%	12.1%	21.5%	78.4%
Grade 10	10.7%	15.8%	28.9%	71.0%
Grade 11	15.2%	21.0%	35.5%	64.5%
Grade 12	15.2%	22.1%	38.2%	61.9%
Cocaine?				
All	0.6%	0.8%	1.9%	98.0%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.3%	98.7%
Grade 9	0.6%	0.8%	1.5%	98.6%
Grade 10	0.4%	0.6%	2.1%	97.9%
Grade 11	1.2%	1.8%	3.3%	96.7%
Grade 12	1.1%	1.5%	3.7%	96.3%
Crack?				
All	0.2%	0.3%	0.6%	99.5%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.2%	99.7%
Hallucinogens?				
All	0.8%	1.3%	2.6%	97.4%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.1%	98.8%
Grade 9	0.7%	1.2%	2.2%	97.7%
Grade 10	0.8%	1.2%	2.9%	97.1%
Grade 11	1.5%	2.3%	4.5%	95.4%
Grade 12	1.3%	2.3%	4.7%	95.3%
Rohypnol?				
All	0.3%	0.4%	0.8%	99.1%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.4%	0.6%	1.0%	98.9%
Grade 10	0.5%	0.7%	1.0%	99.0%
Grade 11	0.4%	0.5%	1.0%	99.0%
Grade 12	0.3%	0.4%	1.0%	99.0%

Table D-1: How recently, if ever, have you used ...  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Steroids?				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.7%	99.4%
Grade 8	0.4%	0.5%	1.2%	98.9%
Grade 9	0.1%	0.2%	0.8%	99.2%
Grade 10	0.5%	0.5%	1.0%	98.9%
Grade 11	0.6%	0.7%	1.2%	98.9%
Grade 12	0.5%	0.7%	1.2%	98.8%
Ecstasy?				
All	0.8%	1.2%	2.7%	97.3%
Grade 7	0.1%	0.3%	0.7%	99.4%
Grade 8	0.4%	0.5%	1.4%	98.5%
Grade 9	0.7%	1.2%	2.4%	97.5%
Grade 10	0.7%	1.3%	3.0%	96.9%
Grade 11	1.6%	2.0%	4.6%	95.5%
Grade 12	1.1%	2.0%	4.8%	95.2%
Heroin?				
All	0.2%	0.3%	0.5%	99.6%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.4%	99.7%
Grade 9	0.0%	0.0%	0.2%	99.7%
Grade 10	0.1%	0.1%	0.3%	99.6%
Grade 11	0.1%	0.2%	0.3%	99.8%
Grade 12	0.3%	0.3%	0.5%	99.5%
Methamphetamine?				
All	0.2%	0.3%	0.6%	99.3%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.4%	99.5%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.3%	0.7%	1.0%	99.1%
Synthetic Marijuana?				
All	1.8%	2.8%	6.6%	93.5%
Grade 7	0.8%	1.2%	2.2%	97.8%
Grade 8	1.6%	2.2%	4.4%	95.7%
Grade 9	2.1%	3.2%	6.4%	93.6%
Grade 10	2.2%	3.6%	8.4%	91.6%
Grade 11	1.9%	3.3%	9.4%	90.7%
Grade 12	2.1%	3.2%	9.4%	90.7%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	79.6%	1.9%	2.2%	3.4%	3.9%	4.0%	4.9%
	Grade 7	93.6%	0.4%	0.9%	0.9%	1.4%	1.1%	1.8%
	Grade 8	88.4%	0.7%	1.4%	2.2%	2.2%	2.0%	3.1%
	Grade 9	81.6%	1.8%	2.0%	3.4%	3.6%	3.4%	4.2%
	Grade 10	73.9%	1.9%	2.8%	3.9%	5.5%	5.5%	6.6%
	Grade 11	68.9%	3.2%	3.7%	5.2%	5.5%	6.5%	7.0%
	Grade 12	66.8%	4.0%	3.2%	5.5%	6.0%	6.8%	7.7%
Cocaine?								
	All	98.8%	0.1%	0.1%	0.1%	0.2%	0.3%	0.4%
	Grade 7	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.3%	0.0%	0.0%	0.0%	0.2%	0.2%	0.2%
	Grade 9	98.9%	0.2%	0.0%	0.1%	0.2%	0.2%	0.3%
	Grade 10	99.1%	0.0%	0.1%	0.0%	0.1%	0.4%	0.3%
	Grade 11	98.1%	0.1%	0.1%	0.2%	0.4%	0.5%	0.6%
	Grade 12	97.2%	0.2%	0.1%	0.3%	0.5%	0.5%	1.2%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.3%	0.1%	0.1%	0.1%	0.1%	0.1%	0.3%
	Grade 7	99.5%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 8	99.2%	0.1%	0.1%	0.0%	0.1%	0.1%	0.3%
	Grade 9	99.6%	0.1%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.2%	0.1%	0.0%	0.2%	0.1%	0.1%	0.3%
	Grade 11	99.3%	0.1%	0.0%	0.0%	0.0%	0.3%	0.2%
	Grade 12	99.2%	0.1%	0.1%	0.1%	0.0%	0.0%	0.4%

Table D-2: How often do you normally use ...  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?								
	All	97.9%	0.0%	0.1%	0.1%	0.4%	0.6%	0.8%
	Grade 7	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%
	Grade 8	98.7%	0.0%	0.1%	0.1%	0.3%	0.4%	0.3%
	Grade 9	98.1%	0.1%	0.1%	0.0%	0.5%	0.5%	0.7%
	Grade 10	97.7%	0.0%	0.1%	0.2%	0.4%	0.9%	0.8%
	Grade 11	96.6%	0.1%	0.1%	0.2%	0.9%	0.8%	1.3%
	Grade 12	96.6%	0.0%	0.0%	0.2%	0.4%	1.0%	1.8%
Heroin?								
	All	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.6%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 7	99.7%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.6%	0.1%	0.0%	0.1%	0.0%	0.1%	0.1%
	Grade 11	99.7%	0.1%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
Synthetic Marijuana?								
	All	94.7%	0.2%	0.3%	0.5%	0.9%	1.1%	2.4%
	Grade 7	98.0%	0.2%	0.1%	0.2%	0.5%	0.4%	0.7%
	Grade 8	96.6%	0.2%	0.3%	0.4%	0.8%	0.8%	1.0%
	Grade 9	94.3%	0.3%	0.4%	0.7%	0.8%	1.3%	2.2%
	Grade 10	93.4%	0.1%	0.3%	0.8%	1.1%	1.5%	2.9%
	Grade 11	92.3%	0.1%	0.3%	0.5%	1.2%	1.5%	4.0%
	Grade 12	92.8%	0.2%	0.3%	0.2%	1.0%	1.4%	4.1%

**Table D-3: Average age of first use of:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	*	11.6	12.3	12.9	13.8	14.4	15.0
Cocaine	*	11.5	12.7	13.5	14.3	15.0	16.1
Crack	*	12.0	12.6	12.2	12.7	13.8	14.3
Steroids	*	10.6	11.9	12.2	12.9	13.1	15.3
Ecstasy	*	11.6	12.7	13.8	14.4	15.1	16.1
Heroin	*	9.5	10.9	12.7	13.3	12.8	16.6
Methamphetamine	*	10.4	13.0	12.6	13.4	14.4	15.5
Synthetic Marijuana	*	12.0	12.7	13.2	14.2	15.0	15.7

**Table D-4: Age of first use of marijuana by family situation**

	Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17	
<b>Two Parent Family</b>									
All	82.6%	0.3%	0.3%	1.3%	4.7%	6.8%	3.8%	0.3%	
Grade 7	95.3%	0.2%	0.4%	1.4%	2.8%	0.1%	0.0%	0.0%	
Grade 8	91.1%	0.3%	0.3%	1.4%	5.2%	1.6%	0.0%	0.0%	
Grade 9	84.8%	0.2%	0.2%	1.3%	6.5%	6.9%	0.2%	0.0%	
Grade 10	77.8%	0.3%	0.1%	1.5%	5.7%	11.6%	3.1%	0.0%	
Grade 11	70.3%	0.5%	0.4%	1.0%	4.9%	13.4%	9.4%	0.2%	
Grade 12	69.8%	0.2%	0.2%	0.7%	3.1%	10.5%	13.5%	2.0%	
<b>Other Family Situation</b>									
All	68.4%	0.7%	0.6%	2.9%	9.9%	11.5%	5.6%	0.4%	
Grade 7	88.9%	0.4%	0.6%	3.5%	6.1%	0.5%	0.0%	0.0%	
Grade 8	79.6%	0.8%	0.8%	3.0%	12.5%	3.2%	0.0%	0.0%	
Grade 9	69.7%	0.7%	1.0%	4.2%	12.5%	11.5%	0.3%	0.0%	
Grade 10	62.4%	1.2%	0.2%	2.6%	10.0%	19.2%	4.2%	0.1%	
Grade 11	57.7%	0.5%	0.3%	2.4%	9.0%	17.8%	12.3%	0.1%	
Grade 12	52.1%	0.6%	0.9%	1.4%	8.2%	15.7%	18.4%	2.6%	

Table D-5: If you wanted some, how difficult would it be to get ...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana	All	23.2%	22.8%	7.7%	9.5%	13.5%	23.3%
	Grade 7	34.5%	40.8%	7.5%	6.3%	4.7%	6.3%
	Grade 8	27.0%	31.6%	10.0%	9.0%	9.7%	12.7%
	Grade 9	22.3%	21.7%	8.5%	10.8%	14.6%	22.2%
	Grade 10	18.0%	16.3%	7.2%	11.5%	17.4%	29.6%
	Grade 11	16.7%	12.1%	6.4%	9.5%	17.8%	37.5%
	Grade 12	18.6%	10.1%	6.1%	10.0%	18.6%	36.6%
Cocaine	All	32.0%	33.9%	13.7%	9.8%	5.0%	5.5%
	Grade 7	39.5%	44.2%	9.3%	3.6%	1.5%	1.8%
	Grade 8	32.6%	40.7%	12.4%	7.4%	3.6%	3.2%
	Grade 9	31.3%	33.7%	13.6%	10.5%	5.3%	5.7%
	Grade 10	28.4%	30.8%	16.0%	12.6%	6.1%	6.1%
	Grade 11	28.7%	26.1%	16.4%	13.1%	6.9%	8.8%
	Grade 12	30.3%	25.3%	15.5%	13.1%	7.1%	8.8%
Crack	All	33.8%	34.8%	14.1%	8.6%	4.1%	4.6%
	Grade 7	41.3%	43.4%	8.4%	3.7%	1.2%	1.9%
	Grade 8	33.8%	40.9%	12.4%	6.5%	3.1%	3.4%
	Grade 9	33.0%	34.6%	13.8%	8.8%	4.7%	5.0%
	Grade 10	30.0%	32.7%	16.1%	11.1%	5.2%	5.0%
	Grade 11	31.3%	27.8%	17.9%	10.9%	5.4%	6.7%
	Grade 12	33.0%	26.6%	17.5%	11.5%	5.2%	6.1%
Steroids	All	34.9%	34.2%	13.5%	8.5%	4.4%	4.4%
	Grade 7	41.9%	42.0%	8.7%	3.3%	2.1%	2.0%
	Grade 8	35.2%	39.4%	12.5%	6.4%	3.6%	2.9%
	Grade 9	34.0%	34.4%	13.5%	9.2%	4.5%	4.4%
	Grade 10	30.9%	32.5%	14.8%	11.1%	5.7%	5.0%
	Grade 11	32.7%	27.8%	17.2%	10.4%	5.7%	6.2%
	Grade 12	34.4%	26.4%	15.2%	11.8%	5.4%	6.7%

**Table D-5: If you wanted some, how difficult would it be to get ...**  
**(Continued)**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?							
	All	41.8%	27.8%	11.1%	8.1%	5.5%	5.7%
	Grade 7	59.4%	30.8%	4.8%	2.2%	1.2%	1.6%
	Grade 8	48.8%	31.1%	9.6%	5.3%	2.7%	2.4%
	Grade 9	39.6%	28.3%	11.2%	9.2%	6.2%	5.6%
	Grade 10	33.5%	28.9%	13.0%	11.1%	6.4%	7.0%
	Grade 11	32.8%	23.7%	14.6%	10.9%	8.9%	9.1%
	Grade 12	33.7%	22.3%	14.7%	11.0%	8.3%	10.1%
Heroin?							
	All	40.4%	35.1%	12.6%	5.7%	2.7%	3.5%
	Grade 7	52.3%	36.6%	5.9%	2.6%	0.9%	1.8%
	Grade 8	42.9%	38.7%	10.0%	4.3%	2.4%	1.8%
	Grade 9	39.0%	34.8%	12.6%	6.4%	3.4%	3.8%
	Grade 10	34.3%	36.3%	14.8%	7.6%	3.1%	3.9%
	Grade 11	36.1%	32.6%	15.8%	7.3%	3.5%	4.7%
	Grade 12	36.5%	30.8%	17.9%	6.6%	3.0%	5.2%
Methamphetamine?							
	All	42.7%	33.2%	12.0%	5.7%	2.7%	3.8%
	Grade 7	55.1%	34.1%	6.2%	2.0%	0.9%	1.7%
	Grade 8	47.3%	35.0%	9.4%	4.2%	1.9%	2.3%
	Grade 9	41.2%	33.7%	11.9%	6.1%	3.1%	4.1%
	Grade 10	36.4%	33.9%	13.8%	7.9%	3.6%	4.3%
	Grade 11	36.7%	31.4%	15.4%	7.0%	3.7%	5.7%
	Grade 12	37.0%	30.2%	16.6%	7.4%	3.3%	5.5%
Synthetic Marijuana?							
	All	41.3%	25.1%	8.7%	7.1%	7.6%	10.2%
	Grade 7	55.3%	31.0%	5.9%	2.6%	2.1%	3.0%
	Grade 8	47.2%	28.9%	8.1%	5.0%	5.1%	5.7%
	Grade 9	39.1%	25.7%	8.2%	7.7%	8.0%	11.3%
	Grade 10	34.4%	23.9%	9.8%	9.5%	10.1%	12.3%
	Grade 11	34.0%	19.9%	10.2%	9.4%	11.9%	14.6%
	Grade 12	35.3%	19.1%	11.0%	9.1%	9.2%	16.3%

**Table D-6: Since school began in the fall, on how many days (if any) have you ...**

	None	1-3 Days	4-9 Days	10+ Days
<b>Attended Class While High From Marijuana Use?</b>				
All	92.0%	4.7%	1.2%	2.1%
Grade 7	96.8%	2.3%	0.4%	0.5%
Grade 8	95.1%	3.5%	0.7%	0.8%
Grade 9	91.6%	4.7%	1.5%	2.2%
Grade 10	91.3%	5.1%	1.1%	2.4%
Grade 11	87.8%	6.6%	2.2%	3.4%
Grade 12	88.2%	6.3%	1.7%	3.7%
<b>Attended Class While High From Use Of Some Other Drug?</b>				
All	97.0%	2.0%	0.5%	0.6%
Grade 7	98.3%	1.2%	0.2%	0.3%
Grade 8	97.4%	1.9%	0.3%	0.5%
Grade 9	97.3%	2.0%	0.3%	0.4%
Grade 10	96.4%	2.1%	0.8%	0.7%
Grade 11	95.9%	2.9%	0.8%	0.5%
Grade 12	96.2%	2.2%	0.5%	1.0%

**Table D-7: School year use of marijuana by absences and conduct problems:**

Average days absent due to illness or other reasons	
Marijuana Users	4.7
Marijuana Non-Users	3.5
Average days conduct problems reported	
Marijuana Users	3.6
Marijuana Non-Users	1.1

Table D-8: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Felt High From Drugs?				
All	93.8%	3.9%	0.9%	1.3%
Grade 9	97.2%	2.1%	0.3%	0.4%
Grade 10	96.0%	2.7%	0.5%	0.9%
Grade 11	91.7%	5.4%	1.2%	1.6%
Grade 12	89.1%	6.3%	1.9%	2.8%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drug Use?				
All	95.9%	3.5%	0.4%	0.2%
Grade 7	97.6%	2.3%	0.1%	0.0%
Grade 8	96.4%	3.1%	0.4%	0.1%
Grade 9	94.8%	4.5%	0.4%	0.4%
Grade 10	95.6%	3.7%	0.5%	0.1%
Grade 11	95.2%	4.0%	0.4%	0.4%
Grade 12	95.6%	3.5%	0.5%	0.4%
Been Criticized By Someone You Were Dating Because Of Drug Use?				
All	95.4%	3.6%	0.6%	0.4%
Grade 7	98.1%	1.6%	0.2%	0.2%
Grade 8	96.9%	2.4%	0.5%	0.2%
Grade 9	94.2%	4.7%	0.5%	0.7%
Grade 10	94.4%	4.4%	0.7%	0.5%
Grade 11	94.0%	4.6%	1.0%	0.4%
Grade 12	94.5%	4.4%	0.5%	0.6%

**Table D-9: About how many of your close friends use marijuana?**

	None	A Few	Some	Most	All
All	52.7%	19.5%	12.9%	11.0%	3.9%
Grade 7	78.3%	11.9%	5.0%	3.6%	1.2%
Grade 8	65.5%	17.0%	8.9%	6.7%	1.8%
Grade 9	51.6%	20.9%	13.6%	10.5%	3.4%
Grade 10	41.9%	23.0%	16.6%	14.1%	4.3%
Grade 11	36.2%	23.5%	16.9%	17.0%	6.4%
Grade 12	37.2%	21.6%	18.5%	15.8%	6.9%

**Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	53.7%	6.5%	5.2%	6.6%	7.8%	2.4%	17.8%
Grade 7	77.4%	3.5%	2.2%	2.0%	1.3%	1.9%	11.8%
Grade 8	68.1%	5.1%	3.5%	3.4%	2.7%	2.5%	14.7%
Grade 9	52.4%	7.4%	5.2%	6.8%	6.7%	2.3%	19.2%
Grade 10	43.0%	7.3%	7.0%	8.5%	9.4%	3.0%	21.8%
Grade 11	37.9%	8.4%	6.9%	9.1%	13.8%	2.7%	21.3%
Grade 12	37.8%	7.5%	7.1%	11.4%	15.2%	1.9%	19.1%

**Table D-11: How do your parents feel about kids your age using marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	78.7%	6.1%	5.4%	1.4%	1.6%	6.8%
Grade 7	84.8%	2.0%	2.0%	0.4%	1.4%	9.3%
Grade 8	83.4%	3.9%	3.9%	0.9%	1.2%	6.8%
Grade 9	79.5%	6.4%	5.0%	1.2%	2.0%	5.9%
Grade 10	77.3%	7.6%	6.2%	2.0%	1.5%	5.5%
Grade 11	74.0%	8.1%	7.9%	2.3%	1.7%	6.0%
Grade 12	70.9%	9.5%	8.6%	2.1%	1.9%	7.0%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?	All	57.2%	13.6%	11.2%	13.7%	4.2%
	Grade 7	79.5%	8.9%	4.5%	2.9%	4.3%
	Grade 8	68.1%	13.3%	6.8%	7.6%	4.2%
	Grade 9	58.1%	13.5%	11.1%	13.3%	4.0%
	Grade 10	47.2%	16.4%	15.2%	17.6%	3.6%
	Grade 11	41.7%	15.5%	15.2%	22.8%	4.8%
	Grade 12	43.0%	15.0%	16.5%	21.1%	4.5%
Cocaine?	All	87.0%	6.4%	1.1%	0.6%	5.0%
	Grade 7	88.2%	5.1%	1.0%	0.6%	5.2%
	Grade 8	87.0%	6.5%	1.3%	0.5%	4.8%
	Grade 9	87.1%	6.6%	1.0%	0.7%	4.6%
	Grade 10	86.5%	7.9%	0.9%	0.5%	4.2%
	Grade 11	86.1%	6.8%	1.0%	0.6%	5.5%
	Grade 12	86.7%	5.9%	1.2%	0.5%	5.7%
Crack?	All	87.9%	5.5%	0.8%	0.6%	5.2%
	Grade 7	88.3%	4.7%	0.8%	0.5%	5.6%
	Grade 8	87.0%	6.3%	1.1%	0.5%	5.1%
	Grade 9	88.0%	5.6%	0.8%	0.8%	4.8%
	Grade 10	87.3%	6.8%	0.7%	0.6%	4.6%
	Grade 11	88.1%	5.3%	0.5%	0.6%	5.5%
	Grade 12	89.0%	4.0%	0.5%	0.6%	5.9%
Ecstasy?	All	80.9%	8.0%	2.3%	0.9%	7.9%
	Grade 7	83.5%	4.6%	0.9%	0.5%	10.5%
	Grade 8	81.8%	6.2%	1.7%	0.8%	9.6%
	Grade 9	80.8%	8.4%	2.8%	1.1%	7.0%
	Grade 10	79.7%	10.3%	2.7%	1.1%	6.1%
	Grade 11	79.0%	10.3%	2.9%	0.9%	6.9%
	Grade 12	80.2%	9.1%	2.9%	1.1%	6.7%

Table D-12: How dangerous do you think it is for kids your age to use ...  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or Lorcet)?	All	79.8%	7.0%	2.5%	1.2%	9.5%
	Grade 7	83.6%	4.6%	1.1%	0.5%	10.2%
	Grade 8	81.2%	5.2%	1.7%	1.0%	10.9%
	Grade 9	80.5%	6.6%	2.5%	1.2%	9.2%
	Grade 10	77.8%	8.5%	3.3%	1.8%	8.7%
	Grade 11	77.3%	9.0%	3.0%	1.5%	9.3%
	Grade 12	77.7%	8.7%	3.9%	1.4%	8.3%
Steroids?	All	76.1%	12.8%	3.6%	1.2%	6.3%
	Grade 7	79.5%	10.2%	2.7%	0.7%	7.0%
	Grade 8	77.2%	11.6%	3.1%	1.2%	6.9%
	Grade 9	75.8%	13.5%	3.9%	1.2%	5.6%
	Grade 10	74.6%	14.3%	4.3%	1.5%	5.4%
	Grade 11	74.3%	14.2%	3.3%	1.5%	6.7%
	Grade 12	74.7%	13.1%	4.7%	1.1%	6.4%
Heroin?	All	87.9%	4.3%	0.7%	0.6%	6.5%
	Grade 7	85.8%	4.2%	0.6%	0.6%	8.8%
	Grade 8	86.6%	5.0%	0.9%	0.6%	6.9%
	Grade 9	88.0%	4.7%	0.8%	0.8%	5.8%
	Grade 10	88.7%	4.9%	0.7%	0.5%	5.2%
	Grade 11	89.2%	3.7%	0.6%	0.5%	6.0%
	Grade 12	89.9%	2.7%	0.6%	0.5%	6.3%
Methamphetamine?	All	87.9%	4.1%	0.7%	0.5%	6.8%
	Grade 7	86.3%	3.9%	0.7%	0.4%	8.8%
	Grade 8	85.9%	4.8%	1.1%	0.4%	7.9%
	Grade 9	88.2%	4.0%	0.9%	0.9%	6.1%
	Grade 10	88.8%	4.8%	0.8%	0.5%	5.1%
	Grade 11	89.0%	3.9%	0.5%	0.5%	6.1%
	Grade 12	89.7%	2.8%	0.5%	0.6%	6.4%
Synthetic Marijuana?	All	78.1%	8.4%	3.6%	1.6%	8.3%
	Grade 7	83.2%	5.4%	1.7%	0.7%	8.9%
	Grade 8	78.8%	7.5%	3.0%	1.7%	9.0%
	Grade 9	77.2%	9.2%	4.2%	1.9%	7.5%
	Grade 10	75.0%	10.3%	4.8%	2.4%	7.5%
	Grade 11	75.7%	10.0%	4.2%	1.8%	8.4%
	Grade 12	78.0%	8.0%	4.2%	1.4%	8.5%

**Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs ...**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.1%	7.1%	10.8%	89.2%
Grade 7	2.7%	3.6%	5.6%	94.4%
Grade 8	3.6%	4.7%	7.4%	92.5%
Grade 9	5.2%	6.8%	10.4%	89.6%
Grade 10	5.9%	8.6%	13.0%	86.9%
Grade 11	7.2%	10.0%	14.8%	85.3%
Grade 12	6.6%	9.7%	14.7%	85.2%
Oxycontin, Percodan, Percocet Or Oxycodone?				
All	1.3%	1.7%	2.5%	97.5%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.2%	98.9%
Grade 9	1.1%	1.3%	1.9%	98.1%
Grade 10	1.9%	2.3%	3.2%	96.7%
Grade 11	2.5%	3.3%	4.8%	95.3%
Grade 12	2.1%	3.1%	4.2%	95.8%
Vicodin, Lortab, Lorcet, Or Hydrocodone?				
All	2.5%	3.6%	5.2%	94.8%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	1.1%	1.6%	2.2%	97.9%
Grade 9	1.9%	2.6%	3.8%	96.2%
Grade 10	3.2%	4.5%	6.6%	93.4%
Grade 11	4.2%	6.6%	9.7%	90.4%
Grade 12	5.0%	7.3%	9.7%	90.3%
Valium Or Diazepam?				
All	0.6%	0.7%	1.0%	98.9%
Grade 7	0.1%	0.1%	0.2%	99.7%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.5%	0.6%	0.8%	99.2%
Grade 10	0.7%	0.8%	1.2%	98.8%
Grade 11	0.9%	1.1%	1.9%	98.2%
Grade 12	1.1%	1.4%	1.8%	98.2%
Xanax Or Alprazolam?				
All	1.6%	2.2%	3.1%	96.8%
Grade 7	0.3%	0.4%	0.6%	99.5%
Grade 8	0.6%	0.9%	1.5%	98.5%
Grade 9	1.5%	2.0%	2.8%	97.1%
Grade 10	1.9%	2.6%	3.7%	96.3%
Grade 11	3.0%	4.2%	6.2%	93.7%
Grade 12	2.9%	4.1%	5.2%	94.8%

**Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs ...**

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	1.6%	2.2%	3.5%	96.5%
Grade 7	1.3%	1.6%	3.1%	96.8%
Grade 8	1.9%	2.5%	3.7%	96.3%
Grade 9	1.3%	1.7%	3.0%	96.9%
Grade 10	1.7%	2.6%	3.8%	96.1%
Grade 11	1.9%	2.4%	4.1%	95.9%
Grade 12	1.6%	2.2%	3.2%	96.7%

## Inhalants

Table I-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Spray Paint?				
All	0.6%	0.8%	2.7%	97.3%
Grade 7	0.8%	1.2%	2.9%	97.2%
Grade 8	0.7%	1.1%	3.4%	96.6%
Grade 9	0.4%	0.6%	2.2%	97.7%
Grade 10	0.4%	0.5%	2.4%	97.6%
Grade 11	0.7%	0.8%	2.7%	97.3%
Grade 12	0.6%	0.8%	2.6%	97.4%
Whiteout, Correction Fluid, Magic Markers?				
All	1.6%	2.3%	6.4%	93.7%
Grade 7	2.8%	3.8%	8.3%	91.7%
Grade 8	1.8%	2.9%	8.4%	91.5%
Grade 9	1.6%	2.4%	6.8%	93.2%
Grade 10	1.1%	1.5%	5.6%	94.4%
Grade 11	0.9%	1.3%	4.4%	95.6%
Grade 12	0.8%	1.1%	3.6%	96.5%
Computer Dusting Sprays?				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.5%	0.7%	1.2%	98.8%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.3%	0.5%	1.3%	98.8%
Grade 10	0.2%	0.4%	1.3%	98.6%
Grade 11	0.3%	0.4%	1.6%	98.4%
Grade 12	0.5%	0.8%	2.0%	98.0%
Helium, Butane, Propane, Whippets, Freon?				
All	1.8%	2.5%	6.2%	93.8%
Grade 7	2.2%	2.7%	6.5%	93.5%
Grade 8	1.7%	2.5%	6.7%	93.3%
Grade 9	1.8%	2.6%	7.1%	93.0%
Grade 10	1.9%	2.8%	6.8%	93.2%
Grade 11	1.5%	2.3%	5.7%	94.3%
Grade 12	1.2%	1.9%	4.2%	95.8%
Glue?				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.6%	0.9%	1.7%	98.3%
Grade 8	0.4%	0.6%	1.6%	98.4%
Grade 9	0.2%	0.3%	0.9%	99.0%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.3%	1.1%	99.0%
Grade 12	0.0%	0.1%	0.7%	99.3%

**Table I-1: How recently, if ever, have you used ...**  
**(Continued)**

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Solvents?				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.6%	1.2%	98.7%
Grade 8	0.8%	1.0%	1.8%	98.2%
Grade 9	0.2%	0.3%	1.1%	98.8%
Grade 10	0.5%	0.7%	1.0%	99.0%
Grade 11	0.2%	0.3%	1.0%	99.0%
Grade 12	0.2%	0.4%	0.9%	99.1%
Gasoline, Octane Booster, Carburetor Cleaner?				
All	0.7%	1.0%	2.2%	97.8%
Grade 7	0.7%	1.1%	2.5%	97.5%
Grade 8	0.9%	1.4%	3.2%	96.8%
Grade 9	0.6%	0.8%	1.8%	98.2%
Grade 10	0.9%	1.1%	2.1%	97.9%
Grade 11	0.5%	0.6%	1.4%	98.7%
Grade 12	0.5%	0.7%	1.9%	98.2%
Other Aerosols/Sprays?				
All	0.7%	1.0%	2.3%	97.8%
Grade 7	1.1%	1.5%	3.5%	96.5%
Grade 8	0.9%	1.4%	2.9%	97.1%
Grade 9	0.7%	0.9%	1.7%	98.3%
Grade 10	0.4%	0.7%	1.8%	98.2%
Grade 11	0.2%	0.3%	1.5%	98.4%
Grade 12	0.5%	0.7%	1.5%	98.5%
Any Inhalant?				
All	3.9%	5.2%	12.3%	87.7%
Grade 7	5.6%	6.9%	14.2%	85.8%
Grade 8	4.4%	6.4%	14.8%	85.2%
Grade 9	4.0%	5.2%	13.0%	87.1%
Grade 10	3.5%	4.5%	12.1%	87.9%
Grade 11	3.2%	4.2%	10.1%	90.0%
Grade 12	2.6%	3.7%	9.0%	91.0%

**Table I-2: How often do you normally use inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	96.5%	0.0%	0.2%	0.3%	0.5%	0.7%	1.8%
Grade 7	95.2%	0.1%	0.4%	0.5%	0.9%	1.0%	2.0%
Grade 8	94.8%	0.1%	0.2%	0.6%	0.9%	1.2%	2.3%
Grade 9	96.9%	0.0%	0.2%	0.3%	0.5%	0.6%	1.6%
Grade 10	97.5%	0.0%	0.0%	0.3%	0.4%	0.3%	1.5%
Grade 11	97.3%	0.0%	0.0%	0.1%	0.3%	0.6%	1.6%
Grade 12	97.6%	0.0%	0.2%	0.2%	0.2%	0.3%	1.5%

**Table I-3: Number of different kinds of inhalants used**

	None	One	Two to Three	Four Plus
All	87.8%	7.0%	3.8%	1.4%
Grade 7	85.9%	7.8%	4.3%	1.9%
Grade 8	85.3%	7.7%	5.2%	1.9%
Grade 9	87.2%	8.0%	3.6%	1.2%
Grade 10	88.0%	7.1%	3.9%	1.1%
Grade 11	90.1%	6.1%	2.6%	1.2%
Grade 12	91.1%	4.8%	3.3%	0.8%

**Table I-4: Average age of first use of inhalants:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	*	10.6	11.1	11.3	12.0	12.6	13.6

**Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

	None	1 to 3 days	4 to 9 days	10+ days
All	99.0%	0.8%	0.1%	0.1%
Grade 7	98.8%	1.1%	0.0%	0.1%
Grade 8	98.4%	1.2%	0.1%	0.2%
Grade 9	99.0%	0.7%	0.2%	0.2%
Grade 10	99.1%	0.7%	0.0%	0.1%
Grade 11	99.5%	0.3%	0.2%	0.1%
Grade 12	99.3%	0.4%	0.1%	0.1%

**Table I-6: School year use of inhalants by absences and conduct problems:**

	Average days absent due to illness or other reasons
Inhalants Users	4.9
Inhalants Non-Users	3.6
	Average days conduct problems reported
Inhalants Users	3.8
Inhalants Non-Users	1.4

**Table I-7: About how many of your close friends use inhalants?**

	None	A Few	Some	Most	All
All	90.8%	6.4%	2.0%	0.6%	0.2%
Grade 7	89.7%	7.1%	2.3%	0.7%	0.3%
Grade 8	90.5%	6.7%	2.3%	0.4%	0.2%
Grade 9	90.2%	7.0%	1.8%	0.7%	0.2%
Grade 10	90.3%	6.8%	2.1%	0.6%	0.2%
Grade 11	91.2%	5.9%	2.2%	0.5%	0.1%
Grade 12	93.4%	4.7%	1.2%	0.5%	0.2%

**Table I-8: How dangerous do you think it is for kids your age to use inhalants?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	75.3%	12.9%	3.6%	1.2%	7.0%
Grade 7	76.4%	12.1%	3.4%	1.4%	6.6%
Grade 8	74.6%	13.6%	4.5%	1.1%	6.2%
Grade 9	76.0%	12.5%	3.5%	1.2%	6.8%
Grade 10	72.8%	14.8%	3.7%	1.4%	7.3%
Grade 11	74.9%	12.6%	3.8%	1.1%	7.6%
Grade 12	77.4%	11.7%	2.5%	0.6%	7.8%

**Table I-9: If you wanted some, how difficult would it be to get inhalants?**

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.0%	16.5%	4.9%	6.6%	10.7%	26.3%
Grade 7	40.1%	24.2%	4.6%	5.7%	8.6%	16.8%
Grade 8	35.0%	19.6%	5.9%	6.3%	11.1%	22.1%
Grade 9	34.0%	17.9%	4.9%	7.0%	9.7%	26.4%
Grade 10	32.0%	13.0%	4.8%	7.8%	11.4%	30.9%
Grade 11	33.5%	12.3%	4.9%	6.1%	11.4%	31.7%
Grade 12	35.4%	9.5%	4.2%	6.5%	12.4%	32.0%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

		Yes
A School Health Class		
	All	43.7%
	Grade 7	41.1%
	Grade 8	48.7%
	Grade 9	44.6%
	Grade 10	44.1%
	Grade 11	43.7%
	Grade 12	39.0%
An Assembly Program		
	All	43.9%
	Grade 7	50.7%
	Grade 8	52.6%
	Grade 9	40.6%
	Grade 10	38.9%
	Grade 11	37.9%
	Grade 12	41.8%
Guidance Counselor		
	All	26.2%
	Grade 7	32.2%
	Grade 8	36.7%
	Grade 9	25.1%
	Grade 10	20.7%
	Grade 11	20.2%
	Grade 12	20.9%
Science Or Social Studies Class		
	All	29.9%
	Grade 7	34.8%
	Grade 8	29.5%
	Grade 9	31.6%
	Grade 10	28.6%
	Grade 11	26.0%
	Grade 12	28.3%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?  
(Continued)**

	Yes
<b>Student Group Or Club Meeting At School</b>	
All	14.7%
Grade 7	13.8%
Grade 8	16.0%
Grade 9	14.8%
Grade 10	14.3%
Grade 11	14.8%
Grade 12	14.9%
<b>An Invited School Guest</b>	
All	30.1%
Grade 7	35.7%
Grade 8	39.5%
Grade 9	27.5%
Grade 10	25.6%
Grade 11	24.5%
Grade 12	27.0%
<b>Another Source At School</b>	
All	30.9%
Grade 7	31.3%
Grade 8	32.0%
Grade 9	32.4%
Grade 10	30.0%
Grade 11	29.9%
Grade 12	29.0%
<b>Any School Source</b>	
All	68.2%
Grade 7	72.6%
Grade 8	75.1%
Grade 9	67.4%
Grade 10	65.9%
Grade 11	64.1%
Grade 12	62.8%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

		Yes
Counselor/Program In-School		
	All	37.8%
	Grade 7	51.3%
	Grade 8	43.9%
	Grade 9	36.9%
	Grade 10	31.2%
	Grade 11	29.2%
	Grade 12	31.6%
Another Adult In School		
	All	41.7%
	Grade 7	49.6%
	Grade 8	46.5%
	Grade 9	41.7%
	Grade 10	36.2%
	Grade 11	35.0%
	Grade 12	39.6%
Counselor/Program Outside-School		
	All	41.7%
	Grade 7	48.0%
	Grade 8	47.4%
	Grade 9	41.0%
	Grade 10	37.3%
	Grade 11	36.0%
	Grade 12	38.9%
Your Parents		
	All	66.0%
	Grade 7	75.3%
	Grade 8	68.2%
	Grade 9	64.6%
	Grade 10	62.5%
	Grade 11	62.5%
	Grade 12	61.4%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?  
(Continued)

		Yes
A Medical Doctor		
	All	52.4%
	Grade 7	63.3%
	Grade 8	57.7%
	Grade 9	50.7%
	Grade 10	48.8%
	Grade 11	44.3%
	Grade 12	47.3%
Your Friends		
	All	64.0%
	Grade 7	53.6%
	Grade 8	61.2%
	Grade 9	64.5%
	Grade 10	67.9%
	Grade 11	69.4%
	Grade 12	69.5%
Another Adult		
	All	61.1%
	Grade 7	62.0%
	Grade 8	62.3%
	Grade 9	61.6%
	Grade 10	61.1%
	Grade 11	59.3%
	Grade 12	59.5%

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

		Yes
Sought Help For Drug/Alcohol Problem		
	All	6.9%
	Grade 7	7.1%
	Grade 8	7.4%
	Grade 9	7.4%
	Grade 10	6.5%
	Grade 11	7.1%
	Grade 12	5.4%

**Table X-4: About how many of your friends**

	None	A Few	Some	Most	All
<b>Feel Close To Their Parents?</b>					
All	5.2%	23.4%	25.3%	35.2%	10.9%
Grade 7	6.7%	21.7%	20.5%	34.6%	16.5%
Grade 8	5.3%	20.2%	24.1%	37.1%	13.3%
Grade 9	4.8%	24.4%	26.6%	34.8%	9.4%
Grade 10	3.9%	26.2%	26.3%	35.3%	8.3%
Grade 11	4.6%	24.3%	28.5%	34.0%	8.5%
Grade 12	5.7%	24.1%	26.3%	35.6%	8.3%
<b>Sometimes Carry Weapons?</b>					
All	69.1%	18.8%	7.7%	3.3%	1.1%
Grade 7	82.2%	12.0%	4.0%	1.3%	0.4%
Grade 8	75.6%	16.5%	5.3%	1.5%	1.0%
Grade 9	68.6%	19.5%	7.3%	3.7%	0.9%
Grade 10	64.6%	21.1%	8.7%	4.4%	1.1%
Grade 11	61.8%	21.8%	10.5%	4.3%	1.5%
Grade 12	58.7%	23.3%	11.1%	5.2%	1.6%
<b>Care About Making Good Grades?</b>					
All	2.3%	12.2%	21.2%	43.2%	21.2%
Grade 7	2.5%	13.2%	19.8%	38.7%	25.7%
Grade 8	2.3%	11.5%	20.2%	41.0%	25.1%
Grade 9	1.9%	13.6%	23.0%	41.9%	19.6%
Grade 10	2.1%	12.8%	23.0%	46.1%	16.0%
Grade 11	1.8%	11.1%	21.8%	45.4%	19.8%
Grade 12	3.0%	10.3%	18.8%	47.5%	20.4%
<b>Belong/Want To Belong To A Gang?</b>					
All	81.8%	11.6%	4.2%	1.6%	0.8%
Grade 7	83.7%	10.0%	3.9%	1.7%	0.6%
Grade 8	82.8%	11.6%	3.4%	1.1%	1.0%
Grade 9	78.2%	13.5%	5.2%	2.2%	0.9%
Grade 10	81.4%	12.4%	3.8%	1.8%	0.6%
Grade 11	82.1%	11.5%	4.5%	1.2%	0.6%
Grade 12	83.4%	10.3%	3.9%	1.2%	1.2%
<b>Wish They Could Drop Out Of School?</b>					
All	62.1%	24.6%	8.2%	3.2%	2.0%
Grade 7	69.7%	18.5%	7.3%	2.9%	1.5%
Grade 8	63.2%	25.5%	7.1%	2.6%	1.7%
Grade 9	58.8%	26.8%	8.6%	3.7%	2.1%
Grade 10	57.2%	27.0%	9.8%	3.7%	2.2%
Grade 11	58.1%	27.1%	9.1%	3.1%	2.6%
Grade 12	65.7%	22.5%	6.9%	2.9%	2.1%

Table X-5: How safe to do you feel when you are:

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?						
	All	84.5%	13.5%	0.9%	0.2%	0.9%
	Grade 7	84.3%	13.7%	1.0%	0.1%	0.9%
	Grade 8	83.3%	14.6%	1.0%	0.2%	0.9%
	Grade 9	83.5%	14.5%	0.9%	0.3%	0.8%
	Grade 10	84.5%	13.5%	0.9%	0.2%	0.9%
	Grade 11	85.7%	12.4%	1.0%	0.1%	0.8%
	Grade 12	86.6%	11.5%	0.7%	0.5%	0.7%
Out In Your Neighborhood?						
	All	41.4%	47.2%	7.3%	1.6%	2.4%
	Grade 7	35.9%	49.8%	9.5%	1.8%	3.0%
	Grade 8	39.9%	47.7%	8.1%	1.4%	2.8%
	Grade 9	40.5%	48.6%	7.0%	1.6%	2.3%
	Grade 10	41.7%	48.2%	6.3%	1.3%	2.5%
	Grade 11	44.7%	44.1%	7.5%	1.7%	1.9%
	Grade 12	47.7%	43.4%	5.2%	1.8%	1.8%
At School?						
	All	42.2%	44.0%	7.3%	3.2%	3.3%
	Grade 7	46.8%	41.1%	6.4%	2.8%	3.0%
	Grade 8	45.9%	40.4%	6.7%	3.3%	3.7%
	Grade 9	37.7%	46.5%	8.9%	2.9%	3.9%
	Grade 10	37.9%	48.6%	7.3%	2.9%	3.3%
	Grade 11	39.7%	45.3%	7.6%	4.1%	3.3%
	Grade 12	45.5%	41.9%	6.7%	3.5%	2.4%

## 2 Prevalence Tables

**Table B-1: Prevalence and recency of use of selected substances by grade  
All Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco					
	All	8.4%	11.9%	22.4%	77.6%
	Grade 7	2.6%	3.7%	10.1%	90.0%
	Grade 8	5.1%	7.5%	15.0%	85.0%
	Grade 9	6.7%	10.1%	21.0%	79.0%
	Grade 10	9.6%	13.9%	25.8%	74.2%
	Grade 11	13.1%	18.2%	32.1%	67.8%
	Grade 12	15.8%	20.9%	34.0%	66.0%
Alcohol					
	All	21.2%	29.8%	50.5%	49.5%
	Grade 7	9.7%	12.4%	30.9%	69.1%
	Grade 8	13.2%	19.8%	40.4%	59.7%
	Grade 9	19.9%	28.2%	50.2%	49.8%
	Grade 10	25.5%	36.3%	58.4%	41.5%
	Grade 11	30.1%	41.7%	64.1%	36.0%
	Grade 12	32.7%	45.8%	64.3%	35.7%
Inhalants					
	All	3.9%	5.2%	12.3%	87.7%
	Grade 7	5.6%	6.9%	14.2%	85.8%
	Grade 8	4.4%	6.4%	14.8%	85.2%
	Grade 9	4.0%	5.2%	13.0%	87.1%
	Grade 10	3.5%	4.5%	12.1%	87.9%
	Grade 11	3.2%	4.2%	10.1%	90.0%
	Grade 12	2.6%	3.7%	9.0%	91.0%
Any Illicit Drug					
	All	9.9%	14.0%	24.2%	75.9%
	Grade 7	3.4%	4.3%	7.9%	92.0%
	Grade 8	5.3%	7.8%	14.4%	85.6%
	Grade 9	9.1%	13.1%	22.4%	77.7%
	Grade 10	11.5%	16.6%	29.8%	70.2%
	Grade 11	16.3%	22.1%	36.5%	63.6%
	Grade 12	15.9%	22.8%	38.7%	61.3%
Marijuana					
	All	9.1%	13.1%	23.2%	76.8%
	Grade 7	2.8%	3.6%	7.0%	93.1%
	Grade 8	4.6%	7.0%	13.2%	86.8%
	Grade 9	8.1%	12.1%	21.5%	78.4%
	Grade 10	10.7%	15.8%	28.9%	71.0%
	Grade 11	15.2%	21.0%	35.5%	64.5%
	Grade 12	15.2%	22.1%	38.2%	61.9%

**Table B-1: Prevalence and recency of use of selected substances by grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>				
All	4.3%	6.8%	14.1%	86.0%
Grade 7	1.4%	1.7%	4.0%	96.0%
Grade 8	1.9%	3.3%	7.6%	92.4%
Grade 9	4.0%	6.4%	13.0%	86.9%
Grade 10	5.2%	8.3%	17.9%	82.0%
Grade 11	7.2%	10.8%	20.9%	79.1%
Grade 12	7.1%	11.5%	23.5%	76.5%
<b>Cocaine Or Crack</b>				
All	0.7%	1.0%	2.2%	97.8%
Grade 7	0.4%	0.5%	0.9%	99.2%
Grade 8	0.5%	0.7%	1.8%	98.2%
Grade 9	0.6%	0.8%	1.5%	98.5%
Grade 10	0.4%	0.7%	2.3%	97.7%
Grade 11	1.3%	2.0%	3.6%	96.5%
Grade 12	1.2%	1.6%	3.9%	96.1%
<b>Cocaine</b>				
All	0.6%	0.8%	1.9%	98.0%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.3%	98.7%
Grade 9	0.6%	0.8%	1.5%	98.6%
Grade 10	0.4%	0.6%	2.1%	97.9%
Grade 11	1.2%	1.8%	3.3%	96.7%
Grade 12	1.1%	1.5%	3.7%	96.3%
<b>Crack</b>				
All	0.2%	0.3%	0.6%	99.5%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.2%	99.7%
<b>Hallucinogens</b>				
All	0.8%	1.3%	2.6%	97.4%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.1%	98.8%
Grade 9	0.7%	1.2%	2.2%	97.7%
Grade 10	0.8%	1.2%	2.9%	97.1%
Grade 11	1.5%	2.3%	4.5%	95.4%
Grade 12	1.3%	2.3%	4.7%	95.3%

**Table B-1: Prevalence and recency of use of selected substances by grade  
All Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.8%	99.1%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.2%	0.3%	0.8%	99.2%
	Grade 9	0.4%	0.6%	1.0%	98.9%
	Grade 10	0.5%	0.7%	1.0%	99.0%
	Grade 11	0.4%	0.5%	1.0%	99.0%
	Grade 12	0.3%	0.4%	1.0%	99.0%
	Steroids	All	0.4%	0.5%	1.0%
Grade 7		0.2%	0.3%	0.7%	99.4%
Grade 8		0.4%	0.5%	1.2%	98.9%
Grade 9		0.1%	0.2%	0.8%	99.2%
Grade 10		0.5%	0.5%	1.0%	98.9%
Grade 11		0.6%	0.7%	1.2%	98.9%
Grade 12		0.5%	0.7%	1.2%	98.8%
Ecstasy		All	0.8%	1.2%	2.7%
	Grade 7	0.1%	0.3%	0.7%	99.4%
	Grade 8	0.4%	0.5%	1.4%	98.5%
	Grade 9	0.7%	1.2%	2.4%	97.5%
	Grade 10	0.7%	1.3%	3.0%	96.9%
	Grade 11	1.6%	2.0%	4.6%	95.5%
	Grade 12	1.1%	2.0%	4.8%	95.2%
	Heroin	All	0.2%	0.3%	0.5%
Grade 7		0.4%	0.5%	0.7%	99.3%
Grade 8		0.1%	0.2%	0.4%	99.7%
Grade 9		0.0%	0.0%	0.2%	99.7%
Grade 10		0.1%	0.1%	0.3%	99.6%
Grade 11		0.1%	0.2%	0.3%	99.8%
Grade 12		0.3%	0.3%	0.5%	99.5%

**Table B-1: Prevalence and recency of use of selected substances by grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.8%	2.8%	6.6%	93.5%
Grade 7	0.8%	1.2%	2.2%	97.8%
Grade 8	1.6%	2.2%	4.4%	95.7%
Grade 9	2.1%	3.2%	6.4%	93.6%
Grade 10	2.2%	3.6%	8.4%	91.6%
Grade 11	1.9%	3.3%	9.4%	90.7%
Grade 12	2.1%	3.2%	9.4%	90.7%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.3%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.4%	99.5%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.3%	0.7%	1.0%	99.1%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.5%	13.3%	23.9%	76.1%
	Grade 7	2.6%	3.7%	10.3%	89.7%
	Grade 8	5.1%	8.2%	15.7%	84.4%
	Grade 9	7.9%	11.7%	22.8%	77.2%
	Grade 10	9.7%	14.3%	25.6%	74.3%
	Grade 11	15.2%	19.9%	34.0%	66.1%
	Grade 12	19.4%	25.4%	39.5%	60.5%
Alcohol	All	20.2%	28.1%	48.1%	51.9%
	Grade 7	9.2%	11.5%	29.6%	70.4%
	Grade 8	11.8%	18.2%	38.6%	61.4%
	Grade 9	18.4%	26.2%	47.6%	52.4%
	Grade 10	22.2%	32.3%	54.6%	45.3%
	Grade 11	28.9%	39.6%	59.3%	40.6%
	Grade 12	35.0%	46.2%	63.8%	36.2%
Inhalants	All	3.7%	4.7%	11.0%	88.9%
	Grade 7	5.0%	6.1%	12.1%	87.9%
	Grade 8	3.8%	5.2%	12.7%	87.3%
	Grade 9	3.6%	4.6%	11.4%	88.7%
	Grade 10	3.0%	3.7%	10.7%	89.3%
	Grade 11	3.6%	4.3%	9.2%	90.8%
	Grade 12	3.4%	4.6%	9.9%	90.1%
Any Illicit Drug	All	10.5%	14.5%	25.1%	75.0%
	Grade 7	3.8%	4.7%	8.4%	91.6%
	Grade 8	5.4%	8.1%	14.7%	85.3%
	Grade 9	9.0%	13.1%	23.3%	76.7%
	Grade 10	11.1%	15.3%	28.7%	71.3%
	Grade 11	16.4%	22.3%	38.2%	61.9%
	Grade 12	19.9%	27.1%	42.7%	57.3%
Marijuana	All	9.4%	13.4%	24.1%	75.9%
	Grade 7	3.3%	4.1%	7.8%	92.3%
	Grade 8	4.6%	7.3%	13.5%	86.5%
	Grade 9	7.9%	12.0%	22.4%	77.5%
	Grade 10	9.9%	14.3%	27.6%	72.3%
	Grade 11	15.0%	20.8%	37.2%	62.8%
	Grade 12	18.6%	25.9%	42.0%	58.1%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.2%	6.4%	13.6%	86.4%
Grade 7	1.7%	2.0%	4.3%	95.7%
Grade 8	2.1%	3.7%	8.1%	92.0%
Grade 9	3.8%	6.1%	12.9%	87.1%
Grade 10	4.6%	6.9%	16.3%	83.7%
Grade 11	5.9%	9.0%	19.7%	80.3%
Grade 12	8.3%	12.4%	23.1%	76.9%
Cocaine Or Crack				
All	0.9%	1.3%	2.7%	97.4%
Grade 7	0.3%	0.4%	0.6%	99.3%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.6%	0.8%	1.8%	98.2%
Grade 10	0.6%	1.0%	2.8%	97.2%
Grade 11	1.9%	2.9%	5.1%	94.9%
Grade 12	2.1%	2.7%	5.5%	94.6%
Cocaine				
All	0.8%	1.1%	2.4%	97.5%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.6%	0.8%	1.7%	98.3%
Grade 10	0.6%	1.0%	2.7%	97.4%
Grade 11	1.8%	2.6%	4.8%	95.1%
Grade 12	1.9%	2.5%	5.2%	94.8%
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.2%	99.7%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.2%	0.6%	99.3%
Grade 12	0.2%	0.2%	0.5%	99.5%
Hallucinogens				
All	1.0%	1.7%	3.5%	96.5%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.6%	1.2%	98.8%
Grade 9	0.8%	1.6%	3.0%	97.1%
Grade 10	1.0%	1.5%	3.4%	96.6%
Grade 11	2.1%	3.3%	6.7%	93.3%
Grade 12	2.2%	3.7%	7.3%	92.7%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.8%	99.2%
	Grade 7	0.1%	0.2%	0.5%	99.6%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.2%	0.4%	1.0%	98.9%
	Grade 10	0.7%	0.8%	1.0%	99.0%
	Grade 11	0.2%	0.2%	0.8%	99.2%
	Grade 12	0.5%	0.6%	1.0%	99.0%
Steroids	All	0.5%	0.6%	1.2%	98.8%
	Grade 7	0.2%	0.3%	0.5%	99.4%
	Grade 8	0.3%	0.4%	1.0%	99.0%
	Grade 9	0.2%	0.2%	0.8%	99.2%
	Grade 10	0.8%	0.9%	1.7%	98.3%
	Grade 11	0.7%	0.8%	1.6%	98.4%
	Grade 12	0.8%	1.2%	1.7%	98.3%
Ecstasy	All	0.9%	1.4%	3.0%	97.0%
	Grade 7	0.1%	0.3%	0.8%	99.3%
	Grade 8	0.7%	0.8%	1.9%	98.1%
	Grade 9	0.7%	1.4%	2.7%	97.4%
	Grade 10	1.0%	1.6%	3.1%	96.9%
	Grade 11	1.3%	1.6%	4.4%	95.5%
	Grade 12	1.7%	2.7%	5.7%	94.3%
Heroin	All	0.2%	0.3%	0.5%	99.6%
	Grade 7	0.3%	0.4%	0.5%	99.5%
	Grade 8	0.1%	0.1%	0.2%	99.7%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.2%	0.3%	0.5%	99.5%
	Grade 11	0.1%	0.2%	0.3%	99.6%
	Grade 12	0.5%	0.5%	0.9%	99.1%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.0%	3.1%	7.4%	92.6%
Grade 7	1.0%	1.5%	2.5%	97.5%
Grade 8	1.8%	2.2%	4.5%	95.5%
Grade 9	2.0%	3.3%	7.0%	93.1%
Grade 10	2.2%	3.6%	8.6%	91.4%
Grade 11	2.4%	3.9%	11.2%	88.7%
Grade 12	2.7%	4.2%	11.8%	88.2%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.3%	0.8%	99.2%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.3%	0.7%	99.4%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.3%	0.4%	0.9%	99.1%

**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.3%	10.5%	20.9%	79.2%
	Grade 7	2.5%	3.6%	9.9%	90.2%
	Grade 8	5.1%	7.0%	14.5%	85.6%
	Grade 9	5.4%	8.3%	19.2%	80.8%
	Grade 10	9.3%	13.1%	25.7%	74.3%
	Grade 11	11.1%	16.7%	30.3%	69.7%
	Grade 12	12.1%	16.4%	28.6%	71.4%
Alcohol	All	22.2%	31.5%	53.0%	47.0%
	Grade 7	10.2%	13.3%	32.2%	67.8%
	Grade 8	14.4%	21.3%	42.3%	57.7%
	Grade 9	21.4%	30.2%	52.8%	47.3%
	Grade 10	28.6%	40.1%	62.2%	37.9%
	Grade 11	31.5%	43.9%	68.9%	31.1%
	Grade 12	30.3%	45.2%	64.7%	35.3%
Inhalants	All	4.1%	5.6%	13.6%	86.4%
	Grade 7	6.2%	7.6%	16.3%	83.7%
	Grade 8	5.0%	7.6%	17.1%	82.9%
	Grade 9	4.3%	5.7%	14.5%	85.5%
	Grade 10	4.0%	5.4%	13.6%	86.5%
	Grade 11	2.8%	4.1%	11.0%	89.0%
	Grade 12	1.6%	2.6%	7.9%	92.1%
Any Illicit Drug	All	9.3%	13.4%	23.2%	76.8%
	Grade 7	3.0%	4.0%	7.6%	92.4%
	Grade 8	5.2%	7.6%	14.2%	85.8%
	Grade 9	8.9%	12.7%	21.0%	78.9%
	Grade 10	12.0%	17.9%	30.8%	69.2%
	Grade 11	16.1%	21.9%	34.7%	65.3%
	Grade 12	11.8%	18.4%	34.7%	65.3%
Marijuana	All	8.7%	12.7%	22.2%	77.7%
	Grade 7	2.3%	3.1%	6.2%	93.9%
	Grade 8	4.6%	6.8%	12.9%	87.2%
	Grade 9	8.2%	12.1%	20.5%	79.5%
	Grade 10	11.6%	17.4%	30.2%	69.8%
	Grade 11	15.3%	21.3%	33.8%	66.2%
	Grade 12	11.6%	18.0%	34.2%	65.8%

**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	4.4%	7.1%	14.5%	85.5%
	Grade 7	1.1%	1.4%	3.8%	96.2%
	Grade 8	1.6%	2.9%	7.1%	92.8%
	Grade 9	4.1%	6.7%	13.2%	86.8%
	Grade 10	5.8%	9.7%	19.6%	80.3%
	Grade 11	8.4%	12.6%	22.1%	77.9%
	Grade 12	5.9%	10.4%	23.8%	76.2%
Cocaine Or Crack	All	0.5%	0.7%	1.8%	98.2%
	Grade 7	0.4%	0.5%	1.0%	99.1%
	Grade 8	0.6%	0.9%	2.5%	97.5%
	Grade 9	0.7%	0.8%	1.2%	98.8%
	Grade 10	0.3%	0.5%	1.8%	98.3%
	Grade 11	0.7%	1.1%	2.1%	97.9%
	Grade 12	0.3%	0.5%	2.3%	97.7%
Cocaine	All	0.4%	0.6%	1.5%	98.5%
	Grade 7	0.3%	0.3%	0.5%	99.4%
	Grade 8	0.4%	0.6%	1.7%	98.3%
	Grade 9	0.6%	0.7%	1.1%	98.9%
	Grade 10	0.2%	0.3%	1.4%	98.6%
	Grade 11	0.7%	1.1%	1.9%	98.2%
	Grade 12	0.3%	0.5%	2.3%	97.6%
Crack	All	0.2%	0.2%	0.6%	99.4%
	Grade 7	0.1%	0.2%	0.6%	99.5%
	Grade 8	0.4%	0.5%	1.4%	98.6%
	Grade 9	0.2%	0.2%	0.2%	99.7%
	Grade 10	0.1%	0.2%	0.6%	99.4%
	Grade 11	0.1%	0.1%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	0.6%	0.9%	1.8%	98.3%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.4%	0.4%	1.1%	98.9%
	Grade 9	0.7%	1.0%	1.6%	98.4%
	Grade 10	0.6%	1.0%	2.6%	97.5%
	Grade 11	1.0%	1.5%	2.5%	97.5%
	Grade 12	0.5%	1.1%	2.1%	97.9%

**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.2%	0.2%	0.8%	99.2%
	Grade 9	0.6%	0.8%	1.1%	98.9%
	Grade 10	0.4%	0.6%	1.1%	99.0%
	Grade 11	0.5%	0.6%	1.1%	98.9%
	Grade 12	0.2%	0.2%	0.9%	99.1%
	Steroids	All	0.2%	0.2%	0.7%
Grade 7		0.2%	0.2%	0.7%	99.3%
Grade 8		0.4%	0.4%	1.3%	98.8%
Grade 9		0.1%	0.2%	0.9%	99.2%
Grade 10		0.2%	0.2%	0.5%	99.4%
Grade 11		0.5%	0.5%	0.7%	99.4%
Grade 12		0.2%	0.2%	0.8%	99.2%
Ecstasy		All	0.6%	1.0%	2.4%
	Grade 7	0.1%	0.2%	0.4%	99.5%
	Grade 8	0.2%	0.4%	1.1%	98.9%
	Grade 9	0.8%	1.2%	2.3%	97.8%
	Grade 10	0.5%	1.2%	3.1%	96.9%
	Grade 11	1.9%	2.3%	4.6%	95.4%
	Grade 12	0.5%	1.4%	3.8%	96.2%
	Heroin	All	0.1%	0.1%	0.3%
Grade 7		0.4%	0.5%	0.8%	99.2%
Grade 8		0.0%	0.2%	0.4%	99.6%
Grade 9		0.1%	0.1%	0.3%	99.7%
Grade 10		0.1%	0.1%	0.4%	99.7%
Grade 11		0.0%	0.0%	0.1%	99.9%
Grade 12		0.0%	0.0%	0.1%	99.9%

**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.5%	2.4%	5.7%	94.3%
Grade 7	0.6%	1.0%	1.9%	98.1%
Grade 8	1.4%	2.1%	4.1%	95.9%
Grade 9	2.1%	3.1%	5.8%	94.2%
Grade 10	2.2%	3.6%	8.3%	91.8%
Grade 11	1.3%	2.5%	7.5%	92.6%
Grade 12	1.4%	2.1%	7.0%	93.0%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.5%	99.6%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.4%	99.7%
Grade 10	0.4%	0.4%	0.7%	99.2%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.2%	0.8%	0.9%	99.1%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.7%	13.8%	23.3%	76.7%
	Grade 7	1.9%	2.6%	6.5%	93.5%
	Grade 8	4.0%	6.7%	12.6%	87.4%
	Grade 9	8.4%	13.1%	22.9%	77.1%
	Grade 10	12.1%	17.6%	30.0%	70.1%
	Grade 11	15.2%	20.8%	34.4%	65.6%
	Grade 12	20.3%	26.6%	39.9%	60.1%
Alcohol	All	19.7%	29.1%	48.6%	51.4%
	Grade 7	4.8%	7.2%	23.0%	77.0%
	Grade 8	9.4%	17.1%	35.5%	64.4%
	Grade 9	19.3%	28.4%	48.9%	51.1%
	Grade 10	25.4%	37.7%	58.3%	41.7%
	Grade 11	29.8%	42.4%	65.3%	34.7%
	Grade 12	35.0%	49.4%	68.8%	31.2%
Inhalants	All	2.6%	4.0%	10.6%	89.3%
	Grade 7	2.7%	3.5%	8.9%	91.2%
	Grade 8	2.3%	4.0%	11.6%	88.5%
	Grade 9	3.5%	4.8%	12.8%	87.2%
	Grade 10	4.0%	5.9%	13.1%	86.9%
	Grade 11	1.8%	3.1%	8.8%	91.2%
	Grade 12	1.4%	2.8%	8.6%	91.4%
Any Illicit Drug	All	7.6%	11.6%	19.5%	80.4%
	Grade 7	1.4%	2.0%	3.1%	96.9%
	Grade 8	2.7%	4.2%	8.7%	91.3%
	Grade 9	7.4%	11.2%	17.4%	82.6%
	Grade 10	9.5%	15.0%	26.9%	73.2%
	Grade 11	13.5%	19.9%	31.6%	68.4%
	Grade 12	14.1%	21.8%	36.6%	63.4%
Marijuana	All	7.2%	11.2%	19.1%	81.0%
	Grade 7	1.1%	1.5%	2.5%	97.5%
	Grade 8	2.4%	3.8%	8.0%	92.0%
	Grade 9	6.7%	10.6%	16.7%	83.2%
	Grade 10	9.0%	14.2%	26.1%	73.9%
	Grade 11	13.0%	19.2%	30.8%	69.2%
	Grade 12	13.4%	21.4%	36.3%	63.7%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>				
All	3.1%	5.4%	11.1%	88.9%
Grade 7	0.7%	0.9%	1.6%	98.4%
Grade 8	1.3%	2.2%	5.5%	94.5%
Grade 9	3.2%	5.1%	9.1%	90.9%
Grade 10	3.7%	6.6%	15.3%	84.7%
Grade 11	5.2%	9.6%	17.8%	82.3%
Grade 12	5.4%	9.6%	21.0%	78.9%
<b>Cocaine Or Crack</b>				
All	0.4%	0.6%	1.4%	98.7%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.5%	99.4%
Grade 9	0.3%	0.5%	0.9%	99.2%
Grade 10	0.2%	0.3%	1.4%	98.6%
Grade 11	0.6%	1.2%	2.4%	97.6%
Grade 12	0.9%	1.0%	3.0%	96.9%
<b>Cocaine</b>				
All	0.3%	0.4%	1.1%	98.8%
Grade 7	0.1%	0.1%	0.1%	99.8%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.2%	0.3%	1.4%	98.6%
Grade 11	0.6%	1.0%	2.1%	97.9%
Grade 12	0.7%	0.8%	2.8%	97.2%
<b>Crack</b>				
All	0.1%	0.2%	0.4%	99.7%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.4%	99.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.3%	99.6%
Grade 11	0.0%	0.2%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.5%	99.6%
<b>Hallucinogens</b>				
All	0.7%	1.5%	3.1%	97.0%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.2%	0.7%	99.3%
Grade 9	0.7%	1.6%	3.1%	96.9%
Grade 10	1.0%	1.9%	3.7%	96.3%
Grade 11	1.3%	2.5%	5.7%	94.3%
Grade 12	1.2%	2.7%	5.6%	94.4%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.3%	0.5%	99.6%
	Grade 7	0.0%	0.1%	0.2%	99.8%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.1%	0.4%	0.7%	99.4%
	Grade 10	0.4%	0.4%	0.6%	99.4%
	Grade 11	0.2%	0.2%	0.4%	99.5%
	Grade 12	0.3%	0.3%	0.8%	99.2%
Steroids	All	0.4%	0.5%	1.1%	99.0%
	Grade 7	0.1%	0.2%	0.6%	99.3%
	Grade 8	0.3%	0.3%	1.0%	98.9%
	Grade 9	0.1%	0.2%	0.9%	99.1%
	Grade 10	0.5%	0.5%	1.0%	99.0%
	Grade 11	0.8%	0.8%	1.4%	98.5%
	Grade 12	0.4%	0.7%	1.2%	98.9%
Ecstasy	All	0.5%	1.0%	2.2%	97.7%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.7%	1.4%	2.7%	97.3%
	Grade 10	0.4%	1.5%	2.6%	97.5%
	Grade 11	1.2%	1.7%	4.2%	95.9%
	Grade 12	0.8%	1.9%	4.5%	95.4%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 7	0.2%	0.3%	0.4%	99.7%
	Grade 8	0.0%	0.1%	0.3%	99.7%
	Grade 9	0.0%	0.1%	0.2%	99.8%
	Grade 10	0.2%	0.2%	0.4%	99.7%
	Grade 11	0.1%	0.1%	0.3%	99.7%
	Grade 12	0.1%	0.1%	0.4%	99.6%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.0%	1.9%	5.6%	94.3%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.7%	2.0%	98.1%
Grade 9	1.2%	2.5%	5.7%	94.3%
Grade 10	1.8%	3.7%	8.6%	91.4%
Grade 11	1.5%	2.8%	8.8%	91.2%
Grade 12	1.3%	1.9%	10.0%	89.9%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.5%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.3%	0.4%	99.5%
Grade 11	0.2%	0.2%	0.9%	99.0%
Grade 12	0.3%	0.4%	0.7%	99.3%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	4.5%	6.5%	15.5%	84.5%
	Grade 7	1.5%	2.5%	10.2%	89.8%
	Grade 8	1.4%	3.3%	9.6%	90.4%
	Grade 9	3.6%	5.0%	14.2%	85.9%
	Grade 10	4.6%	6.4%	15.1%	85.0%
	Grade 11	7.7%	12.0%	22.0%	77.9%
	Grade 12	7.6%	9.2%	20.8%	79.1%
Alcohol	All	18.5%	26.3%	50.0%	50.0%
	Grade 7	13.0%	14.7%	38.2%	61.8%
	Grade 8	9.2%	16.9%	39.1%	60.9%
	Grade 9	17.2%	24.1%	49.6%	50.4%
	Grade 10	20.1%	29.0%	56.2%	43.8%
	Grade 11	20.8%	32.9%	54.8%	45.1%
	Grade 12	28.0%	36.7%	57.3%	42.6%
Inhalants	All	3.0%	3.7%	9.8%	90.1%
	Grade 7	5.5%	5.7%	13.5%	86.6%
	Grade 8	2.9%	5.9%	11.1%	88.8%
	Grade 9	3.9%	4.4%	12.2%	87.8%
	Grade 10	2.5%	2.7%	9.8%	90.1%
	Grade 11	2.3%	2.9%	6.9%	93.1%
	Grade 12	1.3%	1.6%	5.9%	94.0%
Any Illicit Drug	All	10.2%	15.0%	26.4%	73.6%
	Grade 7	5.5%	6.8%	11.1%	88.9%
	Grade 8	2.3%	7.1%	11.9%	88.0%
	Grade 9	8.5%	12.0%	22.9%	77.1%
	Grade 10	10.2%	14.0%	28.3%	71.7%
	Grade 11	16.5%	24.1%	37.6%	62.4%
	Grade 12	16.5%	24.1%	42.2%	57.8%
Marijuana	All	9.2%	14.1%	25.6%	74.4%
	Grade 7	4.3%	5.3%	9.0%	91.0%
	Grade 8	1.9%	6.0%	10.4%	89.6%
	Grade 9	7.6%	11.5%	22.5%	77.5%
	Grade 10	9.4%	13.5%	28.1%	71.9%
	Grade 11	14.6%	22.4%	36.7%	63.3%
	Grade 12	15.9%	23.9%	42.2%	57.8%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.9%	9.7%	19.4%	80.7%
Grade 7	2.6%	3.1%	6.3%	93.7%
Grade 8	1.8%	4.8%	8.6%	91.5%
Grade 9	5.5%	8.4%	17.4%	82.6%
Grade 10	6.1%	9.1%	21.4%	78.6%
Grade 11	10.3%	16.6%	27.5%	72.5%
Grade 12	7.9%	14.5%	31.1%	68.8%
Cocaine Or Crack				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.1%	0.1%	1.1%	99.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.8%	0.8%	1.9%	98.1%
Cocaine				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.1%	0.1%	1.1%	99.0%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.8%	0.8%	1.9%	98.1%
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.5%	0.5%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.6%	1.5%	98.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.6%	0.7%	1.9%	98.2%
Grade 11	1.0%	1.6%	2.4%	97.6%
Grade 12	1.4%	1.4%	3.5%	96.5%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.3%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.3%	0.3%	1.0%	99.0%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids	All	0.5%	0.6%	1.5%	98.5%
	Grade 7	0.5%	0.5%	0.7%	99.3%
	Grade 8	0.9%	1.4%	2.9%	97.2%
	Grade 9	0.2%	0.2%	0.9%	99.1%
	Grade 10	0.7%	0.7%	2.2%	97.8%
	Grade 11	0.5%	0.7%	0.8%	99.2%
	Grade 12	0.4%	0.4%	1.8%	98.1%
Ecstasy	All	0.7%	0.9%	1.9%	98.2%
	Grade 7	0.0%	0.3%	0.6%	99.4%
	Grade 8	0.1%	0.3%	0.3%	99.7%
	Grade 9	0.8%	0.8%	1.5%	98.5%
	Grade 10	1.0%	1.0%	2.1%	97.9%
	Grade 11	1.3%	1.5%	3.4%	96.6%
	Grade 12	0.6%	0.8%	2.6%	97.4%
Heroin	All	0.2%	0.3%	0.4%	99.6%
	Grade 7	1.0%	1.0%	1.0%	99.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.4%	99.6%
	Grade 10	0.0%	0.0%	0.1%	99.9%
	Grade 11	0.0%	0.5%	0.5%	99.5%
	Grade 12	0.3%	0.3%	0.3%	99.7%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.3%	2.0%	4.5%	95.5%
Grade 7	1.5%	2.3%	2.6%	97.3%
Grade 8	0.5%	0.5%	2.4%	97.6%
Grade 9	0.5%	0.9%	3.2%	96.7%
Grade 10	1.1%	1.7%	4.7%	95.3%
Grade 11	1.4%	2.8%	6.3%	93.7%
Grade 12	3.0%	3.7%	7.0%	92.9%
Methamphetamine				
All	0.1%	0.5%	0.8%	99.2%
Grade 7	0.6%	0.6%	0.9%	99.0%
Grade 8	0.0%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	2.0%	2.4%	97.6%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.8%	12.4%	24.3%	75.8%
	Grade 7	3.4%	4.8%	13.1%	86.9%
	Grade 8	6.6%	9.0%	18.5%	81.5%
	Grade 9	6.5%	9.7%	22.4%	77.6%
	Grade 10	10.0%	14.4%	26.8%	73.2%
	Grade 11	13.5%	18.7%	34.3%	65.7%
	Grade 12	15.8%	21.5%	35.8%	64.2%
Alcohol	All	23.5%	31.9%	53.0%	47.0%
	Grade 7	12.7%	15.8%	35.8%	64.2%
	Grade 8	16.7%	23.0%	45.0%	55.0%
	Grade 9	21.8%	30.3%	52.6%	47.4%
	Grade 10	27.8%	38.2%	60.1%	39.9%
	Grade 11	33.3%	44.5%	66.6%	33.5%
	Grade 12	34.1%	47.3%	64.6%	35.4%
Inhalants	All	5.1%	6.4%	14.3%	85.7%
	Grade 7	7.6%	9.5%	18.4%	81.6%
	Grade 8	6.2%	8.2%	18.5%	81.5%
	Grade 9	4.4%	5.5%	13.4%	86.6%
	Grade 10	3.7%	4.5%	11.8%	88.2%
	Grade 11	4.4%	5.3%	11.7%	88.3%
	Grade 12	3.4%	4.5%	9.8%	90.1%
Any Illicit Drug	All	11.5%	15.6%	27.5%	72.5%
	Grade 7	4.5%	5.7%	11.2%	88.8%
	Grade 8	7.7%	10.6%	19.6%	80.4%
	Grade 9	10.8%	15.3%	26.5%	73.5%
	Grade 10	13.6%	18.8%	33.0%	67.0%
	Grade 11	18.5%	23.6%	40.3%	59.7%
	Grade 12	16.9%	23.7%	41.3%	58.7%
Marijuana	All	10.5%	14.5%	26.3%	73.7%
	Grade 7	3.9%	5.0%	10.2%	89.9%
	Grade 8	6.7%	9.6%	17.9%	82.0%
	Grade 9	9.7%	14.1%	25.6%	74.4%
	Grade 10	12.5%	17.8%	31.9%	68.0%
	Grade 11	17.2%	22.3%	39.0%	61.0%
	Grade 12	16.0%	22.2%	40.2%	59.8%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.9%	7.2%	15.3%	84.7%
Grade 7	1.8%	2.2%	5.7%	94.4%
Grade 8	2.4%	4.0%	9.4%	90.6%
Grade 9	4.5%	7.3%	15.4%	84.7%
Grade 10	6.3%	9.7%	19.6%	80.5%
Grade 11	8.0%	10.4%	21.8%	78.3%
Grade 12	8.0%	12.0%	24.0%	76.0%
Cocaine Or Crack				
All	1.1%	1.5%	3.4%	96.6%
Grade 7	0.6%	0.7%	1.4%	98.6%
Grade 8	0.8%	1.1%	3.2%	96.8%
Grade 9	1.0%	1.2%	2.3%	97.6%
Grade 10	0.7%	1.2%	3.5%	96.5%
Grade 11	1.9%	2.8%	5.1%	94.8%
Grade 12	1.6%	2.4%	5.6%	94.4%
Cocaine				
All	1.0%	1.4%	3.0%	97.0%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.6%	0.8%	2.4%	97.6%
Grade 9	0.9%	1.2%	2.3%	97.8%
Grade 10	0.6%	1.0%	3.0%	97.0%
Grade 11	1.9%	2.8%	5.1%	94.9%
Grade 12	1.6%	2.4%	5.6%	94.5%
Crack				
All	0.2%	0.3%	0.8%	99.3%
Grade 7	0.2%	0.2%	0.6%	99.3%
Grade 8	0.4%	0.6%	1.5%	98.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.4%	1.1%	99.0%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.3%	99.8%
Hallucinogens				
All	0.9%	1.3%	2.5%	97.6%
Grade 7	0.3%	0.4%	0.8%	99.3%
Grade 8	0.8%	0.9%	1.7%	98.3%
Grade 9	0.8%	1.2%	2.0%	98.0%
Grade 10	0.8%	1.1%	2.7%	97.3%
Grade 11	1.5%	2.2%	4.0%	95.9%
Grade 12	1.3%	2.3%	4.3%	95.7%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.1%	0.2%	0.7%	99.2%
	Grade 8	0.4%	0.5%	1.3%	98.6%
	Grade 9	0.7%	0.9%	1.4%	98.6%
	Grade 10	0.8%	1.1%	1.6%	98.4%
	Grade 11	0.6%	0.7%	1.6%	98.4%
	Grade 12	0.4%	0.5%	1.4%	98.7%
Steroids	All	0.3%	0.4%	0.9%	99.2%
	Grade 7	0.2%	0.3%	0.7%	99.4%
	Grade 8	0.3%	0.3%	0.9%	99.1%
	Grade 9	0.1%	0.2%	0.8%	99.2%
	Grade 10	0.6%	0.6%	0.9%	99.1%
	Grade 11	0.3%	0.4%	0.9%	99.1%
	Grade 12	0.4%	0.6%	1.0%	99.0%
Ecstasy	All	0.9%	1.4%	3.2%	96.8%
	Grade 7	0.1%	0.3%	0.9%	99.1%
	Grade 8	0.6%	0.8%	2.2%	97.8%
	Grade 9	0.7%	1.3%	2.5%	97.5%
	Grade 10	1.0%	1.5%	3.6%	96.4%
	Grade 11	2.0%	2.4%	5.3%	94.7%
	Grade 12	1.6%	2.7%	6.0%	94.0%
Heroin	All	0.2%	0.3%	0.5%	99.5%
	Grade 7	0.4%	0.5%	0.9%	99.2%
	Grade 8	0.2%	0.3%	0.5%	99.5%
	Grade 9	0.1%	0.1%	0.3%	99.7%
	Grade 10	0.2%	0.3%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.4%	0.4%	0.6%	99.4%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.4%	3.6%	7.8%	92.3%
Grade 7	1.3%	1.9%	3.4%	96.6%
Grade 8	2.4%	3.3%	6.3%	93.7%
Grade 9	3.2%	4.6%	8.1%	91.8%
Grade 10	3.0%	4.4%	9.3%	90.8%
Grade 11	2.2%	3.5%	10.8%	89.1%
Grade 12	2.4%	3.8%	9.6%	90.3%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.2%	0.2%	0.6%	99.5%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.5%	0.6%	0.8%	99.2%
Grade 12	0.4%	0.4%	0.6%	99.3%

**Table B-7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	4.5%	6.5%	14.2%	85.8%
	Grade 7	0.8%	1.3%	4.9%	95.1%
	Grade 8	2.0%	2.6%	7.1%	92.9%
	Grade 9	3.2%	4.7%	12.4%	87.6%
	Grade 10	4.7%	8.0%	16.5%	83.5%
	Grade 11	8.3%	11.4%	22.9%	77.1%
	Grade 12	9.3%	12.7%	25.2%	74.8%
Alcohol	All	14.8%	23.1%	41.7%	58.4%
	Grade 7	6.0%	7.6%	22.4%	77.6%
	Grade 8	7.1%	13.6%	30.1%	69.9%
	Grade 9	15.2%	22.6%	42.9%	57.0%
	Grade 10	18.3%	29.5%	49.8%	50.2%
	Grade 11	20.7%	32.3%	53.8%	46.1%
	Grade 12	25.1%	38.2%	58.0%	42.1%
Inhalants	All	1.9%	2.8%	7.9%	92.1%
	Grade 7	1.5%	2.5%	7.0%	92.9%
	Grade 8	2.2%	3.2%	9.8%	90.2%
	Grade 9	1.7%	2.5%	8.0%	92.0%
	Grade 10	2.1%	3.1%	9.4%	90.6%
	Grade 11	2.1%	2.9%	6.7%	93.2%
	Grade 12	1.6%	2.4%	5.9%	94.1%
Any Illicit Drug	All	5.2%	7.8%	14.6%	85.4%
	Grade 7	1.2%	1.5%	3.6%	96.3%
	Grade 8	1.5%	2.7%	5.4%	94.7%
	Grade 9	4.0%	6.7%	10.9%	89.1%
	Grade 10	5.9%	9.2%	19.6%	80.5%
	Grade 11	9.3%	12.7%	23.4%	76.7%
	Grade 12	11.2%	16.4%	29.2%	70.8%
Marijuana	All	4.7%	7.3%	13.8%	86.2%
	Grade 7	1.0%	1.3%	3.1%	96.9%
	Grade 8	1.2%	2.3%	4.7%	95.3%
	Grade 9	3.6%	6.3%	10.0%	90.0%
	Grade 10	5.4%	8.9%	18.8%	81.3%
	Grade 11	7.8%	11.3%	22.0%	78.0%
	Grade 12	11.2%	16.3%	29.1%	71.0%

**Table B-7: Prevalence and recency of use of selected substances by grade**  
**Students Reporting A Grades**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.5%	4.2%	9.3%	90.7%
Grade 7	0.6%	0.8%	2.1%	97.9%
Grade 8	0.7%	1.5%	3.6%	96.4%
Grade 9	2.5%	4.3%	7.4%	92.6%
Grade 10	2.4%	4.5%	12.0%	88.1%
Grade 11	3.9%	6.2%	13.9%	86.1%
Grade 12	5.6%	9.2%	19.5%	80.4%
Cocaine Or Crack				
All	0.2%	0.4%	0.9%	99.2%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.4%	0.6%	0.8%	99.2%
Grade 10	0.1%	0.2%	1.0%	98.9%
Grade 11	0.3%	0.8%	1.2%	98.8%
Grade 12	0.4%	0.7%	1.8%	98.2%
Cocaine				
All	0.2%	0.4%	0.8%	99.3%
Grade 7	0.0%	0.0%	0.2%	99.7%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.3%	0.4%	0.6%	99.3%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.2%	0.7%	0.8%	99.2%
Grade 12	0.3%	0.6%	1.7%	98.3%
Crack				
All	0.0%	0.0%	0.1%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens				
All	0.5%	0.9%	1.5%	98.6%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.6%	1.3%	2.4%	97.6%
Grade 11	1.2%	1.9%	2.9%	97.1%
Grade 12	0.8%	1.7%	2.6%	97.4%

**Table B-7: Prevalence and recency of use of selected substances by grade**  
**Students Reporting A Grades**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.2%	0.5%	99.6%
	Grade 7	0.0%	0.1%	0.3%	99.7%
	Grade 8	0.1%	0.2%	0.5%	99.5%
	Grade 9	0.1%	0.1%	0.2%	99.8%
	Grade 10	0.1%	0.1%	0.2%	99.8%
	Grade 11	0.1%	0.1%	0.6%	99.4%
	Grade 12	0.3%	0.4%	0.8%	99.2%
Steroids	All	0.3%	0.4%	0.8%	99.3%
	Grade 7	0.0%	0.0%	0.5%	99.4%
	Grade 8	0.3%	0.3%	0.7%	99.3%
	Grade 9	0.1%	0.2%	0.5%	99.5%
	Grade 10	0.2%	0.2%	0.4%	99.6%
	Grade 11	0.9%	0.9%	1.4%	98.6%
	Grade 12	0.2%	0.5%	0.9%	99.1%
Ecstasy	All	0.3%	0.6%	1.2%	98.8%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.2%	0.3%	0.5%	99.5%
	Grade 9	0.2%	0.5%	0.8%	99.2%
	Grade 10	0.3%	0.8%	1.5%	98.4%
	Grade 11	1.1%	1.4%	2.9%	97.2%
	Grade 12	0.4%	1.1%	2.2%	97.9%
Heroin	All	0.1%	0.2%	0.3%	99.8%
	Grade 7	0.3%	0.3%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.1%	0.2%	0.2%	99.7%
	Grade 11	0.0%	0.2%	0.2%	99.7%
	Grade 12	0.0%	0.0%	0.0%	99.9%

**Table B-7: Prevalence and recency of use of selected substances by grade**  
**Students Reporting A Grades**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.6%	1.0%	3.0%	97.0%
Grade 7	0.1%	0.3%	0.9%	99.0%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.2%	0.5%	1.5%	98.4%
Grade 10	0.8%	1.5%	4.6%	95.4%
Grade 11	0.6%	1.1%	4.4%	95.7%
Grade 12	1.4%	2.2%	6.2%	93.9%
Methamphetamine				
All	0.0%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.1%	1.0%	1.2%	98.8%

**Table B-8: Prevalence and recency of use of selected substances by grade  
Students Reporting Grades Lower Than an A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.8%	13.7%	25.4%	74.6%
	Grade 7	3.2%	4.5%	12.5%	87.5%
	Grade 8	6.7%	10.0%	19.2%	80.8%
	Grade 9	7.3%	11.1%	22.8%	77.2%
	Grade 10	11.3%	16.1%	28.9%	71.0%
	Grade 11	14.1%	19.4%	34.9%	65.2%
	Grade 12	19.8%	25.2%	38.9%	61.1%
Alcohol	All	23.7%	32.0%	53.6%	46.4%
	Grade 7	11.9%	14.6%	34.9%	65.2%
	Grade 8	17.5%	23.3%	45.3%	54.6%
	Grade 9	20.6%	29.0%	51.7%	48.4%
	Grade 10	28.2%	38.6%	60.8%	39.2%
	Grade 11	32.8%	43.5%	66.7%	33.3%
	Grade 12	35.9%	49.1%	67.5%	32.5%
Inhalants	All	4.7%	6.1%	14.0%	85.9%
	Grade 7	7.7%	9.0%	17.6%	82.4%
	Grade 8	5.7%	8.2%	17.1%	82.8%
	Grade 9	4.4%	5.7%	14.1%	85.9%
	Grade 10	3.9%	5.0%	13.0%	87.0%
	Grade 11	3.1%	4.2%	10.8%	89.3%
	Grade 12	2.6%	4.0%	10.8%	89.2%
Any Illicit Drug	All	11.6%	16.1%	27.8%	72.1%
	Grade 7	4.2%	5.2%	9.7%	90.3%
	Grade 8	7.3%	10.7%	19.2%	80.8%
	Grade 9	10.5%	14.6%	25.0%	74.9%
	Grade 10	13.8%	19.5%	33.5%	66.5%
	Grade 11	18.0%	24.4%	40.6%	59.4%
	Grade 12	18.5%	26.1%	45.1%	54.9%
Marijuana	All	10.7%	15.2%	26.8%	73.1%
	Grade 7	3.4%	4.2%	8.3%	91.7%
	Grade 8	6.3%	9.5%	17.6%	82.4%
	Grade 9	9.4%	13.7%	24.3%	75.7%
	Grade 10	12.8%	18.6%	32.7%	67.3%
	Grade 11	16.9%	23.3%	39.5%	60.4%
	Grade 12	17.9%	25.6%	44.8%	55.3%

**Table B-8: Prevalence and recency of use of selected substances by grade  
Students Reporting Grades Lower Than an A  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.1%	7.8%	16.0%	84.0%
Grade 7	1.5%	1.7%	4.6%	95.4%
Grade 8	2.4%	4.2%	9.7%	90.3%
Grade 9	4.5%	6.9%	14.3%	85.7%
Grade 10	6.5%	10.1%	20.4%	79.7%
Grade 11	8.4%	12.4%	23.6%	76.3%
Grade 12	8.3%	13.2%	27.2%	72.8%
Cocaine Or Crack				
All	0.9%	1.2%	2.8%	97.2%
Grade 7	0.5%	0.6%	1.0%	98.9%
Grade 8	0.8%	1.1%	2.9%	97.1%
Grade 9	0.7%	0.8%	1.8%	98.1%
Grade 10	0.6%	1.0%	2.9%	97.1%
Grade 11	1.5%	2.0%	4.1%	95.9%
Grade 12	1.4%	1.8%	4.6%	95.3%
Cocaine				
All	0.8%	1.1%	2.6%	97.5%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.5%	0.7%	2.2%	97.9%
Grade 9	0.7%	0.8%	1.8%	98.2%
Grade 10	0.5%	0.8%	2.6%	97.4%
Grade 11	1.5%	2.0%	4.0%	96.0%
Grade 12	1.3%	1.7%	4.5%	95.5%
Crack				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.5%	0.7%	1.5%	98.5%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.2%	0.3%	0.8%	99.1%
Grade 11	0.1%	0.1%	0.6%	99.3%
Grade 12	0.1%	0.1%	0.3%	99.6%
Hallucinogens				
All	0.9%	1.4%	3.0%	97.0%
Grade 7	0.2%	0.3%	0.7%	99.2%
Grade 8	0.6%	0.8%	1.6%	98.4%
Grade 9	0.7%	1.4%	2.6%	97.5%
Grade 10	0.9%	1.3%	3.0%	96.9%
Grade 11	1.7%	2.5%	5.1%	94.9%
Grade 12	1.6%	2.7%	6.1%	93.9%

**Table B-8: Prevalence and recency of use of selected substances by grade**  
**Students Reporting Grades Lower Than an A**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	0.5%	1.0%	98.9%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.3%	0.4%	1.0%	99.0%
	Grade 9	0.6%	0.9%	1.4%	98.6%
	Grade 10	0.8%	1.1%	1.5%	98.6%
	Grade 11	0.4%	0.4%	1.0%	99.0%
	Grade 12	0.3%	0.3%	0.9%	99.1%
Steroids	All	0.4%	0.5%	1.1%	98.9%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.4%	0.5%	1.5%	98.5%
	Grade 9	0.1%	0.2%	0.8%	99.2%
	Grade 10	0.7%	0.8%	1.5%	98.5%
	Grade 11	0.4%	0.5%	1.0%	99.1%
	Grade 12	0.6%	0.7%	1.5%	98.6%
Ecstasy	All	0.9%	1.4%	3.3%	96.8%
	Grade 7	0.1%	0.3%	0.8%	99.2%
	Grade 8	0.7%	0.9%	2.0%	98.0%
	Grade 9	1.1%	1.7%	2.8%	97.2%
	Grade 10	0.9%	1.4%	3.5%	96.5%
	Grade 11	1.3%	1.8%	5.0%	95.0%
	Grade 12	1.2%	2.2%	6.2%	93.8%
Heroin	All	0.2%	0.3%	0.5%	99.5%
	Grade 7	0.5%	0.6%	0.8%	99.2%
	Grade 8	0.1%	0.2%	0.4%	99.5%
	Grade 9	0.1%	0.1%	0.4%	99.6%
	Grade 10	0.1%	0.1%	0.4%	99.5%
	Grade 11	0.1%	0.1%	0.2%	99.8%
	Grade 12	0.5%	0.5%	0.8%	99.2%

**Table B-8: Prevalence and recency of use of selected substances by grade  
Students Reporting Grades Lower Than an A  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.3%	3.4%	7.9%	92.1%
Grade 7	1.2%	1.8%	3.0%	97.1%
Grade 8	2.3%	2.9%	6.1%	93.9%
Grade 9	2.8%	4.0%	7.9%	92.2%
Grade 10	2.8%	4.5%	9.9%	90.1%
Grade 11	2.4%	3.9%	10.8%	89.2%
Grade 12	2.6%	3.6%	10.8%	89.2%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.4%	0.6%	99.3%
Grade 8	0.1%	0.3%	1.0%	99.0%
Grade 9	0.2%	0.3%	0.6%	99.5%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.6%	99.3%
Grade 12	0.4%	0.4%	0.8%	99.1%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.7%	9.5%	18.0%	81.9%
	Grade 7	1.9%	2.7%	7.6%	92.4%
	Grade 8	3.4%	5.3%	11.3%	88.6%
	Grade 9	5.3%	7.5%	16.0%	83.9%
	Grade 10	7.3%	10.5%	20.8%	79.2%
	Grade 11	11.3%	16.5%	28.2%	71.7%
	Grade 12	13.7%	18.5%	29.9%	70.1%
Alcohol	All	18.4%	26.4%	45.6%	54.5%
	Grade 7	8.9%	10.8%	27.3%	72.7%
	Grade 8	10.8%	16.7%	35.9%	64.1%
	Grade 9	15.9%	23.7%	44.2%	55.8%
	Grade 10	22.3%	32.1%	52.8%	47.1%
	Grade 11	28.1%	39.2%	60.4%	39.6%
	Grade 12	29.5%	43.3%	60.6%	39.5%
Inhalants	All	3.5%	4.7%	10.8%	89.2%
	Grade 7	4.7%	5.6%	12.2%	87.7%
	Grade 8	3.9%	5.8%	13.3%	86.7%
	Grade 9	3.6%	4.8%	11.1%	88.9%
	Grade 10	3.1%	4.2%	10.9%	89.1%
	Grade 11	3.2%	4.0%	9.3%	90.7%
	Grade 12	2.1%	3.0%	6.7%	93.3%
Any Illicit Drug	All	7.5%	10.6%	18.6%	81.3%
	Grade 7	2.4%	2.8%	5.6%	94.4%
	Grade 8	3.7%	5.4%	10.1%	89.9%
	Grade 9	6.5%	9.0%	16.3%	83.7%
	Grade 10	9.2%	13.0%	23.6%	76.4%
	Grade 11	13.1%	18.8%	31.4%	68.7%
	Grade 12	13.1%	19.2%	31.9%	68.2%
Marijuana	All	6.8%	9.9%	17.8%	82.2%
	Grade 7	1.9%	2.2%	4.6%	95.4%
	Grade 8	2.9%	4.5%	8.8%	91.2%
	Grade 9	5.7%	8.3%	15.6%	84.4%
	Grade 10	8.7%	12.4%	22.9%	77.0%
	Grade 11	12.2%	17.9%	30.6%	69.4%
	Grade 12	12.2%	18.3%	31.2%	68.8%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>				
All	3.4%	5.4%	11.1%	88.8%
Grade 7	1.0%	1.2%	2.8%	97.3%
Grade 8	1.3%	2.1%	5.1%	95.0%
Grade 9	2.9%	4.7%	9.8%	90.2%
Grade 10	4.1%	6.6%	14.6%	85.4%
Grade 11	6.0%	9.9%	18.8%	81.1%
Grade 12	6.7%	10.6%	20.4%	79.7%
<b>Cocaine Or Crack</b>				
All	0.7%	0.9%	1.8%	98.2%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.6%	1.4%	98.6%
Grade 9	0.7%	0.8%	1.5%	98.6%
Grade 10	0.5%	0.7%	1.8%	98.2%
Grade 11	1.5%	1.9%	3.3%	96.7%
Grade 12	0.9%	1.2%	2.7%	97.2%
<b>Cocaine</b>				
All	0.6%	0.8%	1.7%	98.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.6%	0.7%	1.3%	98.7%
Grade 10	0.4%	0.6%	1.7%	98.3%
Grade 11	1.5%	1.9%	3.3%	96.7%
Grade 12	0.9%	1.2%	2.7%	97.3%
<b>Crack</b>				
All	0.1%	0.1%	0.3%	99.6%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.3%	99.8%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.4%	99.5%
Grade 12	0.1%	0.1%	0.2%	99.8%
<b>Hallucinogens</b>				
All	0.6%	1.0%	1.9%	98.1%
Grade 7	0.2%	0.3%	0.6%	99.5%
Grade 8	0.4%	0.5%	0.9%	99.2%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.6%	0.9%	2.3%	97.6%
Grade 11	1.1%	1.9%	3.9%	96.1%
Grade 12	1.0%	2.0%	3.3%	96.7%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.3%	0.6%	99.3%
	Grade 7	0.0%	0.0%	0.2%	99.7%
	Grade 8	0.1%	0.2%	0.5%	99.5%
	Grade 9	0.3%	0.3%	0.6%	99.3%
	Grade 10	0.5%	0.7%	1.0%	99.0%
	Grade 11	0.2%	0.3%	0.9%	99.1%
	Grade 12	0.3%	0.4%	0.8%	99.2%
	Steroids	All	0.3%	0.4%	0.9%
Grade 7		0.2%	0.2%	0.7%	99.3%
Grade 8		0.3%	0.3%	1.0%	99.0%
Grade 9		0.2%	0.2%	0.8%	99.2%
Grade 10		0.3%	0.4%	0.9%	99.2%
Grade 11		0.7%	0.7%	1.0%	98.9%
Grade 12		0.3%	0.5%	1.0%	99.0%
Ecstasy		All	0.6%	0.9%	1.9%
	Grade 7	0.0%	0.0%	0.2%	99.7%
	Grade 8	0.2%	0.3%	1.0%	99.0%
	Grade 9	0.6%	0.9%	1.7%	98.3%
	Grade 10	0.5%	0.8%	1.9%	98.0%
	Grade 11	1.4%	1.7%	3.4%	96.6%
	Grade 12	0.8%	1.5%	3.2%	96.8%
	Heroin	All	0.2%	0.3%	0.4%
Grade 7		0.4%	0.4%	0.6%	99.4%
Grade 8		0.1%	0.2%	0.4%	99.7%
Grade 9		0.0%	0.0%	0.0%	99.9%
Grade 10		0.1%	0.1%	0.3%	99.8%
Grade 11		0.1%	0.2%	0.3%	99.7%
Grade 12		0.2%	0.2%	0.3%	99.6%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.3%	1.8%	4.6%	95.4%
Grade 7	0.4%	0.5%	1.1%	98.8%
Grade 8	1.1%	1.5%	3.1%	96.9%
Grade 9	1.6%	2.1%	4.4%	95.6%
Grade 10	1.8%	2.7%	6.1%	93.8%
Grade 11	1.5%	2.3%	7.2%	92.7%
Grade 12	1.4%	2.0%	6.8%	93.3%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.3%	0.7%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.3%	0.3%	0.7%	99.2%
Grade 12	0.1%	0.6%	0.8%	99.2%

**Table B-10: Prevalence and recency of use of selected substances by grade  
Students Not Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	11.4%	15.9%	29.7%	70.4%
	Grade 7	3.8%	5.3%	14.8%	85.2%
	Grade 8	8.4%	11.8%	22.3%	77.7%
	Grade 9	8.8%	14.1%	29.0%	71.1%
	Grade 10	13.1%	18.8%	33.2%	66.7%
	Grade 11	15.9%	20.9%	38.1%	61.9%
	Grade 12	19.1%	24.7%	40.4%	59.6%
Alcohol	All	26.1%	35.7%	59.1%	40.9%
	Grade 7	11.3%	15.2%	38.1%	61.9%
	Grade 8	17.8%	25.8%	49.1%	50.9%
	Grade 9	26.3%	35.4%	60.0%	40.0%
	Grade 10	30.5%	42.6%	67.0%	33.0%
	Grade 11	33.3%	45.5%	69.8%	30.2%
	Grade 12	37.7%	49.8%	70.1%	29.9%
Inhalants	All	4.6%	6.1%	14.9%	85.2%
	Grade 7	7.4%	9.4%	17.7%	82.4%
	Grade 8	5.3%	7.4%	17.8%	82.3%
	Grade 9	4.6%	5.8%	16.0%	84.1%
	Grade 10	3.8%	4.8%	13.8%	86.2%
	Grade 11	3.1%	4.4%	11.2%	88.8%
	Grade 12	3.2%	4.6%	12.3%	87.7%
Any Illicit Drug	All	13.8%	19.4%	33.2%	66.8%
	Grade 7	5.2%	7.1%	12.4%	87.5%
	Grade 8	8.4%	12.5%	22.9%	77.1%
	Grade 9	13.1%	19.5%	31.8%	68.2%
	Grade 10	15.2%	22.2%	39.2%	60.8%
	Grade 11	21.1%	27.1%	44.2%	55.7%
	Grade 12	20.2%	28.3%	49.2%	50.8%
Marijuana	All	12.9%	18.5%	32.2%	67.8%
	Grade 7	4.5%	6.2%	11.4%	88.7%
	Grade 8	7.8%	11.9%	21.8%	78.3%
	Grade 9	11.9%	18.3%	31.0%	69.0%
	Grade 10	14.0%	21.4%	38.1%	61.9%
	Grade 11	19.7%	25.8%	43.0%	57.0%
	Grade 12	19.7%	27.6%	48.6%	51.4%

**Table B-10: Prevalence and recency of use of selected substances by grade**  
**Students Not Living With 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.9%	9.1%	19.0%	81.0%
Grade 7	2.3%	2.9%	6.6%	93.4%
Grade 8	3.0%	5.7%	12.6%	87.3%
Grade 9	5.9%	9.3%	18.4%	81.6%
Grade 10	7.0%	11.2%	23.3%	76.6%
Grade 11	8.9%	12.1%	24.2%	75.7%
Grade 12	8.0%	13.0%	28.4%	71.6%
Cocaine Or Crack				
All	0.7%	1.1%	2.8%	97.2%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	0.8%	1.0%	2.5%	97.5%
Grade 9	0.6%	0.9%	1.6%	98.3%
Grade 10	0.4%	0.7%	2.9%	97.1%
Grade 11	1.0%	2.0%	3.9%	96.1%
Grade 12	1.5%	2.1%	5.4%	94.6%
Cocaine				
All	0.6%	1.0%	2.5%	97.5%
Grade 7	0.3%	0.4%	0.7%	99.2%
Grade 8	0.3%	0.4%	1.8%	98.2%
Grade 9	0.5%	0.8%	1.5%	98.5%
Grade 10	0.3%	0.5%	2.3%	97.7%
Grade 11	0.9%	1.8%	3.5%	96.5%
Grade 12	1.4%	2.0%	5.2%	94.7%
Crack				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.2%	0.4%	99.7%
Grade 8	0.6%	0.7%	1.2%	98.8%
Grade 9	0.1%	0.1%	0.2%	99.7%
Grade 10	0.1%	0.2%	1.2%	98.8%
Grade 11	0.1%	0.3%	0.8%	99.3%
Grade 12	0.1%	0.1%	0.3%	99.7%
Hallucinogens				
All	1.1%	1.7%	3.7%	96.2%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	1.2%	2.1%	4.0%	96.0%
Grade 10	1.0%	1.6%	3.7%	96.2%
Grade 11	2.2%	3.1%	5.6%	94.4%
Grade 12	1.9%	2.9%	7.0%	93.0%

**Table B-10: Prevalence and recency of use of selected substances by grade**  
**Students Not Living With 2 Parents**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.7%	1.3%	98.8%
	Grade 7	0.2%	0.4%	0.8%	99.2%
	Grade 8	0.3%	0.3%	1.2%	98.7%
	Grade 9	0.6%	1.1%	1.7%	98.3%
	Grade 10	0.5%	0.6%	1.1%	98.9%
	Grade 11	0.7%	0.7%	1.1%	98.9%
	Grade 12	0.3%	0.4%	1.3%	98.7%
Steroids	All	0.4%	0.5%	1.1%	98.8%
	Grade 7	0.2%	0.4%	0.6%	99.4%
	Grade 8	0.5%	0.7%	1.5%	98.5%
	Grade 9	0.1%	0.2%	0.9%	99.1%
	Grade 10	0.8%	0.8%	1.5%	98.6%
	Grade 11	0.4%	0.5%	1.2%	98.8%
	Grade 12	0.6%	0.8%	1.4%	98.6%
Ecstasy	All	1.1%	1.8%	4.2%	95.8%
	Grade 7	0.2%	0.6%	1.2%	98.8%
	Grade 8	0.9%	1.2%	2.4%	97.6%
	Grade 9	0.9%	1.8%	3.6%	96.3%
	Grade 10	1.1%	2.2%	4.6%	95.5%
	Grade 11	1.9%	2.4%	6.3%	93.7%
	Grade 12	1.6%	2.8%	7.4%	92.6%
Heroin	All	0.1%	0.2%	0.5%	99.5%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	0.1%	0.1%	0.6%	99.4%
	Grade 10	0.1%	0.2%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.1%	99.8%
	Grade 12	0.3%	0.3%	0.7%	99.4%

**Table B-10: Prevalence and recency of use of selected substances by grade  
Students Not Living With 2 Parents  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.5%	4.2%	9.5%	90.5%
Grade 7	1.6%	2.6%	4.2%	95.9%
Grade 8	2.5%	3.4%	6.7%	93.3%
Grade 9	2.7%	4.9%	9.4%	90.6%
Grade 10	2.7%	4.8%	11.6%	88.4%
Grade 11	2.3%	4.4%	12.2%	87.8%
Grade 12	3.2%	4.9%	13.1%	86.9%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.5%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.9%	99.1%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.3%	0.5%	1.1%	99.0%
Grade 11	0.4%	0.5%	1.1%	99.0%
Grade 12	0.4%	0.6%	1.1%	98.9%

**Table B-11: Prevalence and recency of use of selected substances by grade  
Students who would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.2%	10.1%	19.9%	80.1%
	Grade 7	2.0%	2.8%	8.1%	91.9%
	Grade 8	4.2%	6.1%	12.7%	87.3%
	Grade 9	6.0%	8.4%	18.5%	81.6%
	Grade 10	7.8%	11.6%	23.4%	76.6%
	Grade 11	12.2%	16.6%	29.7%	70.3%
	Grade 12	13.8%	18.9%	32.3%	67.7%
Alcohol	All	19.4%	27.5%	48.5%	51.5%
	Grade 7	8.4%	10.8%	28.0%	72.0%
	Grade 8	11.3%	17.0%	37.8%	62.2%
	Grade 9	17.9%	25.5%	48.5%	51.6%
	Grade 10	23.9%	34.1%	56.7%	43.3%
	Grade 11	28.2%	39.6%	62.9%	37.0%
	Grade 12	31.9%	45.4%	64.8%	35.2%
Inhalants	All	3.3%	4.3%	11.0%	89.0%
	Grade 7	4.8%	5.8%	12.3%	87.7%
	Grade 8	3.5%	5.0%	12.6%	87.3%
	Grade 9	3.4%	4.4%	11.8%	88.2%
	Grade 10	2.8%	3.7%	10.8%	89.2%
	Grade 11	2.4%	3.4%	9.3%	90.7%
	Grade 12	2.2%	2.9%	7.7%	92.2%
Any Illicit Drug	All	8.2%	11.9%	21.4%	78.6%
	Grade 7	2.3%	3.1%	6.3%	93.7%
	Grade 8	4.1%	6.1%	12.0%	88.0%
	Grade 9	7.5%	11.2%	19.6%	80.4%
	Grade 10	9.8%	14.0%	26.7%	73.2%
	Grade 11	14.0%	19.5%	33.5%	66.5%
	Grade 12	14.0%	21.1%	36.3%	63.7%
Marijuana	All	7.6%	11.2%	20.5%	79.5%
	Grade 7	1.8%	2.4%	5.4%	94.6%
	Grade 8	3.6%	5.5%	11.0%	89.1%
	Grade 9	6.7%	10.4%	18.8%	81.2%
	Grade 10	9.3%	13.4%	25.9%	74.0%
	Grade 11	13.0%	18.5%	32.4%	67.5%
	Grade 12	13.5%	20.6%	35.9%	64.1%

**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.7%	6.0%	12.9%	87.1%
Grade 7	0.9%	1.1%	3.2%	96.8%
Grade 8	1.6%	2.6%	6.5%	93.6%
Grade 9	3.5%	5.7%	12.1%	87.9%
Grade 10	4.9%	7.7%	17.3%	82.7%
Grade 11	6.3%	9.8%	19.7%	80.4%
Grade 12	6.5%	11.2%	22.8%	77.2%
Cocaine Or Crack				
All	0.5%	0.7%	1.6%	98.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.5%	0.7%	1.1%	98.9%
Grade 10	0.3%	0.5%	1.5%	98.4%
Grade 11	1.0%	1.5%	3.0%	97.0%
Grade 12	0.9%	1.2%	3.3%	96.7%
Cocaine				
All	0.5%	0.7%	1.6%	98.5%
Grade 7	0.1%	0.1%	0.3%	99.6%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.5%	0.7%	1.1%	99.0%
Grade 10	0.3%	0.5%	1.5%	98.6%
Grade 11	1.0%	1.5%	2.9%	97.2%
Grade 12	0.9%	1.2%	3.3%	96.6%
Crack				
All	0.1%	0.1%	0.3%	99.6%
Grade 7	0.1%	0.2%	0.4%	99.7%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.1%	99.9%
Hallucinogens				
All	0.6%	1.0%	2.1%	98.0%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.8%	99.3%
Grade 9	0.4%	0.9%	1.7%	98.4%
Grade 10	0.5%	0.9%	2.2%	97.8%
Grade 11	1.3%	2.0%	3.9%	96.0%
Grade 12	1.1%	2.0%	4.1%	95.9%

**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.3%	0.7%	99.3%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.2%	0.4%	0.7%	99.2%
	Grade 10	0.3%	0.4%	0.7%	99.2%
	Grade 11	0.4%	0.4%	0.9%	99.1%
	Grade 12	0.2%	0.3%	0.9%	99.1%
Steroids	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.2%	0.3%	0.9%	99.1%
	Grade 9	0.1%	0.2%	0.8%	99.2%
	Grade 10	0.5%	0.5%	1.0%	99.0%
	Grade 11	0.5%	0.6%	1.0%	99.1%
	Grade 12	0.4%	0.5%	1.1%	98.9%
Ecstasy	All	0.5%	0.9%	2.2%	97.8%
	Grade 7	0.0%	0.2%	0.4%	99.6%
	Grade 8	0.2%	0.3%	1.0%	98.9%
	Grade 9	0.7%	1.2%	2.1%	97.9%
	Grade 10	0.5%	1.0%	2.5%	97.6%
	Grade 11	1.2%	1.4%	3.5%	96.5%
	Grade 12	0.9%	1.8%	4.5%	95.6%
Heroin	All	0.1%	0.1%	0.3%	99.7%
	Grade 7	0.3%	0.4%	0.6%	99.5%
	Grade 8	0.0%	0.0%	0.2%	99.7%
	Grade 9	0.0%	0.0%	0.1%	99.8%
	Grade 10	0.1%	0.1%	0.3%	99.7%
	Grade 11	0.1%	0.2%	0.3%	99.7%
	Grade 12	0.2%	0.2%	0.4%	99.6%

**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.3%	2.1%	5.5%	94.5%
Grade 7	0.6%	0.9%	1.7%	98.3%
Grade 8	1.0%	1.5%	3.4%	96.6%
Grade 9	1.5%	2.5%	5.2%	94.7%
Grade 10	1.6%	2.5%	6.7%	93.3%
Grade 11	1.5%	2.8%	8.7%	91.3%
Grade 12	1.9%	2.7%	8.7%	91.3%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.5%	99.6%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.3%	99.6%
Grade 11	0.2%	0.3%	0.8%	99.2%
Grade 12	0.2%	0.6%	0.9%	99.1%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	13.7%	19.3%	33.8%	66.2%
	Grade 7	6.7%	9.5%	24.2%	75.8%
	Grade 8	10.1%	14.3%	27.0%	73.0%
	Grade 9	9.2%	16.8%	32.3%	67.7%
	Grade 10	17.3%	22.9%	36.2%	63.8%
	Grade 11	16.6%	23.2%	41.8%	58.1%
	Grade 12	21.5%	27.0%	39.2%	60.8%
Alcohol	All	29.3%	40.8%	60.4%	39.6%
	Grade 7	18.7%	23.6%	50.5%	49.5%
	Grade 8	21.5%	33.1%	51.9%	48.2%
	Grade 9	28.3%	40.3%	58.0%	42.0%
	Grade 10	32.7%	47.4%	67.5%	32.5%
	Grade 11	37.6%	50.1%	69.8%	30.2%
	Grade 12	34.7%	46.6%	62.7%	37.3%
Inhalants	All	7.1%	9.5%	19.3%	80.6%
	Grade 7	12.1%	15.8%	29.1%	70.9%
	Grade 8	8.3%	12.2%	25.9%	74.1%
	Grade 9	6.5%	8.2%	18.6%	81.4%
	Grade 10	6.6%	8.1%	17.2%	82.8%
	Grade 11	6.9%	8.0%	13.9%	86.1%
	Grade 12	3.6%	6.5%	13.9%	86.2%
Any Illicit Drug	All	17.7%	23.4%	36.6%	63.5%
	Grade 7	9.3%	11.6%	18.9%	81.1%
	Grade 8	10.7%	15.6%	24.8%	75.3%
	Grade 9	17.1%	21.6%	34.8%	65.2%
	Grade 10	19.3%	27.0%	41.5%	58.4%
	Grade 11	25.4%	32.4%	47.9%	52.1%
	Grade 12	22.6%	29.6%	48.2%	51.7%
Marijuana	All	16.1%	22.1%	35.4%	64.7%
	Grade 7	7.8%	10.1%	16.7%	83.3%
	Grade 8	9.6%	14.6%	23.2%	76.7%
	Grade 9	14.9%	20.2%	34.0%	66.0%
	Grade 10	16.9%	25.8%	40.2%	59.8%
	Grade 11	24.4%	31.5%	47.4%	52.7%
	Grade 12	21.1%	28.1%	47.0%	53.0%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	7.3%	10.5%	19.4%	80.6%
	Grade 7	3.8%	4.8%	9.5%	90.6%
	Grade 8	3.3%	7.0%	13.2%	86.9%
	Grade 9	7.0%	9.6%	17.5%	82.5%
	Grade 10	7.2%	10.9%	21.1%	78.9%
	Grade 11	11.3%	15.3%	25.9%	74.2%
	Grade 12	10.6%	14.5%	27.8%	72.3%
Cocaine Or Crack	All	1.4%	1.9%	4.3%	95.6%
	Grade 7	1.5%	1.6%	2.3%	97.7%
	Grade 8	1.0%	1.4%	4.3%	95.7%
	Grade 9	1.0%	1.2%	3.3%	96.7%
	Grade 10	0.9%	1.3%	4.3%	95.7%
	Grade 11	2.3%	3.8%	6.0%	94.1%
	Grade 12	2.0%	2.7%	6.2%	93.9%
Cocaine	All	1.3%	1.7%	3.8%	96.2%
	Grade 7	1.5%	1.6%	1.9%	98.2%
	Grade 8	0.6%	0.7%	3.3%	96.7%
	Grade 9	0.9%	1.1%	3.1%	96.9%
	Grade 10	0.8%	1.2%	3.6%	96.4%
	Grade 11	2.3%	3.4%	5.4%	94.6%
	Grade 12	1.7%	2.4%	5.7%	94.3%
Crack	All	0.3%	0.4%	1.1%	98.9%
	Grade 7	0.2%	0.3%	0.8%	99.2%
	Grade 8	0.7%	1.0%	2.3%	97.6%
	Grade 9	0.2%	0.2%	0.6%	99.4%
	Grade 10	0.1%	0.1%	1.2%	98.8%
	Grade 11	0.1%	0.5%	0.9%	99.1%
	Grade 12	0.3%	0.3%	0.7%	99.3%
Hallucinogens	All	1.6%	2.6%	5.1%	94.9%
	Grade 7	0.3%	0.6%	1.7%	98.3%
	Grade 8	0.8%	1.3%	2.8%	97.2%
	Grade 9	2.2%	3.2%	5.3%	94.6%
	Grade 10	1.5%	2.3%	5.6%	94.4%
	Grade 11	2.4%	3.9%	7.0%	92.9%
	Grade 12	2.2%	3.6%	7.4%	92.5%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.8%	0.9%	1.5%	98.5%
	Grade 7	0.2%	0.2%	1.0%	99.0%
	Grade 8	0.5%	0.5%	1.0%	99.1%
	Grade 9	1.5%	1.8%	2.8%	97.2%
	Grade 10	1.3%	1.4%	1.8%	98.2%
	Grade 11	0.5%	0.6%	1.0%	99.0%
	Grade 12	0.3%	0.6%	1.2%	98.8%
Steroids	All	0.7%	0.8%	1.5%	98.5%
	Grade 7	0.4%	0.5%	1.0%	99.1%
	Grade 8	0.9%	0.9%	2.0%	97.9%
	Grade 9	0.3%	0.3%	1.0%	98.9%
	Grade 10	0.7%	0.9%	1.4%	98.6%
	Grade 11	1.2%	1.2%	2.1%	97.9%
	Grade 12	0.4%	0.8%	1.4%	98.5%
Ecstasy	All	1.5%	2.4%	5.1%	95.0%
	Grade 7	0.3%	0.6%	1.8%	98.1%
	Grade 8	1.4%	1.7%	3.3%	96.8%
	Grade 9	1.1%	2.1%	4.8%	95.2%
	Grade 10	1.5%	3.0%	5.3%	94.8%
	Grade 11	3.3%	4.0%	8.6%	91.3%
	Grade 12	1.1%	2.4%	5.7%	94.4%
Heroin	All	0.4%	0.5%	0.8%	99.3%
	Grade 7	1.1%	1.3%	1.5%	98.5%
	Grade 8	0.1%	0.5%	0.6%	99.3%
	Grade 9	0.1%	0.1%	1.0%	99.0%
	Grade 10	0.4%	0.4%	0.5%	99.5%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.6%	0.6%	0.7%	99.3%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.6%	5.4%	11.1%	88.9%
Grade 7	2.2%	3.6%	5.3%	94.7%
Grade 8	4.6%	5.1%	8.0%	92.1%
Grade 9	4.7%	6.5%	12.2%	87.7%
Grade 10	4.6%	8.0%	15.4%	84.6%
Grade 11	2.9%	4.6%	12.9%	87.1%
Grade 12	2.4%	4.0%	11.4%	88.6%
Methamphetamine				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.6%	0.8%	0.9%	99.2%
Grade 8	0.0%	0.2%	1.0%	98.9%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.8%	0.9%	1.5%	98.5%
Grade 11	0.9%	1.0%	1.3%	98.8%
Grade 12	0.5%	0.6%	1.1%	98.9%

### 3 Margin Tables

GENDER		
q1	Frequency	Percent
Male	1,001,799	49.9%
Female	1,005,264	50.1%
Frequency Missing = 15090		

GRADE		
q2	Frequency	Percent
Grade 6	0	0.0%
Grade 7	358,961	17.8%
Grade 8	350,348	17.3%
Grade 9	376,862	18.6%
Grade 10	338,587	16.7%
Grade 11	313,223	15.5%
Grade 12	284,172	14.1%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
Do not know	0	0.0%
No	752,328	37.5%
Yes	1,255,238	62.5%
Frequency Missing = 14587		

AGE		
q4	Frequency	Percent
10 or below	1,112	0.1%
11	1,248	0.1%
12	129,017	6.4%
13	340,300	16.9%
14	337,689	16.8%
15	362,908	18.0%
16	334,020	16.6%
17	308,971	15.3%
18	177,350	8.8%
19 or older	23,005	1.1%
Frequency Missing = 6533		

ETHNICITY		
q5	Frequency	Percent
African Am.	252,820	12.8%
Asian Am.	67,088	3.4%
Mexican Am.	944,037	47.9%
Native Am.	8,592	0.4%
Other	34,505	1.8%
White	662,810	33.6%
Frequency Missing = 52301		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	581,553	33.3%
Mostly B's	888,833	51.0%
Mostly C's	239,192	13.7%
Mostly D's	24,495	1.4%
Mostly F's	9,907	0.6%
Frequency Missing = 278173		

DO YOU HAVE A JOB		
q7	Frequency	Percent
No	1,448,449	82.6%
Yes	305,016	17.4%
Frequency Missing = 268687		

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q8	Frequency	Percent
Do not know	369,270	21.2%
No	652,403	37.5%
Yes	719,986	41.3%
Frequency Missing = 280494		

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q9a	Frequency	Percent
No	815,584	48.9%
Yes	852,604	51.1%
Frequency Missing = 353966		

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q9b	Frequency	Percent
No	1,262,755	80.5%
Yes	305,438	19.5%
Frequency Missing = 453960		

PARTICIPATE IN SCHOOL CHOIR		
q9c	Frequency	Percent
No	1,366,745	89.4%
Yes	161,317	10.6%
Frequency Missing = 494091		

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q9h	Frequency	Percent
No	1,010,124	63.9%
Yes	571,255	36.1%
Frequency Missing = 440775		

PARTICIPATE IN DRILL TEAM/CHEER-LEADING		
q9d	Frequency	Percent
No	1,396,694	91.2%
Yes	134,908	8.8%
Frequency Missing = 490551		

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q9i	Frequency	Percent
No	1,156,728	74.6%
Yes	394,879	25.4%
Frequency Missing = 470546		

PARTICIPATE IN STUDENT GOVERNMENT/SCHOOL NEWS-PAPER/YEARBOOK		
q9e	Frequency	Percent
No	1,419,526	93.0%
Yes	107,547	7.0%
Frequency Missing = 495081		

DO YOU FEEL SAFE IN YOUR HOME		
q10a	Frequency	Percent
Very Safe	1,695,733	84.5%
Somewhat Safe	270,212	13.5%
Not Very Safe	18,318	0.9%
Not Safe At All	4,400	0.2%
Don't Know	17,121	0.9%
Frequency Missing = 16369		

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES/COMPETITION GROUPS		
q9f	Frequency	Percent
No	1,130,004	72.6%
Yes	427,363	27.4%
Frequency Missing = 464787		

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q10b	Frequency	Percent
Very Safe	826,354	41.4%
Somewhat Safe	940,508	47.2%
Not Very Safe	146,506	7.3%
Not Safe At All	31,958	1.6%
Don't Know	48,373	2.4%
Frequency Missing = 28455		

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q9g	Frequency	Percent
No	1,118,049	72.1%
Yes	432,727	27.9%
Frequency Missing = 471376		

DO YOU FEEL SAFE AT SCHOOL		
q10c	Frequency	Percent
Very Safe	840,709	42.2%
Somewhat Safe	877,275	44.0%
Not Very Safe	145,655	7.3%
Not Safe At All	64,115	3.2%
Don't Know	65,818	3.3%
Frequency Missing = 28581		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q11a	Frequency	Percent
None	102,918	5.2%
A Few	466,645	23.4%
Some	504,123	25.3%
Most	701,375	35.2%
All	216,293	10.9%

Frequency Missing = 30799

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q11e	Frequency	Percent
None	1,236,070	62.1%
A Few	489,088	24.6%
Some	162,502	8.2%
Most	63,055	3.2%
All	40,422	2.0%

Frequency Missing = 31017

HOW MANY FRIENDS CARRY WEAPONS		
q11b	Frequency	Percent
None	1,360,819	69.1%
A Few	370,838	18.8%
Some	150,837	7.7%
Most	65,889	3.3%
All	20,880	1.1%

Frequency Missing = 52891

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q12	Frequency	Percent
No	935,584	61.9%
Yes	576,668	38.1%

Frequency Missing = 509902

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q11c	Frequency	Percent
None	44,358	2.3%
A Few	238,782	12.2%
Some	415,889	21.2%
Most	847,248	43.2%
All	414,839	21.2%

Frequency Missing = 61037

RECENT INHALANT USE - SPRAY PAINT		
q13a	Frequency	Percent
Never	1,943,900	97.3%
Heard/Used		
In Your Life-time	37,146	1.9%
Since School Began	4,949	0.2%
In the Past Month	11,756	0.6%

Frequency Missing = 24401

HOW MANY FRIENDS BELONG TO A GANG		
q11d	Frequency	Percent
None	1,627,656	81.8%
A Few	231,346	11.6%
Some	82,705	4.2%
Most	31,192	1.6%
All	15,904	0.8%

Frequency Missing = 33350

RECENT INHALANT USE - WHITE-OUT, CORRECTION FLUID, MAGIC MARKERS		
q13b	Frequency	Percent
Never	1,866,762	93.7%
Heard/Used		
In Your Life-time	81,337	4.1%
Since School Began	13,508	0.7%
In the Past Month	31,198	1.6%

Frequency Missing = 29349

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

		RECENT INHALANT USE - COMPUTER DUSTING SPRAYS	
q13c		Frequency	Percent
Never		1,954,454	98.5%
Heard/Used			
In Your Life-time		18,159	0.9%
Since School Began		3,917	0.2%
In the Past Month		7,422	0.4%

Frequency Missing = 38201

		RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS	
q13f		Frequency	Percent
Never		1,963,583	98.8%
Heard/Used			
In Your Life-time		12,874	0.6%
Since School Began		3,196	0.2%
In the Past Month		7,585	0.4%

Frequency Missing = 34915

		RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON	
q13d		Frequency	Percent
Never		1,867,276	93.8%
Heard/Used			
In Your Life-time		74,669	3.7%
Since School Began		14,407	0.7%
In the Past Month		34,896	1.8%

Frequency Missing = 30905

		RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER	
q13g		Frequency	Percent
Never		1,946,880	97.8%
Heard/Used			
In Your Life-time		24,037	1.2%
Since School Began		5,261	0.3%
In the Past Month		13,573	0.7%

Frequency Missing = 32402

		RECENT INHALANT USE - GLUE	
q13e		Frequency	Percent
Never		1,964,213	98.9%
Heard/Used			
In Your Life-time		14,032	0.7%
Since School Began		2,667	0.1%
In the Past Month		5,471	0.3%

Frequency Missing = 35770

		RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS	
q13h		Frequency	Percent
Never		1,948,736	97.8%
Heard/Used			
In Your Life-time		25,193	1.3%
Since School Began		5,568	0.3%
In the Past Month		12,994	0.7%

Frequency Missing = 29662

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT CIGARETTE USE		
q14a	Frequency	Percent
Never	1,592,908	80.1%
Heard/Used		
In Your Life-time	202,810	10.2%
Since School Began	62,122	3.1%
In the Past Month	131,382	6.6%

Frequency Missing = 32932

RECENT WINE USE		
q14e	Frequency	Percent
Never	1,331,826	68.4%
Heard/Used		
In Your Life-time	326,663	16.8%
Since School Began	112,244	5.8%
In the Past Month	176,164	9.0%

Frequency Missing = 75257

RECENT SMOKE-LESS TOBACCO USE		
q14b	Frequency	Percent
Never	1,795,574	91.0%
Heard/Used		
In Your Life-time	71,926	3.6%
Since School Began	32,340	1.6%
In the Past Month	73,702	3.7%

Frequency Missing = 48611

RECENT LIQUOR USE		
q14f	Frequency	Percent
Never	1,291,957	65.2%
Heard/Used		
In Your Life-time	281,854	14.2%
Since School Began	139,606	7.0%
In the Past Month	267,657	13.5%

Frequency Missing = 41079

RECENT BEER USE		
q14c	Frequency	Percent
Never	1,199,847	61.5%
Heard/Used		
In Your Life-time	349,062	17.9%
Since School Began	133,571	6.8%
In the Past Month	268,231	13.8%

Frequency Missing = 71443

RECENT INHALANT USE		
q14g	Frequency	Percent
Never	1,915,225	95.5%
Heard/Used		
In Your Life-time	54,959	2.7%
Since School Began	12,364	0.6%
In the Past Month	22,645	1.1%

Frequency Missing = 16960

RECENT WINE COOLER USE		
q14d	Frequency	Percent
Never	1,344,328	68.1%
Heard/Used		
In Your Life-time	266,890	13.5%
Since School Began	123,281	6.2%
In the Past Month	239,445	12.1%

Frequency Missing = 48210

RECENT MARIJUANA USE		
q15a	Frequency	Percent
Never	1,518,851	76.8%
Heard/Used		
In Your Life-time	200,109	10.1%
Since School Began	79,904	4.0%
In the Past Month	179,545	9.1%

Frequency Missing = 43744

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	1,939,221	98.0%
Heard/Used		
In Your Life- time	21,847	1.1%
Since School Began	4,862	0.2%
In the Past Month	12,226	0.6%
Frequency Missing = 43997		

	RECENT USE	STEROID
q15g	Frequency	Percent
Never	1,954,762	99.0%
Heard/Used		
In Your Life- time	10,722	0.5%
Since School Began	1,531	0.1%
In the Past Month	7,275	0.4%
Frequency Missing = 47863		

	RECENT USE	CRACK
q15c	Frequency	Percent
Never	1,960,611	99.5%
Heard/Used		
In Your Life- time	5,796	0.3%
Since School Began	1,171	0.1%
In the Past Month	3,220	0.2%
Frequency Missing = 51354		

	RECENT USE	ECSTASY
q15h	Frequency	Percent
Never	1,913,633	97.3%
Heard/Used		
In Your Life- time	29,877	1.5%
Since School Began	8,694	0.4%
In the Past Month	14,806	0.8%
Frequency Missing = 55144		

	RECENT CINOGEN USE	HALLU-
q15e	Frequency	Percent
Never	1,922,773	97.4%
Heard/Used		
In Your Life- time	25,904	1.3%
Since School Began	9,444	0.5%
In the Past Month	15,633	0.8%
Frequency Missing = 48398		

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	1,966,810	99.6%
Heard/Used		
In Your Life- time	3,722	0.2%
Since School Began	994	0.1%
In the Past Month	3,274	0.2%
Frequency Missing = 47353		

	RECENT NOL USE	ROHYP-
q15f	Frequency	Percent
Never	1,957,064	99.1%
Heard/Used		
In Your Life- time	8,636	0.4%
Since School Began	2,283	0.1%
In the Past Month	6,356	0.3%
Frequency Missing = 47814		

	RECENT PHETAMINE USE	METHAM-
q15j	Frequency	Percent
Never	1,962,267	99.3%
Heard/Used		
In Your Life- time	6,796	0.3%
Since School Began	2,345	0.1%
In the Past Month	4,363	0.2%
Frequency Missing = 46383		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT THETIC JUANA USE	SYN- MARI- JUANA USE
q15k	Frequency	Percent
Never	1,845,577	93.5%
Heard/Used		
In Your Life- time	74,230	3.8%
Since School Began	19,286	1.0%
In the Past Month	34,665	1.8%
Frequency Missing = 48395		

	RECENT SCRIPTION USE - VALIUM ETC	PRE- DRUG USE
q16d	Frequency	Percent
Never	1,960,767	98.9%
Heard/Used		
In Your Life- time	6,923	0.3%
Since School Began	2,763	0.1%
In the Past Month	11,899	0.6%
Frequency Missing = 39801		

	RECENT SCRIPTION USE - CODEINE	PRE- DRUG USE
q16a	Frequency	Percent
Never	1,773,423	89.2%
Heard/Used		
In Your Life- time	73,166	3.7%
Since School Began	39,611	2.0%
In the Past Month	101,422	5.1%
Frequency Missing = 34531		

	RECENT SCRIPTION USE - XANAX ETC	PRE- DRUG USE
q16e	Frequency	Percent
Never	1,921,455	96.8%
Heard/Used		
In Your Life- time	18,706	0.9%
Since School Began	12,583	0.6%
In the Past Month	32,046	1.6%
Frequency Missing = 37363		

	RECENT SCRIPTION USE - OXYCONTIN ETC	PRE- DRUG USE
q16b	Frequency	Percent
Never	1,935,777	97.5%
Heard/Used		
In Your Life- time	15,527	0.8%
Since School Began	7,922	0.4%
In the Past Month	26,258	1.3%
Frequency Missing = 36669		

	TAKE DXM, TRIPLE CS, ETC. TO GET HIGH	
q17	Frequency	Percent
Never	1,861,882	96.5%
Heard/Used		
In Your Life- time	26,029	1.3%
Since School Began	10,932	0.6%
In the Past Month	31,136	1.6%
Frequency Missing = 92175		

	RECENT SCRIPTION USE - VICODIN ETC	PRE- DRUG USE
q16c	Frequency	Percent
Never	1,882,120	94.8%
Heard/Used		
In Your Life- time	30,798	1.6%
Since School Began	22,663	1.1%
In the Past Month	49,384	2.5%
Frequency Missing = 37188		

	TOBACCO USE IN PAST MONTH	
q18a	Frequency	Percent
Never	1,777,147	90.0%
Heard/Used		
1-2 times	100,122	5.1%
3-10 times	41,913	2.1%
11+ times	54,541	2.8%
Frequency Missing = 48431		

ALCOHOL USE IN PAST MONTH		
q18b	Frequency	Percent
Never	1,452,401	73.9%
Heard/Used		
1-2 times	315,335	16.0%
3-10 times	139,445	7.1%
11+ times	57,629	2.9%
Frequency Missing = 57343		

CLOSE FRIENDS USE TOBACCO		
q19a	Frequency	Percent
Never	1,250,995	64.0%
heard/None		
A few	407,931	20.9%
Some	185,096	9.5%
Most	90,722	4.6%
All	19,716	1.0%
Frequency Missing = 67694		

INHALANT USE IN PAST MONTH		
q18c	Frequency	Percent
Never	1,933,961	98.0%
Heard/Used		
1-2 times	29,200	1.5%
3-10 times	7,091	0.4%
11+ times	2,702	0.1%
Frequency Missing = 49200		

CLOSE FRIENDS USE ALCOHOL		
q19b	Frequency	Percent
Never	878,315	45.0%
heard/None		
A few	459,755	23.5%
Some	297,166	15.2%
Most	248,637	12.7%
All	69,241	3.5%
Frequency Missing = 69039		

MARIJUANA USE IN PAST MONTH		
q18d	Frequency	Percent
Never	1,706,576	86.5%
Heard/Used		
1-2 times	123,975	6.3%
3-10 times	67,860	3.4%
11+ times	74,681	3.8%
Frequency Missing = 49062		

CLOSE FRIENDS USE INHALANTS		
q19c	Frequency	Percent
Never	1,768,373	90.8%
heard/None		
A few	125,412	6.4%
Some	38,831	2.0%
Most	11,500	0.6%
All	4,003	0.2%
Frequency Missing = 74033		

COCAINE USE IN PAST MONTH		
q18e	Frequency	Percent
Never	1,957,901	99.1%
Heard/Used		
1-2 times	13,177	0.7%
3-10 times	2,405	0.1%
11+ times	2,457	0.1%
Frequency Missing = 46214		

CLOSE FRIENDS USE MARIJUANA		
q19d	Frequency	Percent
Never	1,029,588	52.7%
heard/None		
A few	380,143	19.5%
Some	252,801	12.9%
Most	214,352	11.0%
All	75,294	3.9%
Frequency Missing = 69975		

CRACK USE IN PAST MONTH		
q18f	Frequency	Percent
Never	1,968,975	99.7%
Heard/Used		
1-2 times	3,390	0.2%
3-10 times	729	0.0%
11+ times	1,135	0.1%
Frequency Missing = 47924		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET TOBACCO		
q20a	Frequency	Percent
Never heard of	472,548	24.6%
Impossible	402,891	21.0%
Very difficult	148,890	7.7%
Somewhat diff	193,518	10.1%
Somewhat easy	275,839	14.4%
Very easy	427,875	22.3%
Frequency Missing = 100593		

DIFFICULT TO GET COCAINE		
q20e	Frequency	Percent
Never heard of	611,870	32.0%
Impossible	649,510	33.9%
Very difficult	262,642	13.7%
Somewhat diff	188,223	9.8%
Somewhat easy	94,861	5.0%
Very easy	106,123	5.5%
Frequency Missing = 108925		

DIFFICULT TO GET COMBINED ALCOHOL		
q20b	Frequency	Percent
Never heard of	378,914	19.8%
Impossible	267,347	13.9%
Very difficult	114,078	5.9%
Somewhat diff	212,025	11.1%
Somewhat easy	369,477	19.3%
Very easy	576,029	30.0%
Frequency Missing = 104284		

DIFFICULT TO GET CRACK		
q20f	Frequency	Percent
Never heard of	647,300	33.8%
Impossible	664,953	34.8%
Very difficult	270,545	14.1%
Somewhat diff	164,603	8.6%
Somewhat easy	77,492	4.1%
Very easy	87,980	4.6%
Frequency Missing = 109280		

DIFFICULT TO GET INHALANTS		
q20c	Frequency	Percent
Never heard of	670,179	35.0%
Impossible	314,679	16.5%
Very difficult	94,018	4.9%
Somewhat diff	125,876	6.6%
Somewhat easy	204,325	10.7%
Very easy	503,442	26.3%
Frequency Missing = 109634		

DIFFICULT TO GET STEROIDS		
q20h	Frequency	Percent
Never heard of	668,866	34.9%
Impossible	653,995	34.2%
Very difficult	258,541	13.5%
Somewhat diff	163,357	8.5%
Somewhat easy	85,014	4.4%
Very easy	84,332	4.4%
Frequency Missing = 108048		

DIFFICULT TO GET MARIJUANA		
q20d	Frequency	Percent
Never heard of	444,137	23.2%
Impossible	436,950	22.8%
Very difficult	147,289	7.7%
Somewhat diff	181,983	9.5%
Somewhat easy	258,717	13.5%
Very easy	447,170	23.3%
Frequency Missing = 105907		

DIFFICULT TO GET ECSTASY		
q20i	Frequency	Percent
Never heard of	799,831	41.8%
Impossible	531,257	27.8%
Very difficult	212,225	11.1%
Somewhat diff	154,978	8.1%
Somewhat easy	104,415	5.5%
Very easy	109,546	5.7%
Frequency Missing = 109901		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET HEROIN		
q20j	Frequency	Percent
Never heard of	776,028	40.4%
Impossible	674,172	35.1%
Very difficult	241,086	12.6%
Somewhat diff	109,910	5.7%
Somewhat easy	51,314	2.7%
Very easy	66,318	3.5%
Frequency Missing = 103326		

AGE WHEN FIRST USED ALCOHOL		
q21b	Frequency	Percent
8 or younger	97,083	10.7%
9 years old	36,034	4.0%
10 years old	50,811	5.6%
11 years old	55,616	6.1%
12 years old	105,084	11.6%
13 years old	139,058	15.3%
14 years old	137,174	15.1%
15 years old	134,819	14.9%
16 years old	93,580	10.3%
17 years old	42,595	4.7%
18 or older	14,851	1.6%
Frequency Missing = 1115449		

DIFFICULT TO GET METHAM-PHETAMINE		
q20k	Frequency	Percent
Never heard of	818,846	42.7%
Impossible	637,233	33.2%
Very difficult	229,680	12.0%
Somewhat diff	108,607	5.7%
Somewhat easy	51,896	2.7%
Very easy	73,542	3.8%
Frequency Missing = 102350		

AGE WHEN FIRST USED INHALANTS		
q21c	Frequency	Percent
8 or younger	13,208	14.1%
9 years old	7,204	7.7%
10 years old	12,137	12.9%
11 years old	12,630	13.4%
12 years old	12,810	13.6%
13 years old	14,964	15.9%
14 years old	10,477	11.2%
15 years old	5,959	6.3%
16 years old	3,336	3.6%
17 years old	953	1.0%
18 or older	288	0.3%
Frequency Missing = 1928188		

DIFFICULT TO GET SYNTHETIC MARIJUANA		
q20l	Frequency	Percent
Never heard of	792,480	41.3%
Impossible	481,595	25.1%
Very difficult	167,445	8.7%
Somewhat diff	135,880	7.1%
Somewhat easy	145,081	7.6%
Very easy	196,532	10.2%
Frequency Missing = 103140		

AGE WHEN FIRST USED TOBACCO		
q21a	Frequency	Percent
8 or younger	25,182	6.9%
9 years old	11,975	3.3%
10 years old	22,290	6.1%
11 years old	22,513	6.1%
12 years old	41,228	11.3%
13 years old	54,085	14.8%
14 years old	51,032	13.9%
15 years old	58,340	15.9%
16 years old	46,292	12.6%
17 years old	23,518	6.4%
18 or older	9,624	2.6%
Frequency Missing = 1656074		

AGE WHEN FIRST USED MARIJUANA		
q21d	Frequency	Percent
8 or younger	8,754	1.9%
9 years old	8,210	1.8%
10 years old	13,990	3.1%
11 years old	23,847	5.2%
12 years old	50,945	11.1%
13 years old	81,727	17.9%
14 years old	88,883	19.4%
15 years old	84,079	18.4%
16 years old	60,966	13.3%
17 years old	28,747	6.3%
18 or older	6,866	1.5%
Frequency Missing = 1565140		

q21e	AGE WHEN FIRST USED COCAINE	
	Frequency	Percent
8 or younger	564	1.7%
9 years old	136	0.4%
10 years old	591	1.8%
11 years old	1,072	3.3%
12 years old	2,533	7.8%
13 years old	4,258	13.1%
14 years old	4,484	13.8%
15 years old	6,482	20.0%
16 years old	5,448	16.8%
17 years old	4,341	13.4%
18 or older	2,490	7.7%

Frequency Missing = 1989754

q21i	AGE WHEN FIRST USED ECSTASY	
	Frequency	Percent
8 or younger	625	1.3%
9 years old	228	0.5%
10 years old	951	2.0%
11 years old	1,173	2.5%
12 years old	3,031	6.4%
13 years old	5,659	11.9%
14 years old	8,993	18.9%
15 years old	10,648	22.4%
16 years old	9,252	19.5%
17 years old	5,799	12.2%
18 or older	1,202	2.5%

Frequency Missing = 1974592

q21f	AGE WHEN FIRST USED CRACK	
	Frequency	Percent
8 or younger	413	6.0%
9 years old	130	1.9%
10 years old	116	1.7%
11 years old	632	9.2%
12 years old	1,704	24.7%
13 years old	1,849	26.8%
14 years old	983	14.3%
15 years old	530	7.7%
16 years old	281	4.1%
17 years old	250	3.6%
18 or older	0	0.0%

Frequency Missing = 2015265

q21j	AGE WHEN FIRST USED HEROIN	
	Frequency	Percent
8 or younger	1,230	26.3%
9 years old	456	9.7%
10 years old	305	6.5%
11 years old	206	4.4%
12 years old	227	4.8%
13 years old	573	12.2%
14 years old	312	6.7%
15 years old	627	13.4%
16 years old	292	6.2%
17 years old	449	9.6%
18 or older	8	0.2%

Frequency Missing = 2017469

q21h	AGE WHEN FIRST USED STEROIDS	
	Frequency	Percent
8 or younger	2,480	15.9%
9 years old	557	3.6%
10 years old	1,184	7.6%
11 years old	1,409	9.0%
12 years old	1,294	8.3%
13 years old	1,867	12.0%
14 years old	1,984	12.7%
15 years old	1,697	10.9%
16 years old	1,437	9.2%
17 years old	1,174	7.5%
18 or older	512	3.3%

Frequency Missing = 2006557

q21k	AGE WHEN FIRST USED METHAMPHETAMINE	
	Frequency	Percent
8 or younger	1,096	11.6%
9 years old	228	2.4%
10 years old	406	4.3%
11 years old	229	2.4%
12 years old	1,244	13.2%
13 years old	1,185	12.5%
14 years old	1,207	12.8%
15 years old	1,681	17.8%
16 years old	647	6.8%
17 years old	1,503	15.9%
18 or older	26	0.3%

Frequency Missing = 2012702

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	AGE WHEN FIRST USED SYNTHETIC MARIJUANA	
q21l	Frequency	Percent
8 or younger	1,040	0.8%
9 years old	1,202	1.0%
10 years old	2,188	1.8%
11 years old	4,001	3.2%
12 years old	9,875	7.9%
13 years old	22,825	18.3%
14 years old	24,490	19.6%
15 years old	25,676	20.6%
16 years old	21,936	17.6%
17 years old	9,451	7.6%
18 or older	2,214	1.8%

Frequency Missing = 1897254

	HOW OFTEN NORMALLY USE INHALANTS	
q22c	Frequency	Percent
Every day	908	0.0%
Several times/wk	3,206	0.2%
Several times/mo	6,309	0.3%
About once/- month	10,470	0.5%
About on- ce/year	13,204	0.7%
< once/year	34,095	1.8%
Never used	1,876,879	96.5%

Frequency Missing = 77083

	HOW OFTEN NORMALLY USE TOBACCO	
q22a	Frequency	Percent
Every day	34,646	1.8%
Several times/wk	29,984	1.5%
Several times/mo	40,218	2.1%
About once/- month	60,465	3.1%
About on- ce/year	54,866	2.8%
< once/year	97,269	5.0%
Never used	1,627,520	83.7%

Frequency Missing = 77185

	HOW OFTEN NORMALLY USE MARIJUANA	
q22d	Frequency	Percent
Every day	37,170	1.9%
Several times/wk	43,713	2.2%
Several times/mo	66,296	3.4%
About once/- month	75,963	3.9%
About on- ce/year	78,866	4.0%
< once/year	95,551	4.9%
Never used	1,550,036	79.6%

Frequency Missing = 74560

	HOW OFTEN NORMALLY USE ALCOHOL	
q22b	Frequency	Percent
Every day	5,906	0.3%
Several times/wk	41,124	2.1%
Several times/mo	141,546	7.3%
About once/- month	224,864	11.6%
About on- ce/year	215,350	11.1%
< once/year	169,710	8.8%
Never used	1,134,291	58.7%

Frequency Missing = 89363

	HOW OFTEN NORMALLY USE COCAINE	
q22e	Frequency	Percent
Every day	1,877	0.1%
Several times/wk	1,085	0.1%
Several times/mo	1,797	0.1%
About once/- month	4,576	0.2%
About on- ce/year	5,957	0.3%
< once/year	8,254	0.4%
Never used	1,923,399	98.8%

Frequency Missing = 75208

q22f	HOW OFTEN NORMALLY USE CRACK	
	Frequency	Percent
Every day	668	0.0%
Several times/wk	273	0.0%
Several times/mo	22	0.0%
About once/- month	390	0.0%
About on- ce/year	986	0.1%
< once/year	1,827	0.1%
Never used	1,945,167	99.8%

Frequency Missing = 72822

q22j	HOW OFTEN NORMALLY USE HEROIN	
	Frequency	Percent
Every day	615	0.0%
Several times/wk	184	0.0%
Several times/mo	397	0.0%
About once/- month	67	0.0%
About on- ce/year	315	0.0%
< once/year	772	0.0%
Never used	1,947,954	99.9%

Frequency Missing = 71848

q22h	HOW OFTEN NORMALLY USE STEROIDS	
	Frequency	Percent
Every day	1,630	0.1%
Several times/wk	1,088	0.1%
Several times/mo	1,205	0.1%
About once/- month	1,380	0.1%
About on- ce/year	1,872	0.1%
< once/year	5,691	0.3%
Never used	1,936,814	99.3%

Frequency Missing = 72472

q22k	HOW OFTEN NORMALLY USE METHAMPHETAMINE	
	Frequency	Percent
Every day	663	0.0%
Several times/wk	392	0.0%
Several times/mo	584	0.0%
About once/- month	961	0.0%
About on- ce/year	904	0.0%
< once/year	3,025	0.2%
Never used	1,941,567	99.7%

Frequency Missing = 74056

q22i	HOW OFTEN NORMALLY USE ECSTASY	
	Frequency	Percent
Every day	885	0.0%
Several times/wk	1,186	0.1%
Several times/mo	1,974	0.1%
About once/- month	8,014	0.4%
About on- ce/year	11,904	0.6%
< once/year	16,079	0.8%
Never used	1,905,123	97.9%

Frequency Missing = 76987

q22l	HOW OFTEN NORMALLY USE SYNTHETIC MARIJUANA	
	Frequency	Percent
Every day	3,599	0.2%
Several times/wk	5,637	0.3%
Several times/mo	9,212	0.5%
About once/- month	17,215	0.9%
About on- ce/year	21,764	1.1%
< once/year	46,201	2.4%
Never used	1,843,667	94.7%

Frequency Missing = 74857

AMOUNT OF BEER AT ONE TIME		
q23a	Frequency	Percent
Never drink this	1,185,617	61.6%
12+ drinks	55,771	2.9%
9-11 drinks	34,395	1.8%
5-8 drinks	75,173	3.9%
3-4 drinks	111,264	5.8%
2 drinks	115,230	6.0%
1 drink	129,594	6.7%
< 1 drink	217,809	11.3%

Frequency Missing = 97301

HOW MANY 5+ DRINKS IN PAST 30 DAYS			
q24		Frequency	Percent
Never	5+ at time	947,736	49.0%
None		719,412	37.2%
1 day		99,871	5.2%
2 days		60,047	3.1%
3 to 5 days		53,156	2.7%
6 to 9 days		20,345	1.1%
10 or more days		33,708	1.7%

Frequency Missing = 87877

AMOUNT OF WINE COOLERS AT ONE TIME		
q23b	Frequency	Percent
Never drink this	1,291,089	67.0%
12+ drinks	34,510	1.8%
9-11 drinks	26,187	1.4%
5-8 drinks	66,564	3.5%
3-4 drinks	117,812	6.1%
2 drinks	118,232	6.1%
1 drink	129,757	6.7%
< 1 drink	142,086	7.4%

Frequency Missing = 95915

GET ALCOHOLIC BEVERAGES FROM HOME		
q25a	Frequency	Percent
Do not Drink	1,066,262	55.1%
Never	397,696	20.5%
Seldom	324,553	16.8%
Most of the Time	103,230	5.3%
Always	44,886	2.3%

Frequency Missing = 85526

AMOUNT OF WINE AT ONE TIME		
q23c	Frequency	Percent
Never drink this	1,314,966	68.5%
12+ drinks	16,005	0.8%
9-11 drinks	9,996	0.5%
5-8 drinks	21,588	1.1%
3-4 drinks	50,845	2.6%
2 drinks	88,355	4.6%
1 drink	171,154	8.9%
< 1 drink	246,380	12.8%

Frequency Missing = 102863

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q25b	Frequency	Percent
Do not Drink	1,036,810	53.7%
Never	350,947	18.2%
Seldom	259,608	13.4%
Most of the Time	213,605	11.1%
Always	71,356	3.7%

Frequency Missing = 89827

AMOUNT OF LIQUOR AT ONE TIME		
q23d	Frequency	Percent
Never drink this	1,247,045	64.6%
12+ drinks	50,895	2.6%
9-11 drinks	33,445	1.7%
5-8 drinks	80,953	4.2%
3-4 drinks	125,652	6.5%
2 drinks	105,839	5.5%
1 drink	123,910	6.4%
< 1 drink	164,046	8.5%

Frequency Missing = 90369

GET ALCOHOLIC BEVERAGES FROM A STORE		
q25c	Frequency	Percent
Do not Drink	1,093,773	56.7%
Never	660,211	34.2%
Seldom	86,438	4.5%
Most of the Time	54,829	2.8%
Always	32,793	1.7%

Frequency Missing = 94109

GET ALCOHOLIC BEVERAGES AT PARTIES		
q25d	Frequency	Percent
Do not Drink	1,007,926	52.1%
Never	307,770	15.9%
Seldom	199,457	10.3%
Most of the Time	218,771	11.3%
Always	201,318	10.4%

Frequency Missing = 86913

DANGEROUS FOR KIDS TO USE INHALANTS		
q26c	Frequency	Percent
Very	1,465,289	75.3%
Somewhat	250,976	12.9%
Not very	70,295	3.6%
Not at all	22,477	1.2%
Don't know	136,416	7.0%

Frequency Missing = 76701

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
q25e	Frequency	Percent
Do not Drink	1,089,215	56.8%
Never	472,858	24.7%
Seldom	175,296	9.1%
Most of the Time	94,480	4.9%
Always	84,832	4.4%

Frequency Missing = 105472

DANGEROUS FOR KIDS TO USE MARIJUANA		
q26d	Frequency	Percent
Very	1,113,596	57.2%
Somewhat	265,795	13.6%
Not very	218,718	11.2%
Not at all	267,851	13.7%
Don't know	82,049	4.2%

Frequency Missing = 74144

DANGEROUS FOR KIDS TO USE TOBACCO		
q26a	Frequency	Percent
Very	1,202,668	61.6%
Somewhat	448,612	23.0%
Not very	158,073	8.1%
Not at all	42,827	2.2%
Don't know	98,716	5.1%

Frequency Missing = 71257

DANGEROUS FOR KIDS TO USE COCAINE		
q26e	Frequency	Percent
Very	1,692,980	87.0%
Somewhat	125,365	6.4%
Not very	20,471	1.1%
Not at all	11,154	0.6%
Don't know	96,970	5.0%

Frequency Missing = 75213

DANGEROUS FOR KIDS TO USE ALCOHOL		
q26b	Frequency	Percent
Very	1,011,317	52.0%
Somewhat	568,697	29.3%
Not very	241,443	12.4%
Not at all	47,145	2.4%
Don't know	75,630	3.9%

Frequency Missing = 77921

DANGEROUS FOR KIDS TO USE CRACK		
q26f	Frequency	Percent
Very	1,711,659	87.9%
Somewhat	107,338	5.5%
Not very	15,107	0.8%
Not at all	11,521	0.6%
Don't know	101,226	5.2%

Frequency Missing = 75302

DANGEROUS FOR KIDS TO USE ECSTASY		
q26g	Frequency	Percent
Very	1,574,275	80.9%
Somewhat	156,423	8.0%
Not very	44,529	2.3%
Not at all	17,467	0.9%
Don't know	153,046	7.9%

Frequency Missing = 76413

	DANGEROUS FOR KIDS TO USE STEROIDS	FOR TO USE
q26h	Frequency	Percent
Very	1,478,461	76.1%
Somewhat	247,927	12.8%
Not very	70,345	3.6%
Not at all	23,049	1.2%
Don't know	122,879	6.3%

Frequency Missing = 79493

	DANGEROUS FOR KIDS TO USE HYDROCODONE	FOR TO USE
q26l	Frequency	Percent
Very	1,556,136	79.8%
Somewhat	136,229	7.0%
Not very	48,732	2.5%
Not at all	23,310	1.2%
Don't know	184,802	9.5%

Frequency Missing = 72944

	DANGEROUS FOR KIDS TO USE HEROIN	FOR TO USE
q26i	Frequency	Percent
Very	1,712,576	87.9%
Somewhat	83,230	4.3%
Not very	13,851	0.7%
Not at all	11,244	0.6%
Don't know	126,967	6.5%

Frequency Missing = 74285

	DAYS SKIPPED SINCE SEPTEMBER	PERCENT
q27a	Frequency	Percent
None	1,536,111	79.5%
1-3 days	287,934	14.9%
4-9 days	64,272	3.3%
10+ days	43,477	2.3%

Frequency Missing = 90359

	DAYS ILL SINCE SEPTEMBER	PERCENT
q27b	Frequency	Percent
None	659,495	34.2%
1-3 days	973,953	50.5%
4-9 days	233,008	12.1%
10+ days	61,697	3.2%

Frequency Missing = 94000

	DANGEROUS FOR KIDS TO USE METHAMPHETAMINE	FOR TO USE
q26j	Frequency	Percent
Very	1,713,133	87.9%
Somewhat	79,443	4.1%
Not very	14,423	0.7%
Not at all	10,553	0.5%
Don't know	131,916	6.8%

Frequency Missing = 72685

	OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER	PERCENT
q27c	Frequency	Percent
None	803,922	42.1%
1-3 days	909,026	47.6%
4-9 days	141,943	7.4%
10+ days	52,908	2.8%

Frequency Missing = 114354

	DANGEROUS FOR KIDS TO USE SYNTHETIC MARIJUANA	FOR TO USE
q26k	Frequency	Percent
Very	1,521,221	78.1%
Somewhat	163,254	8.4%
Not very	70,676	3.6%
Not at all	32,026	1.6%
Don't know	161,663	8.3%

Frequency Missing = 73314

	SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER	PERCENT
q27d	Frequency	Percent
None	1,693,864	87.7%
1-3 days	182,828	9.5%
4-9 days	32,571	1.7%
10+ days	21,554	1.1%

Frequency Missing = 91336

SOMEONE CALLED HOME SINCE SEPTEMBER		
q27e	Frequency	Percent
None	1,738,864	90.1%
1-3 days	150,935	7.8%
4-9 days	21,624	1.1%
10+ days	18,327	0.9%
Frequency Missing = 92403		

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q28e	Frequency	Percent
None	1,841,234	95.7%
1-3 times	53,586	2.8%
4-9 times	12,125	0.6%
10+ times	17,599	0.9%
Frequency Missing = 97608		

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q28a	Frequency	Percent
None	1,852,983	96.0%
1-3 times	68,136	3.5%
4-9 times	7,256	0.4%
10+ times	2,782	0.1%
Frequency Missing = 90997		

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q28f	Frequency	Percent
None	1,836,290	95.4%
1-3 times	69,582	3.6%
4-9 times	10,914	0.6%
10+ times	7,963	0.4%
Frequency Missing = 97404		

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q28b	Frequency	Percent
None	1,856,857	96.3%
1-3 times	55,098	2.9%
4-9 times	9,421	0.5%
10+ times	6,334	0.3%
Frequency Missing = 94444		

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q29a	Frequency	Percent
None	1,842,307	95.8%
1-3 days	63,164	3.3%
4-9 days	10,776	0.6%
10+ days	7,490	0.4%
Frequency Missing = 98417		

CRITICIZED BY DATE BECAUSE OF DRINKING		
q28c	Frequency	Percent
None	1,823,557	95.1%
1-3 times	82,312	4.3%
4-9 times	7,331	0.4%
10+ times	4,645	0.2%
Frequency Missing = 104308		

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q29b	Frequency	Percent
None	1,768,011	92.0%
1-3 days	89,765	4.7%
4-9 days	23,755	1.2%
10+ days	39,874	2.1%
Frequency Missing = 100749		

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q28d	Frequency	Percent
None	1,846,357	95.9%
1-3 times	67,513	3.5%
4-9 times	7,357	0.4%
10+ times	4,375	0.2%
Frequency Missing = 96551		

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q29c	Frequency	Percent
None	1,899,053	99.0%
1-3 days	14,567	0.8%
4-9 days	2,303	0.1%
10+ days	2,300	0.1%
Frequency Missing = 103930		

CLASS DAYS HIGH ON OTHER DRUG(S)		
q29d	Frequency	Percent
None	1,860,048	97.0%
1-3 days	38,622	2.0%
4-9 days	9,154	0.5%
10+ days	10,554	0.6%
Frequency Missing = 103775		

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q30a	Frequency	Percent
Never	892,714	46.5%
Seldom	131,376	6.8%
Half the time	104,680	5.5%
Most of the time	178,311	9.3%
Always	234,965	12.2%
Don't know	33,787	1.8%
Didn't attend	342,971	17.9%
Frequency Missing = 103349		

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q30b	Frequency	Percent
Never	1,033,170	53.7%
Seldom	124,120	6.5%
Half the time	99,910	5.2%
Most of the time	127,650	6.6%
Always	149,294	7.8%
Don't know	45,629	2.4%
Didn't attend	342,510	17.8%
Frequency Missing = 99870		

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q31	Frequency	Percent
No	1,637,790	93.1%
Yes	121,008	6.9%
Frequency Missing = 263355		

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q32a	Frequency	Percent
No	1,178,402	62.2%
Yes	715,599	37.8%
Frequency Missing = 128152		

WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL		
q32b	Frequency	Percent
No	1,103,307	58.3%
Yes	789,097	41.7%
Frequency Missing = 129749		

WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL		
q32c	Frequency	Percent
No	1,095,704	58.3%
Yes	782,925	41.7%
Frequency Missing = 143524		

WOULD SEEK HELP FROM PARENTS		
q32d	Frequency	Percent
No	644,524	34.0%
Yes	1,250,921	66.0%
Frequency Missing = 126708		

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q32e	Frequency	Percent
No	895,665	47.6%
Yes	985,454	52.4%
Frequency Missing = 141035		

WOULD SEEK HELP FROM FRIENDS		
q32f	Frequency	Percent
No	677,868	36.0%
Yes	1,206,415	64.0%
Frequency Missing = 137870		

WOULD SEEK HELP FROM ANOTHER ADULT		
q32g	Frequency	Percent
No	736,358	38.9%
Yes	1,154,715	61.1%
Frequency Missing = 131080		

WOULD NOT SEEK HELP		
q32h	Frequency	Percent
No	1,530,950	82.5%
Yes	324,489	17.5%
Frequency Missing = 166714		

DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS		
q33a	Frequency	Percent
No	1,015,051	56.3%
Yes	788,074	43.7%
Frequency Missing = 219028		

DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE		
q33g	Frequency	Percent
No	1,237,781	69.1%
Yes	552,637	30.9%
Frequency Missing = 231735		

DRUG/ALCOHOL INFO-SCHOOL AS- SEMBLY PROGRAM		
q33b	Frequency	Percent
No	1,008,388	56.1%
Yes	788,646	43.9%
Frequency Missing = 225119		

PARENTS FEEL ABOUT KIDS USING TOBACCO		
q34a	Frequency	Percent
Strong disapprove	1,489,797	77.7%
Mild disapprove	136,002	7.1%
Neither	113,081	5.9%
Mildly approve	20,244	1.1%
Strongly approve	16,847	0.9%
Don't know	141,579	7.4%
Frequency Missing = 104602		

DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUN- SELOR		
q33c	Frequency	Percent
No	1,322,195	73.8%
Yes	470,014	26.2%
Frequency Missing = 229944		

PARENTS FEEL ABOUT KIDS DRINKING AL- COHOL		
q34b	Frequency	Percent
Strong disapprove	1,243,904	64.9%
Mild disapprove	249,985	13.1%
Neither	200,034	10.4%
Mildly approve	66,823	3.5%
Strongly approve	22,070	1.2%
Don't know	132,537	6.9%
Frequency Missing = 106801		

DRUG/ALCOHOL INFO-SCIENCE OR SOCIAL STUDIES CLASS		
q33d	Frequency	Percent
No	1,255,904	70.1%
Yes	536,441	29.9%
Frequency Missing = 229808		

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q34c	Frequency	Percent
Strong disapprove	1,507,565	78.7%
Mild disapprove	116,267	6.1%
Neither	103,813	5.4%
Mildly approve	27,699	1.4%
Strongly approve	30,653	1.6%
Don't know	129,448	6.8%
Frequency Missing = 106708		

DRUG/ALCOHOL INFO-SCHOOL STU- DENT GROUP OR CLUB		
q33e	Frequency	Percent
No	1,522,544	85.3%
Yes	263,373	14.7%
Frequency Missing = 236236		

TESTED FOR DRUG USE AT SCHOOL		
q35	Frequency	Percent
No	1,613,543	84.2%
Yes	302,911	15.8%
Frequency Missing = 105700		

DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST		
q33f	Frequency	Percent
No	1,252,800	69.9%
Yes	540,439	30.1%
Frequency Missing = 228913		

q36	DRUG TESTING SHOULD BE RE- QUIRED FOR ALL STUDENT ATH- LETES	Frequency	Percent
Do not know		434,443	22.5%
No		384,000	19.9%
Yes		1,108,411	57.5%
Frequency Missing = 95299			