
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2024



STATE REPORT

Prepared by

The Department of Public Service and Administration
The Bush School of Government and Public Service

Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	110

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Department of Public Service and Administration (PSAA), Texas A&M University in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data for the entire state of Texas. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	8.1%	10.1%	18.3%	81.7%
Grade 7	4.1%	5.5%	12.1%	87.9%
Grade 8	5.9%	7.6%	14.5%	85.5%
Grade 9	7.1%	9.3%	17.6%	82.4%
Grade 10	8.8%	11.2%	20.1%	79.9%
Grade 11	10.6%	12.9%	23.3%	76.7%
Grade 12	15.2%	17.0%	26.9%	73.1%
Cigarettes?				
All	1.5%	2.1%	6.7%	93.3%
Grade 7	0.6%	0.9%	3.5%	96.5%
Grade 8	0.7%	1.3%	4.4%	95.6%
Grade 9	0.8%	1.2%	5.8%	94.2%
Grade 10	0.9%	1.8%	5.8%	94.2%
Grade 11	3.6%	4.4%	11.8%	88.2%
Grade 12	3.6%	4.5%	11.3%	88.7%
Smokeless Tobacco?				
All	1.1%	1.5%	3.3%	96.7%
Grade 7	0.5%	0.9%	1.9%	98.1%
Grade 8	0.7%	1.0%	2.6%	97.4%
Grade 9	0.5%	0.8%	2.8%	97.2%
Grade 10	0.9%	1.4%	3.0%	97.0%
Grade 11	1.9%	2.8%	5.1%	94.9%
Grade 12	2.5%	3.2%	5.6%	94.4%
Electronic Vapor Products?				
All	5.8%	8.1%	15.8%	84.2%
Grade 7	2.3%	3.9%	10.1%	89.9%
Grade 8	3.8%	6.0%	12.6%	87.4%
Grade 9	4.8%	7.3%	15.3%	84.7%
Grade 10	7.1%	9.6%	17.8%	82.2%
Grade 11	7.1%	10.1%	19.4%	80.6%
Grade 12	12.3%	14.6%	23.2%	76.8%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	94.1%	0.6%	0.5%	0.6%	1.1%	0.8%	2.3%
Grade 7	96.9%	0.1%	0.2%	0.2%	0.8%	0.5%	1.3%
Grade 8	95.8%	0.2%	0.4%	0.4%	0.6%	0.8%	1.8%
Grade 9	95.0%	0.6%	0.3%	0.3%	0.6%	0.7%	2.5%
Grade 10	93.7%	0.9%	0.8%	0.4%	1.7%	0.7%	1.8%
Grade 11	91.6%	1.2%	0.6%	1.2%	1.8%	0.8%	2.8%
Grade 12	88.9%	1.3%	0.8%	1.2%	1.6%	1.4%	4.8%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.7	10.7	11.4	12.1	13.1	13.5	13.6

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	44.9%	21.2%	7.3%	8.2%	9.1%	9.3%
Grade 7	48.1%	29.3%	7.6%	6.3%	5.3%	3.3%
Grade 8	44.1%	27.2%	8.7%	7.9%	7.1%	5.0%
Grade 9	50.6%	18.0%	6.4%	7.6%	8.9%	8.5%
Grade 10	43.3%	17.6%	8.4%	9.2%	10.9%	10.6%
Grade 11	43.3%	15.9%	5.4%	9.2%	11.6%	14.6%
Grade 12	36.4%	14.9%	6.4%	10.3%	13.3%	18.7%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	86.2%	9.1%	2.9%	1.4%	0.5%
Grade 7	91.5%	5.9%	2.0%	0.4%	0.2%
Grade 8	88.4%	8.0%	2.3%	1.1%	0.2%
Grade 9	86.7%	9.3%	2.4%	1.1%	0.5%
Grade 10	83.9%	10.9%	2.7%	2.1%	0.4%
Grade 11	84.7%	9.2%	3.4%	2.0%	0.8%
Grade 12	78.9%	12.7%	5.4%	2.1%	0.9%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.6%	6.2%	4.6%	0.6%	0.5%	9.4%
Grade 7	83.6%	3.3%	2.7%	0.6%	0.5%	9.3%
Grade 8	82.0%	4.9%	3.3%	0.7%	0.3%	8.7%
Grade 9	76.5%	5.4%	5.8%	0.8%	0.5%	10.9%
Grade 10	77.6%	7.8%	5.0%	0.4%	0.3%	8.9%
Grade 11	74.4%	8.4%	5.3%	0.7%	1.1%	10.2%
Grade 12	75.0%	9.3%	6.5%	0.5%	0.9%	7.8%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	69.2%	19.1%	4.8%	1.0%	6.0%
Grade 7	75.2%	14.9%	3.1%	0.9%	5.9%
Grade 8	71.2%	18.7%	4.0%	0.8%	5.3%
Grade 9	68.1%	18.7%	5.0%	0.9%	7.3%
Grade 10	65.7%	22.7%	5.3%	0.9%	5.5%
Grade 11	67.9%	18.7%	5.9%	1.0%	6.4%
Grade 12	64.4%	22.8%	5.9%	1.8%	5.1%
Electronic Vapor Products?					
All	69.6%	15.3%	6.7%	2.1%	6.3%
Grade 7	75.1%	12.2%	5.0%	1.8%	5.9%
Grade 8	72.1%	14.6%	5.9%	1.9%	5.5%
Grade 9	67.8%	15.2%	6.7%	2.2%	8.0%
Grade 10	67.3%	17.3%	7.1%	2.1%	6.2%
Grade 11	66.7%	17.3%	7.2%	2.1%	6.7%
Grade 12	66.2%	16.1%	9.4%	2.7%	5.7%

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	20.0%	23.1%	38.6%	61.4%
Grade 7	12.6%	14.7%	31.8%	68.2%
Grade 8	17.7%	20.2%	37.4%	62.6%
Grade 9	18.5%	21.9%	36.1%	63.9%
Grade 10	22.2%	25.1%	39.4%	60.6%
Grade 11	24.3%	28.4%	43.6%	56.4%
Grade 12	29.3%	33.5%	47.5%	52.5%
Beer?				
All	6.9%	9.9%	27.6%	72.4%
Grade 7	2.8%	4.5%	22.3%	77.7%
Grade 8	4.5%	6.7%	26.0%	74.0%
Grade 9	5.7%	8.3%	24.7%	75.3%
Grade 10	8.2%	11.6%	28.8%	71.2%
Grade 11	9.2%	13.9%	32.4%	67.6%
Grade 12	13.8%	18.4%	35.0%	65.0%
Wine Coolers?				
All	5.9%	8.6%	20.7%	79.3%
Grade 7	2.2%	3.3%	12.3%	87.7%
Grade 8	4.3%	6.2%	18.5%	81.5%
Grade 9	5.1%	7.4%	19.7%	80.3%
Grade 10	6.0%	9.6%	22.3%	77.7%
Grade 11	9.2%	13.0%	26.3%	73.7%
Grade 12	10.9%	15.5%	29.9%	70.1%
Wine?				
All	4.0%	6.3%	21.7%	78.3%
Grade 7	2.2%	3.4%	15.9%	84.1%
Grade 8	3.3%	5.1%	19.5%	80.5%
Grade 9	3.4%	5.1%	20.2%	79.8%
Grade 10	3.6%	6.2%	22.3%	77.7%
Grade 11	6.6%	9.8%	26.8%	73.2%
Grade 12	6.0%	10.7%	29.0%	71.0%
Liquor?				
All	6.4%	9.8%	23.9%	76.1%
Grade 7	2.1%	3.3%	13.5%	86.5%
Grade 8	4.1%	6.1%	19.7%	80.3%
Grade 9	4.0%	7.4%	21.5%	78.5%
Grade 10	8.1%	12.5%	27.6%	72.4%
Grade 11	9.3%	13.7%	31.3%	68.7%
Grade 12	14.8%	20.7%	36.3%	63.7%

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	75.0%	0.2%	0.9%	3.2%	6.9%	6.7%	7.1%
Grade 7	83.8%	0.1%	0.3%	1.3%	3.1%	4.4%	7.0%
Grade 8	78.3%	0.2%	0.6%	2.0%	4.6%	6.7%	7.5%
Grade 9	78.3%	0.1%	1.1%	2.2%	5.9%	6.3%	6.2%
Grade 10	72.5%	0.5%	1.0%	2.7%	8.8%	7.6%	6.9%
Grade 11	67.3%	0.1%	1.5%	5.2%	11.5%	6.6%	7.9%
Grade 12	63.5%	0.2%	1.2%	8.0%	10.5%	9.6%	7.1%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	76.6%	23.4%	3.8%	10.6%	9.0%
	Grade 7	81.2%	18.8%	1.1%	6.6%	11.1%
	Grade 8	77.6%	22.4%	1.7%	9.2%	11.5%
	Grade 9	80.0%	20.0%	2.8%	9.6%	7.6%
	Grade 10	75.2%	24.8%	4.7%	12.4%	7.7%
	Grade 11	72.5%	27.5%	6.9%	12.4%	8.1%
	Grade 12	69.1%	30.9%	8.2%	15.8%	6.9%
Wine Coolers	All	82.6%	17.4%	3.1%	9.7%	4.5%
	Grade 7	90.5%	9.5%	0.8%	4.3%	4.3%
	Grade 8	84.7%	15.3%	1.6%	7.6%	6.1%
	Grade 9	84.6%	15.4%	2.4%	9.0%	4.0%
	Grade 10	80.8%	19.2%	3.4%	11.6%	4.2%
	Grade 11	76.8%	23.2%	6.3%	12.4%	4.5%
	Grade 12	73.5%	26.5%	6.0%	16.7%	3.8%
Wine	All	82.4%	17.6%	1.2%	8.1%	8.3%
	Grade 7	87.0%	13.0%	0.8%	4.5%	7.8%
	Grade 8	83.5%	16.5%	0.8%	6.6%	9.1%
	Grade 9	84.4%	15.6%	1.0%	6.6%	8.0%
	Grade 10	82.0%	18.0%	1.1%	8.8%	8.1%
	Grade 11	77.5%	22.5%	2.5%	11.4%	8.5%
	Grade 12	76.6%	23.4%	1.6%	13.5%	8.2%
Liquor	All	79.1%	20.9%	3.7%	11.0%	6.1%
	Grade 7	88.9%	11.1%	0.9%	4.0%	6.1%
	Grade 8	82.7%	17.3%	1.8%	7.7%	7.8%
	Grade 9	82.2%	17.8%	3.2%	8.5%	6.2%
	Grade 10	75.7%	24.3%	4.1%	14.2%	6.1%
	Grade 11	71.6%	28.4%	5.6%	17.4%	5.4%
	Grade 12	67.3%	32.7%	8.7%	19.4%	4.6%

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	93.3%	2.5%	1.5%	1.2%	0.4%	1.0%
Grade 7	97.0%	1.4%	0.4%	0.2%	0.3%	0.7%
Grade 8	95.6%	1.6%	1.0%	0.7%	0.1%	1.0%
Grade 9	95.3%	2.1%	0.9%	0.7%	0.3%	0.8%
Grade 10	91.7%	3.0%	1.9%	0.9%	1.1%	1.3%
Grade 11	89.6%	3.6%	2.6%	2.6%	0.4%	1.2%
Grade 12	87.8%	4.6%	2.9%	3.2%	0.6%	0.9%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.5	10.2	11.1	12.1	13.3	13.5	14.4

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	37.1%	14.0%	6.5%	9.6%	14.5%	18.3%
Grade 7	40.3%	21.4%	7.9%	9.5%	10.7%	10.3%
Grade 8	36.7%	17.3%	7.4%	11.2%	13.2%	14.2%
Grade 9	42.6%	12.2%	5.2%	10.7%	13.4%	16.0%
Grade 10	33.1%	12.0%	7.2%	8.9%	17.8%	21.0%
Grade 11	36.6%	9.3%	5.1%	7.1%	15.8%	26.1%
Grade 12	30.5%	8.0%	5.8%	9.5%	18.7%	27.5%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.3%	2.1%	0.3%	0.3%
Grade 7	98.1%	1.5%	0.2%	0.2%
Grade 8	97.3%	2.0%	0.3%	0.4%
Grade 9	96.6%	2.8%	0.5%	0.1%
Grade 10	98.0%	1.7%	0.0%	0.3%
Grade 11	97.3%	1.8%	0.3%	0.6%
Grade 12	96.2%	3.3%	0.3%	0.3%

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.6
Alcohol Non-Users	4.2
Average Days Conduct Problems Reported	
Alcohol Users	2.9
Alcohol Non-Users	1.2

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	97.5%	2.1%	0.2%	0.3%
Grade 9	98.7%	1.1%	0.1%	0.1%
Grade 10	98.3%	1.2%	0.2%	0.3%
Grade 11	95.8%	3.7%	0.2%	0.3%
Grade 12	96.6%	2.8%	0.3%	0.4%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	97.7%	1.9%	0.3%	0.2%
Grade 7	98.2%	1.3%	0.3%	0.2%
Grade 8	97.8%	1.8%	0.1%	0.3%
Grade 9	98.1%	1.5%	0.2%	0.2%
Grade 10	97.6%	2.1%	0.2%	0.0%
Grade 11	97.5%	2.0%	0.3%	0.2%
Grade 12	96.4%	2.8%	0.6%	0.2%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	67.4%	17.8%	8.3%	4.8%	1.6%
Grade 7	81.4%	12.4%	4.4%	1.2%	0.6%
Grade 8	71.6%	18.3%	6.5%	2.9%	0.7%
Grade 9	69.6%	16.1%	8.5%	4.5%	1.2%
Grade 10	60.5%	22.7%	10.2%	4.8%	1.7%
Grade 11	61.4%	17.8%	10.5%	7.9%	2.3%
Grade 12	52.5%	21.6%	11.4%	10.4%	4.0%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	64.5%	4.8%	2.9%	5.4%	5.4%	1.6%	15.4%
Grade 7	75.8%	4.4%	2.5%	2.7%	1.9%	1.8%	10.9%
Grade 8	69.3%	5.3%	2.8%	3.8%	3.1%	2.1%	13.6%
Grade 9	65.3%	5.0%	3.4%	5.1%	4.0%	1.1%	16.1%
Grade 10	62.5%	4.3%	2.6%	5.9%	5.3%	1.4%	18.0%
Grade 11	55.6%	4.2%	2.7%	6.7%	9.7%	1.9%	19.2%
Grade 12	51.2%	5.7%	3.2%	10.6%	11.2%	1.4%	16.7%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	71.2%	12.0%	10.9%	3.8%	2.1%
	Grade 7	75.5%	13.1%	8.8%	1.8%	0.9%
	Grade 8	71.8%	12.5%	11.1%	3.2%	1.4%
	Grade 9	74.4%	10.9%	9.3%	3.3%	2.2%
	Grade 10	67.6%	12.2%	13.3%	4.4%	2.5%
	Grade 11	69.4%	10.3%	11.1%	5.7%	3.6%
	Grade 12	65.5%	12.9%	13.0%	6.0%	2.7%
Friends?						
	All	73.7%	14.8%	5.9%	4.5%	1.1%
	Grade 7	80.4%	15.4%	2.8%	1.1%	0.3%
	Grade 8	77.2%	15.5%	4.6%	2.1%	0.6%
	Grade 9	76.8%	13.7%	5.0%	3.6%	0.9%
	Grade 10	69.8%	16.9%	7.6%	4.8%	1.0%
	Grade 11	67.8%	15.3%	7.6%	7.2%	2.2%
	Grade 12	65.0%	10.9%	9.9%	11.5%	2.7%
A Store?						
	All	75.3%	20.1%	2.3%	1.6%	0.7%
	Grade 7	80.6%	17.6%	1.0%	0.5%	0.3%
	Grade 8	78.2%	18.8%	1.7%	0.9%	0.4%
	Grade 9	78.5%	18.4%	1.8%	0.9%	0.5%
	Grade 10	71.7%	23.6%	2.1%	1.4%	1.2%
	Grade 11	71.2%	22.0%	3.0%	2.9%	0.9%
	Grade 12	67.2%	22.0%	5.3%	4.1%	1.5%
Parties?						
	All	71.4%	12.9%	6.6%	5.6%	3.4%
	Grade 7	77.0%	14.7%	4.8%	2.4%	1.1%
	Grade 8	74.2%	13.9%	6.8%	3.3%	1.7%
	Grade 9	75.3%	11.5%	5.4%	5.2%	2.6%
	Grade 10	67.7%	14.9%	7.4%	5.9%	4.1%
	Grade 11	67.0%	11.2%	6.6%	8.3%	6.8%
	Grade 12	62.6%	10.2%	10.0%	11.2%	6.1%
Other Sources?						
	All	75.8%	16.0%	4.2%	2.3%	1.7%
	Grade 7	80.0%	14.7%	3.4%	1.1%	0.8%
	Grade 8	77.8%	15.3%	3.6%	2.0%	1.3%
	Grade 9	79.1%	13.8%	3.8%	2.0%	1.3%
	Grade 10	71.9%	19.3%	4.4%	2.4%	2.0%
	Grade 11	72.9%	17.0%	4.2%	2.5%	3.3%
	Grade 12	69.4%	17.3%	6.5%	4.5%	2.3%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	61.1%	13.0%	12.4%	3.7%	0.9%	8.9%
Grade 7	71.7%	9.2%	6.5%	2.3%	0.8%	9.5%
Grade 8	65.9%	12.0%	10.3%	2.6%	0.8%	8.3%
Grade 9	61.5%	12.1%	12.2%	3.6%	0.8%	9.7%
Grade 10	57.0%	14.7%	15.1%	4.3%	0.7%	8.3%
Grade 11	52.5%	15.1%	16.0%	5.1%	1.5%	9.7%
Grade 12	51.5%	17.4%	17.4%	5.5%	1.0%	7.1%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	54.3%	26.6%	11.9%	2.1%	5.2%
Grade 7	58.0%	24.1%	11.0%	1.9%	4.9%
Grade 8	53.0%	27.2%	13.4%	2.0%	4.5%
Grade 9	52.9%	25.0%	13.5%	2.1%	6.5%
Grade 10	52.6%	28.6%	12.4%	1.8%	4.7%
Grade 11	55.4%	26.4%	10.2%	2.0%	6.0%
Grade 12	53.7%	29.3%	10.0%	2.7%	4.3%

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	8.6%	11.3%	15.5%	84.5%
Grade 7	3.4%	5.1%	6.8%	93.2%
Grade 8	6.3%	9.0%	11.3%	88.7%
Grade 9	8.9%	10.4%	13.7%	86.3%
Grade 10	11.9%	14.2%	18.6%	81.4%
Grade 11	9.9%	13.6%	20.3%	79.7%
Grade 12	14.0%	18.8%	28.0%	72.0%
Marijuana?				
All	7.8%	9.3%	13.3%	86.7%
Grade 7	2.6%	3.1%	4.4%	95.6%
Grade 8	5.3%	6.7%	8.9%	91.1%
Grade 9	8.4%	9.2%	12.2%	87.8%
Grade 10	10.8%	12.0%	16.2%	83.8%
Grade 11	9.7%	11.8%	18.2%	81.8%
Grade 12	12.6%	16.2%	25.7%	74.3%
Cocaine?				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.3%	0.5%	0.9%	99.1%
Grade 12	1.1%	1.2%	3.5%	96.5%
Crack?				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.7%	0.7%	1.2%	98.8%
Hallucinogens?				
All	0.6%	1.2%	2.4%	97.6%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	0.3%	0.5%	1.2%	98.8%
Grade 10	0.6%	1.2%	2.8%	97.2%
Grade 11	0.8%	2.3%	4.1%	95.9%
Grade 12	1.6%	2.9%	6.0%	94.0%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids?				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.4%	0.7%	1.6%	98.4%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.6%	0.7%	1.0%	99.0%
Grade 10	0.4%	0.5%	1.5%	98.5%
Grade 11	0.8%	1.3%	2.0%	98.0%
Grade 12	1.0%	1.1%	1.8%	98.2%
Ecstasy?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.3%	1.4%	98.6%
Heroin?				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.2%	0.2%	0.7%	99.3%
Methamphetamine?				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.6%	0.9%	1.1%	98.9%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.7%	0.8%	1.5%	98.5%

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.7%	1.1%	2.1%	97.9%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.5%	0.9%	1.7%	98.3%
Grade 9	0.6%	1.0%	1.7%	98.3%
Grade 10	1.6%	1.8%	2.8%	97.2%
Grade 11	0.8%	1.2%	2.0%	98.0%
Grade 12	0.7%	1.2%	4.1%	95.9%
Delta 8?				
All	1.5%	2.3%	4.1%	95.9%
Grade 7	0.5%	0.8%	1.6%	98.4%
Grade 8	0.9%	1.4%	2.4%	97.6%
Grade 9	1.3%	1.9%	2.9%	97.1%
Grade 10	1.6%	2.9%	4.8%	95.2%
Grade 11	2.3%	3.3%	5.6%	94.4%
Grade 12	3.2%	4.6%	9.6%	90.4%

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	90.1%	1.1%	1.2%	1.6%	1.7%	1.8%	2.6%
	Grade 7	97.0%	0.1%	0.2%	0.5%	0.6%	0.5%	1.2%
	Grade 8	93.4%	0.6%	0.9%	1.0%	1.1%	1.2%	1.8%
	Grade 9	91.2%	0.9%	1.3%	1.7%	2.0%	1.3%	1.6%
	Grade 10	87.4%	1.7%	1.5%	1.5%	2.5%	2.0%	3.4%
	Grade 11	85.8%	1.4%	1.1%	2.6%	1.9%	2.9%	4.2%
	Grade 12	81.1%	2.3%	2.9%	2.9%	2.7%	3.8%	4.3%
Cocaine?								
	All	99.3%	0.1%	0.0%	0.0%	0.1%	0.2%	0.2%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.2%	0.1%	0.1%
	Grade 8	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 9	99.4%	0.1%	0.0%	0.1%	0.1%	0.1%	0.2%
	Grade 10	99.1%	0.1%	0.0%	0.0%	0.0%	0.6%	0.1%
	Grade 11	99.5%	0.0%	0.0%	0.1%	0.0%	0.1%	0.4%
	Grade 12	98.8%	0.2%	0.0%	0.1%	0.1%	0.2%	0.6%
Crack?								
	All	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.7%	0.1%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.2%	0.6%	0.0%	0.0%	0.0%	0.0%	0.2%
Steroids?								
	All	99.2%	0.2%	0.1%	0.0%	0.1%	0.1%	0.3%
	Grade 7	98.9%	0.1%	0.1%	0.0%	0.2%	0.2%	0.5%
	Grade 8	99.4%	0.1%	0.0%	0.0%	0.1%	0.0%	0.3%
	Grade 9	99.6%	0.2%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 10	99.3%	0.1%	0.2%	0.0%	0.0%	0.0%	0.4%
	Grade 11	98.9%	0.1%	0.5%	0.0%	0.0%	0.0%	0.4%
	Grade 12	98.7%	0.8%	0.0%	0.2%	0.1%	0.0%	0.2%
Ecstasy?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.6%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%
	Grade 9	99.7%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%
	Grade 10	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 12	99.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.6%

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.6%	0.0%	0.1%	0.1%	0.1%	0.0%	0.1%
	Grade 8	99.7%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	99.7%	0.0%	0.2%	0.0%	0.0%	0.0%	0.2%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.7%	0.1%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 8	99.6%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.7%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.4%
Synthetic Marijuana?								
	All	98.6%	0.1%	0.1%	0.2%	0.2%	0.4%	0.4%
	Grade 7	99.4%	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%
	Grade 8	98.8%	0.1%	0.1%	0.1%	0.3%	0.3%	0.3%
	Grade 9	98.8%	0.1%	0.2%	0.1%	0.2%	0.1%	0.5%
	Grade 10	98.2%	0.1%	0.1%	0.5%	0.2%	0.5%	0.5%
	Grade 11	98.4%	0.1%	0.0%	0.3%	0.2%	0.6%	0.4%
	Grade 12	97.2%	0.0%	0.2%	0.2%	0.1%	1.4%	1.0%
Delta 8?								
	All	96.9%	0.2%	0.3%	0.3%	0.5%	0.8%	0.8%
	Grade 7	98.8%	0.0%	0.1%	0.1%	0.3%	0.2%	0.5%
	Grade 8	98.4%	0.2%	0.2%	0.2%	0.5%	0.3%	0.3%
	Grade 9	97.7%	0.2%	0.3%	0.2%	0.4%	0.5%	0.6%
	Grade 10	96.5%	0.2%	0.4%	0.6%	0.5%	0.7%	1.1%
	Grade 11	95.9%	0.4%	0.2%	0.3%	0.8%	1.4%	0.9%
	Grade 12	92.6%	0.5%	0.9%	0.9%	0.8%	2.5%	1.8%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.6	11.4	12.0	12.9	13.5	14.2	14.8
Cocaine	14.2	11.0	12.6	13.6	15.2	15.2	14.7
Crack	12.4	10.7	11.9	11.1	14.1	15.4	13.4
Steroids	12.0	9.9	11.3	12.1	12.0	14.4	13.1
Ecstasy	13.2	11.5	12.0	12.1	12.7	15.1	14.1
Heroin	10.8	10.4	9.8	8.9	12.7	16.0	12.4
Methamphetamine	12.4	10.8	11.4	12.7	13.4	13.5	13.3
Synthetic Marijuana	13.7	10.6	12.3	13.6	13.9	14.9	15.2
Delta 8?	14.0	11.2	12.2	13.5	14.2	14.5	15.5

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	43.7%	23.2%	7.6%	7.0%	8.3%	10.2%
	Grade 7	49.7%	32.1%	7.5%	4.8%	3.4%	2.5%
	Grade 8	44.5%	29.7%	7.9%	6.9%	5.6%	5.4%
	Grade 9	47.4%	20.9%	7.7%	6.6%	8.5%	9.0%
	Grade 10	39.3%	17.9%	9.7%	8.4%	10.8%	13.9%
	Grade 11	42.0%	18.3%	5.6%	7.4%	11.7%	14.9%
	Grade 12	35.3%	15.6%	6.5%	9.0%	12.2%	21.4%
Cocaine?							
	All	50.7%	31.5%	8.7%	4.6%	2.1%	2.3%
	Grade 7	51.1%	37.9%	6.5%	2.5%	1.2%	0.8%
	Grade 8	49.0%	36.7%	7.5%	3.7%	1.7%	1.5%
	Grade 9	55.7%	28.1%	8.3%	3.9%	2.1%	1.9%
	Grade 10	48.9%	28.4%	12.2%	5.6%	2.1%	2.9%
	Grade 11	50.9%	28.2%	8.2%	5.6%	2.9%	4.3%
	Grade 12	47.8%	26.4%	10.8%	8.1%	3.6%	3.4%
Crack?							
	All	52.2%	32.0%	8.5%	3.7%	1.8%	1.8%
	Grade 7	52.5%	37.0%	6.5%	2.2%	1.0%	0.8%
	Grade 8	50.0%	36.5%	7.9%	2.9%	1.4%	1.3%
	Grade 9	56.1%	28.8%	8.3%	3.0%	1.8%	2.0%
	Grade 10	50.6%	30.1%	11.1%	3.8%	1.8%	2.6%
	Grade 11	53.8%	28.4%	8.0%	5.2%	2.2%	2.4%
	Grade 12	49.1%	28.9%	10.3%	6.6%	3.1%	2.1%
Steroids?							
	All	54.1%	27.9%	7.7%	5.3%	2.5%	2.4%
	Grade 7	54.6%	32.7%	6.3%	3.1%	1.7%	1.5%
	Grade 8	52.5%	31.8%	7.6%	4.7%	1.9%	1.6%
	Grade 9	57.7%	25.4%	7.7%	4.8%	2.2%	2.1%
	Grade 10	54.0%	27.4%	8.4%	4.4%	2.5%	3.3%
	Grade 11	54.6%	23.8%	7.6%	6.4%	3.7%	3.8%
	Grade 12	49.7%	23.7%	9.4%	10.5%	3.7%	3.0%
Ecstasy?							
	All	63.1%	24.9%	6.1%	2.8%	1.3%	1.7%
	Grade 7	66.6%	26.2%	4.7%	1.3%	0.6%	0.6%
	Grade 8	62.6%	28.2%	5.5%	1.9%	0.8%	1.0%
	Grade 9	66.9%	22.2%	5.9%	2.4%	0.9%	1.7%
	Grade 10	61.7%	24.3%	7.0%	3.4%	0.9%	2.6%
	Grade 11	60.3%	24.8%	7.1%	3.6%	2.0%	2.2%
	Grade 12	58.1%	23.0%	7.3%	5.5%	3.5%	2.7%

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	57.5%	29.8%	7.0%	2.8%	1.2%	1.7%
	Grade 7	61.1%	30.5%	5.0%	1.6%	0.8%	1.0%
	Grade 8	57.3%	32.6%	5.7%	2.2%	1.0%	1.3%
	Grade 9	60.3%	27.5%	6.6%	2.7%	1.6%	1.4%
	Grade 10	54.8%	29.8%	8.6%	3.3%	1.2%	2.4%
	Grade 11	56.2%	29.0%	8.1%	3.2%	1.2%	2.3%
	Grade 12	53.4%	28.9%	9.4%	4.3%	1.9%	2.1%
Methamphetamine?							
	All	58.7%	28.7%	6.7%	2.8%	1.4%	1.7%
	Grade 7	61.7%	30.2%	4.8%	1.6%	0.9%	0.8%
	Grade 8	58.1%	31.8%	5.6%	2.2%	1.0%	1.3%
	Grade 9	62.3%	24.8%	7.1%	2.6%	1.5%	1.7%
	Grade 10	57.0%	28.4%	7.3%	3.5%	1.2%	2.7%
	Grade 11	56.1%	29.2%	7.5%	3.3%	1.8%	2.2%
	Grade 12	54.8%	27.1%	9.4%	4.2%	2.4%	2.2%
Synthetic Marijuana?							
	All	61.8%	23.7%	5.8%	3.1%	2.6%	3.0%
	Grade 7	64.6%	27.1%	4.6%	1.9%	0.9%	0.9%
	Grade 8	60.3%	28.0%	5.4%	2.5%	2.0%	1.7%
	Grade 9	66.0%	20.1%	6.3%	2.2%	2.7%	2.6%
	Grade 10	59.5%	23.5%	6.4%	3.6%	2.6%	4.4%
	Grade 11	60.2%	21.6%	5.7%	4.0%	4.4%	4.1%
	Grade 12	58.6%	19.9%	6.9%	5.3%	4.0%	5.2%
Delta 8?							
	All	62.3%	21.6%	5.5%	3.2%	2.9%	4.6%
	Grade 7	65.1%	25.5%	4.7%	2.0%	1.4%	1.3%
	Grade 8	60.5%	26.9%	5.3%	2.7%	2.0%	2.4%
	Grade 9	66.2%	19.1%	5.9%	2.3%	2.9%	3.5%
	Grade 10	60.0%	19.9%	6.1%	3.0%	5.0%	6.0%
	Grade 11	62.3%	18.7%	4.8%	3.8%	3.0%	7.3%
	Grade 12	57.8%	16.3%	6.3%	6.5%	3.7%	9.4%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	95.3%	2.2%	0.6%	1.9%
Grade 7	98.6%	1.0%	0.2%	0.2%
Grade 8	96.9%	1.8%	0.5%	0.8%
Grade 9	95.5%	2.3%	0.7%	1.5%
Grade 10	93.6%	2.4%	0.7%	3.3%
Grade 11	93.6%	2.7%	0.9%	2.8%
Grade 12	91.5%	3.8%	0.8%	3.9%
Attended Class While High from Use of Some Other Drug?				
All	98.6%	1.0%	0.2%	0.2%
Grade 7	98.9%	0.7%	0.2%	0.2%
Grade 8	98.5%	1.0%	0.2%	0.3%
Grade 9	98.7%	1.1%	0.1%	0.1%
Grade 10	98.7%	0.9%	0.3%	0.2%
Grade 11	98.7%	0.8%	0.2%	0.2%
Grade 12	98.2%	1.7%	0.0%	0.1%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.2
Marijuana Non-Users	4.4
Average Days Conduct Problems Reported	
Marijuana Users	4.5
Marijuana Non-Users	1.4

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1–3 Times	4–9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	96.8%	2.0%	0.4%	0.8%
Grade 9	99.0%	0.7%	0.1%	0.2%
Grade 10	97.4%	1.8%	0.2%	0.5%
Grade 11	95.5%	2.9%	0.2%	1.4%
Grade 12	94.3%	3.3%	1.2%	1.3%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.7%	2.0%	0.2%	0.2%
Grade 7	98.3%	1.5%	0.2%	0.1%
Grade 8	97.7%	1.8%	0.2%	0.3%
Grade 9	98.0%	1.7%	0.1%	0.2%
Grade 10	97.3%	2.5%	0.2%	0.1%
Grade 11	97.3%	2.3%	0.3%	0.2%
Grade 12	97.2%	2.6%	0.1%	0.2%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	77.6%	11.8%	5.3%	4.1%	1.2%
Grade 7	89.7%	6.7%	2.2%	1.1%	0.4%
Grade 8	82.0%	10.4%	3.9%	2.9%	0.8%
Grade 9	78.1%	11.1%	5.0%	4.8%	1.0%
Grade 10	71.0%	16.5%	6.7%	4.2%	1.6%
Grade 11	72.9%	14.0%	6.8%	4.3%	2.0%
Grade 12	66.1%	13.9%	9.2%	9.0%	1.9%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	72.2%	3.2%	2.0%	3.0%	2.5%	1.8%	15.4%
Grade 7	83.3%	2.3%	0.9%	0.8%	0.4%	1.5%	10.8%
Grade 8	77.8%	2.7%	1.7%	1.4%	1.1%	1.9%	13.5%
Grade 9	73.1%	3.3%	1.8%	2.0%	1.9%	2.2%	15.6%
Grade 10	69.3%	2.7%	2.5%	3.3%	2.8%	1.4%	18.0%
Grade 11	63.2%	3.8%	3.1%	4.5%	3.9%	2.5%	19.1%
Grade 12	59.4%	4.9%	3.0%	7.8%	6.5%	1.4%	17.0%

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.8%	6.5%	5.6%	1.5%	0.9%	8.8%
Grade 7	84.1%	3.1%	2.3%	0.8%	0.5%	9.2%
Grade 8	81.6%	4.2%	3.8%	1.4%	0.7%	8.2%
Grade 9	74.6%	7.2%	6.9%	0.9%	1.1%	9.3%
Grade 10	74.1%	9.2%	6.0%	1.8%	0.5%	8.4%
Grade 11	70.4%	8.2%	8.5%	1.2%	1.3%	10.4%
Grade 12	72.1%	8.6%	7.7%	3.4%	1.5%	6.7%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	66.7%	14.0%	9.1%	4.2%	5.9%
	Grade 7	78.7%	10.3%	3.4%	1.5%	6.0%
	Grade 8	72.8%	13.1%	5.8%	3.0%	5.3%
	Grade 9	64.3%	14.1%	10.0%	4.8%	6.9%
	Grade 10	62.9%	15.0%	11.7%	4.3%	6.1%
	Grade 11	59.5%	16.4%	12.3%	4.8%	7.0%
	Grade 12	55.8%	17.0%	15.0%	8.2%	4.0%
Cocaine?						
	All	87.6%	5.5%	0.7%	0.3%	5.9%
	Grade 7	86.6%	5.9%	1.0%	0.5%	6.0%
	Grade 8	87.2%	5.8%	1.2%	0.4%	5.4%
	Grade 9	86.4%	6.0%	0.5%	0.3%	6.8%
	Grade 10	87.8%	5.0%	0.5%	0.2%	6.4%
	Grade 11	88.8%	4.5%	0.3%	0.1%	6.2%
	Grade 12	89.8%	5.3%	0.3%	0.3%	4.2%
Crack?						
	All	88.2%	4.5%	0.6%	0.3%	6.3%
	Grade 7	86.6%	5.0%	0.9%	0.5%	7.0%
	Grade 8	87.4%	5.2%	1.0%	0.4%	6.0%
	Grade 9	87.4%	4.7%	0.5%	0.3%	7.1%
	Grade 10	88.7%	4.0%	0.5%	0.2%	6.6%
	Grade 11	89.7%	3.7%	0.3%	0.1%	6.2%
	Grade 12	91.0%	3.9%	0.2%	0.3%	4.6%
Ecstasy?						
	All	80.9%	5.2%	0.9%	0.4%	12.6%
	Grade 7	80.4%	4.8%	0.9%	0.7%	13.2%
	Grade 8	80.8%	5.2%	1.1%	0.5%	12.5%
	Grade 9	79.6%	5.3%	0.6%	0.3%	14.3%
	Grade 10	80.8%	4.8%	0.8%	0.2%	13.5%
	Grade 11	83.1%	4.8%	0.6%	0.2%	11.3%
	Grade 12	81.2%	6.9%	1.3%	0.4%	10.2%
Steroids?						
	All	76.1%	10.8%	3.4%	1.0%	8.7%
	Grade 7	77.0%	9.7%	3.4%	1.2%	8.7%
	Grade 8	76.0%	11.5%	3.6%	1.1%	7.9%
	Grade 9	74.0%	11.3%	3.6%	0.8%	10.3%
	Grade 10	75.1%	11.1%	3.6%	0.8%	9.5%
	Grade 11	77.8%	9.5%	3.3%	1.3%	8.0%
	Grade 12	77.5%	12.0%	3.0%	0.5%	7.0%

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	86.1%	4.2%	0.6%	0.4%	8.7%
	Grade 7	83.0%	5.1%	0.9%	0.6%	10.4%
	Grade 8	84.5%	5.1%	1.0%	0.5%	8.9%
	Grade 9	85.1%	4.0%	0.5%	0.4%	10.0%
	Grade 10	87.3%	3.2%	0.4%	0.2%	8.9%
	Grade 11	88.6%	3.9%	0.4%	0.1%	7.0%
	Grade 12	90.6%	3.7%	0.2%	0.3%	5.3%
Methamphetamine?						
	All	86.8%	4.0%	0.5%	0.4%	8.4%
	Grade 7	83.9%	4.8%	0.6%	0.5%	10.1%
	Grade 8	85.7%	4.4%	0.8%	0.6%	8.5%
	Grade 9	86.2%	4.2%	0.5%	0.4%	8.8%
	Grade 10	87.2%	4.2%	0.3%	0.2%	8.0%
	Grade 11	88.8%	2.8%	0.3%	0.1%	8.0%
	Grade 12	91.2%	2.8%	0.2%	0.2%	5.6%
Synthetic Marijuana?						
	All	78.8%	6.7%	2.2%	0.8%	11.4%
	Grade 7	81.3%	5.6%	1.1%	0.8%	11.2%
	Grade 8	80.5%	6.3%	1.9%	1.0%	10.4%
	Grade 9	77.4%	6.6%	2.2%	0.7%	13.0%
	Grade 10	76.8%	8.3%	2.3%	0.6%	12.0%
	Grade 11	78.1%	6.1%	3.2%	0.8%	11.8%
	Grade 12	78.1%	8.1%	3.1%	1.1%	9.6%
Delta 8?						
	All	74.2%	8.0%	3.9%	1.9%	12.1%
	Grade 7	78.5%	7.2%	2.0%	1.0%	11.4%
	Grade 8	77.4%	7.4%	3.0%	1.5%	10.6%
	Grade 9	72.6%	8.2%	3.6%	1.7%	13.9%
	Grade 10	72.0%	8.9%	4.5%	1.6%	12.9%
	Grade 11	73.2%	7.2%	5.4%	2.1%	12.2%
	Grade 12	68.8%	9.4%	6.2%	4.0%	11.5%
Fictional Drug?						
	All	80.8%	3.6%	0.5%	0.3%	14.8%
	Grade 7	80.7%	4.1%	0.7%	0.5%	14.0%
	Grade 8	80.5%	4.3%	0.7%	0.4%	14.1%
	Grade 9	80.2%	4.1%	0.4%	0.3%	15.0%
	Grade 10	80.0%	3.2%	0.4%	0.2%	16.2%
	Grade 11	82.7%	2.7%	0.2%	0.1%	14.4%
	Grade 12	80.8%	2.7%	0.3%	0.4%	15.8%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	4.3%	6.2%	11.1%	88.9%
Grade 7	5.1%	7.1%	12.6%	87.4%
Grade 8	4.8%	7.0%	12.5%	87.5%
Grade 9	3.8%	5.4%	9.2%	90.8%
Grade 10	4.3%	6.4%	10.7%	89.3%
Grade 11	4.5%	6.0%	10.3%	89.7%
Grade 12	2.8%	5.3%	10.6%	89.4%
Codeine Cough Syrup?				
All	2.1%	3.5%	7.0%	93.0%
Grade 7	3.0%	4.6%	9.0%	91.0%
Grade 8	2.7%	4.3%	8.6%	91.4%
Grade 9	1.9%	3.2%	5.8%	94.2%
Grade 10	1.7%	3.3%	6.8%	93.2%
Grade 11	1.5%	2.6%	5.0%	95.0%
Grade 12	1.0%	2.6%	5.9%	94.1%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.4%	0.6%	1.7%	98.3%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.2%	0.4%	1.2%	98.8%
Grade 9	0.3%	0.5%	1.1%	98.9%
Grade 10	0.5%	0.9%	2.0%	98.0%
Grade 11	0.4%	0.8%	2.3%	97.7%
Grade 12	0.3%	0.6%	3.4%	96.6%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	0.5%	0.8%	1.7%	98.3%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.5%	0.6%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.5%	0.9%	1.6%	98.4%
Grade 11	0.9%	1.4%	2.7%	97.3%
Grade 12	0.3%	0.7%	3.1%	96.9%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.0%	1.6%	2.8%	97.2%
Grade 7	0.7%	1.2%	1.9%	98.1%
Grade 8	1.0%	1.4%	2.7%	97.3%
Grade 9	0.5%	1.1%	2.0%	98.0%
Grade 10	1.8%	2.4%	3.5%	96.5%
Grade 11	1.0%	1.9%	3.3%	96.7%
Grade 12	1.3%	1.7%	3.9%	96.1%

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.0%	2.9%	5.6%	94.4%
Grade 7	2.3%	3.4%	6.5%	93.5%
Grade 8	2.6%	3.6%	7.1%	92.9%
Grade 9	2.4%	3.3%	5.5%	94.5%
Grade 10	1.4%	2.0%	4.1%	95.9%
Grade 11	2.3%	2.8%	5.1%	94.9%
Grade 12	0.8%	2.0%	4.4%	95.6%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.0%	1.3%	2.4%	97.6%
Grade 7	1.4%	1.9%	3.7%	96.3%
Grade 8	1.4%	1.9%	3.2%	96.8%
Grade 9	1.2%	1.4%	1.9%	98.1%
Grade 10	0.6%	0.8%	2.0%	98.0%
Grade 11	0.5%	0.9%	1.6%	98.4%
Grade 12	0.4%	0.6%	1.4%	98.6%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.5%	10.9%	2.9%	0.9%	8.8%
Grade 7	77.6%	9.9%	2.8%	1.0%	8.6%
Grade 8	75.7%	11.4%	3.3%	1.3%	8.2%
Grade 9	74.9%	10.6%	3.4%	0.9%	10.2%
Grade 10	76.1%	11.4%	3.0%	0.5%	9.0%
Grade 11	77.5%	10.3%	2.6%	0.5%	9.1%
Grade 12	78.2%	12.1%	1.7%	0.5%	7.5%

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	3.3%	4.3%	9.1%	90.9%
Grade 7	4.7%	6.1%	11.3%	88.7%
Grade 8	4.3%	5.9%	10.6%	89.4%
Grade 9	3.0%	3.6%	7.8%	92.2%
Grade 10	2.5%	3.1%	7.2%	92.8%
Grade 11	2.7%	3.4%	8.9%	91.1%
Grade 12	2.1%	2.9%	8.3%	91.7%
Spray Paint?				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.5%	0.5%	1.6%	98.4%
Grade 8	0.3%	0.5%	1.3%	98.7%
Grade 9	0.3%	0.3%	1.1%	98.9%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.7%	0.9%	2.2%	97.8%
Grade 12	0.1%	0.2%	1.4%	98.6%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.7%	1.0%	3.2%	96.8%
Grade 7	1.0%	1.6%	4.6%	95.4%
Grade 8	1.0%	1.5%	4.0%	96.0%
Grade 9	0.6%	0.8%	2.9%	97.1%
Grade 10	0.8%	0.9%	2.5%	97.5%
Grade 11	0.2%	0.3%	1.6%	98.4%
Grade 12	0.5%	0.6%	2.8%	97.2%
Computer Dusting Sprays?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.1%	0.3%	0.5%	99.5%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.6%	99.4%
Helium, Butane, Propane, Whippets, or Freon?				
All	0.6%	1.1%	3.6%	96.4%
Grade 7	0.8%	1.4%	4.0%	96.0%
Grade 8	0.9%	1.4%	3.9%	96.1%
Grade 9	0.4%	0.7%	2.6%	97.4%
Grade 10	0.6%	0.8%	3.1%	96.9%
Grade 11	0.8%	1.2%	3.7%	96.3%
Grade 12	0.2%	0.9%	4.0%	96.0%

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.5%	0.8%	2.0%	98.0%
Grade 8	0.4%	0.6%	1.5%	98.5%
Grade 9	0.1%	0.2%	0.8%	99.2%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.1%	0.4%	99.6%
Grade 12	0.1%	0.2%	1.6%	98.4%
Toluene, Paint Thinner, or Other Solvents?				
All	0.1%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.2%	0.8%	99.2%
Grade 8	0.3%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.2%	0.5%	99.5%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.1%	0.2%	0.8%	99.2%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.6%	0.8%	2.0%	98.0%
Grade 7	1.0%	1.3%	3.2%	96.8%
Grade 8	1.0%	1.4%	2.9%	97.1%
Grade 9	0.6%	0.6%	1.4%	98.6%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.2%	0.4%	1.7%	98.3%
Grade 12	0.2%	0.3%	1.4%	98.6%
Other Aerosols/Sprays?				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.8%	1.1%	2.5%	97.5%
Grade 8	0.7%	0.9%	2.0%	98.0%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.6%	0.8%	1.3%	98.7%
Grade 12	0.2%	0.2%	1.0%	99.0%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	98.2%	0.1%	0.1%	0.2%	0.3%	0.4%	0.8%
Grade 7	97.2%	0.1%	0.2%	0.3%	0.6%	0.6%	1.1%
Grade 8	97.2%	0.1%	0.1%	0.4%	0.6%	0.4%	1.1%
Grade 9	98.4%	0.0%	0.2%	0.1%	0.3%	0.2%	0.7%
Grade 10	99.0%	0.0%	0.0%	0.1%	0.1%	0.3%	0.5%
Grade 11	99.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.6%
Grade 12	98.5%	0.0%	0.0%	0.0%	0.1%	0.5%	0.7%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	92.8%	4.3%	2.0%	0.9%
Grade 7	90.7%	4.6%	3.4%	1.3%
Grade 8	91.6%	4.4%	2.8%	1.2%
Grade 9	94.4%	3.3%	1.7%	0.7%
Grade 10	94.0%	4.5%	1.0%	0.5%
Grade 11	92.9%	5.3%	1.0%	0.7%
Grade 12	93.9%	3.5%	1.6%	1.0%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.0	10.0	10.7	11.7	10.7	11.3	12.8

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.5%	0.3%	0.1%	0.1%
Grade 7	99.2%	0.6%	0.1%	0.0%
Grade 8	99.2%	0.4%	0.1%	0.3%
Grade 9	99.6%	0.2%	0.2%	0.0%
Grade 10	99.7%	0.2%	0.0%	0.1%
Grade 11	99.7%	0.1%	0.0%	0.1%
Grade 12	99.5%	0.4%	0.0%	0.2%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.2
Inhalant Non-Users	4.5
Average Days Conduct Problems Reported	
Inhalant Users	4.6
Inhalant Non-Users	1.5

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	95.0%	3.5%	1.0%	0.4%	0.1%
Grade 7	92.8%	5.1%	1.4%	0.5%	0.2%
Grade 8	93.7%	4.4%	1.4%	0.3%	0.1%
Grade 9	95.7%	2.8%	0.9%	0.4%	0.2%
Grade 10	96.2%	3.0%	0.5%	0.2%	0.1%
Grade 11	95.9%	3.0%	0.6%	0.4%	0.1%
Grade 12	96.6%	2.0%	0.7%	0.5%	0.1%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.9%	12.0%	3.9%	1.1%	8.1%
Grade 7	72.7%	13.1%	4.6%	1.4%	8.2%
Grade 8	72.7%	13.4%	5.2%	1.4%	7.3%
Grade 9	73.5%	12.4%	4.0%	0.7%	9.3%
Grade 10	77.0%	11.9%	2.3%	0.6%	8.2%
Grade 11	79.6%	8.2%	2.3%	1.0%	8.9%
Grade 12	75.3%	12.3%	4.3%	1.4%	6.7%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	54.0%	15.8%	4.0%	4.7%	6.8%	14.7%
Grade 7	53.6%	21.9%	4.2%	4.1%	6.4%	9.7%
Grade 8	51.5%	19.5%	4.8%	5.4%	6.8%	12.0%
Grade 9	59.7%	13.6%	3.7%	4.1%	6.4%	12.3%
Grade 10	52.7%	13.6%	4.5%	6.1%	6.5%	16.6%
Grade 11	56.2%	11.9%	3.2%	4.7%	5.0%	19.1%
Grade 12	48.7%	11.5%	2.9%	3.4%	10.7%	22.9%

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	40.1%
	Grade 7	35.4%
	Grade 8	44.9%
	Grade 9	38.8%
	Grade 10	42.0%
	Grade 11	40.0%
	Grade 12	39.3%
An Assembly Program		
	All	51.2%
	Grade 7	46.1%
	Grade 8	51.3%
	Grade 9	50.3%
	Grade 10	53.9%
	Grade 11	52.2%
	Grade 12	55.1%
Guidance Counselor		
	All	32.9%
	Grade 7	33.1%
	Grade 8	35.9%
	Grade 9	31.1%
	Grade 10	33.0%
	Grade 11	30.7%
	Grade 12	32.9%
School Nurse		
	All	19.8%
	Grade 7	20.1%
	Grade 8	20.0%
	Grade 9	19.0%
	Grade 10	20.2%
	Grade 11	18.8%
	Grade 12	20.8%
Science or Social Studies Class		
	All	28.7%
	Grade 7	25.9%
	Grade 8	27.2%
	Grade 9	30.1%
	Grade 10	30.2%
	Grade 11	29.0%
	Grade 12	31.1%

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

	Yes
Student Group or Club Meeting at School	
All	16.7%
Grade 7	12.0%
Grade 8	15.1%
Grade 9	18.1%
Grade 10	18.8%
Grade 11	18.4%
Grade 12	19.3%
An Invited School Guest	
All	31.6%
Grade 7	27.6%
Grade 8	32.3%
Grade 9	29.9%
Grade 10	34.3%
Grade 11	32.3%
Grade 12	34.9%
Another Source at School	
All	32.6%
Grade 7	29.4%
Grade 8	32.3%
Grade 9	32.9%
Grade 10	34.2%
Grade 11	34.1%
Grade 12	33.7%
Any School Source	
All	68.5%
Grade 7	65.6%
Grade 8	69.7%
Grade 9	67.9%
Grade 10	69.4%
Grade 11	70.0%
Grade 12	68.9%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	36.9%
	Grade 7	44.2%
	Grade 8	38.0%
	Grade 9	34.6%
	Grade 10	33.0%
	Grade 11	33.0%
	Grade 12	36.9%
School Nurse		
	All	24.8%
	Grade 7	31.1%
	Grade 8	25.9%
	Grade 9	24.5%
	Grade 10	20.5%
	Grade 11	20.6%
	Grade 12	24.3%
Another Adult In School		
	All	40.6%
	Grade 7	44.0%
	Grade 8	39.9%
	Grade 9	38.8%
	Grade 10	38.3%
	Grade 11	38.5%
	Grade 12	44.7%
Counselor/Program Outside-School		
	All	38.6%
	Grade 7	42.6%
	Grade 8	39.2%
	Grade 9	38.5%
	Grade 10	34.1%
	Grade 11	37.5%
	Grade 12	38.8%
Your Parents		
	All	68.8%
	Grade 7	75.9%
	Grade 8	71.2%
	Grade 9	69.4%
	Grade 10	65.2%
	Grade 11	63.0%
	Grade 12	64.4%

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	58.1%
	Grade 7	65.8%
	Grade 8	62.3%
	Grade 9	54.1%
	Grade 10	53.3%
	Grade 11	55.5%
	Grade 12	55.2%
Your Friends		
	All	57.7%
	Grade 7	51.9%
	Grade 8	55.7%
	Grade 9	59.6%
	Grade 10	56.6%
	Grade 11	62.0%
	Grade 12	63.8%
Another Adult		
	All	56.6%
	Grade 7	60.4%
	Grade 8	58.7%
	Grade 9	57.4%
	Grade 10	52.7%
	Grade 11	52.9%
	Grade 12	55.4%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	5.8%
	Grade 7	5.6%
	Grade 8	6.4%
	Grade 9	6.7%
	Grade 10	5.7%
	Grade 11	4.9%
	Grade 12	4.8%

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	6.3%	20.3%	22.9%	34.0%	16.5%
Grade 7	6.2%	17.6%	19.5%	36.5%	20.2%
Grade 8	7.0%	19.3%	21.2%	35.0%	17.5%
Grade 9	6.7%	22.5%	23.0%	32.6%	15.2%
Grade 10	7.3%	19.4%	24.7%	30.9%	17.7%
Grade 11	5.4%	22.7%	25.3%	34.1%	12.5%
Grade 12	4.9%	21.1%	25.3%	34.5%	14.2%
Sometimes Carry Weapons?					
All	84.2%	9.6%	3.8%	1.5%	0.9%
Grade 7	89.2%	7.1%	2.4%	0.6%	0.7%
Grade 8	84.0%	10.2%	3.3%	1.6%	0.8%
Grade 9	84.9%	8.9%	3.2%	1.8%	1.2%
Grade 10	84.1%	10.5%	3.4%	1.6%	0.5%
Grade 11	83.8%	8.7%	4.9%	1.6%	1.0%
Grade 12	76.3%	13.6%	7.0%	2.0%	1.1%
Care About Making Good Grades?					
All	2.5%	12.7%	24.2%	39.7%	20.9%
Grade 7	3.0%	12.2%	24.4%	38.9%	21.5%
Grade 8	3.0%	13.1%	26.0%	38.9%	19.0%
Grade 9	2.1%	12.9%	24.5%	38.3%	22.1%
Grade 10	2.7%	12.0%	22.6%	38.6%	24.0%
Grade 11	1.8%	12.4%	22.8%	42.5%	20.6%
Grade 12	2.1%	13.5%	24.8%	42.3%	17.4%
Belong/Want to Belong to a Gang?					
All	90.8%	5.8%	1.9%	0.8%	0.7%
Grade 7	89.6%	7.2%	1.8%	0.8%	0.7%
Grade 8	88.1%	7.9%	2.4%	0.9%	0.7%
Grade 9	90.8%	4.8%	2.1%	1.2%	1.1%
Grade 10	92.7%	4.4%	1.9%	0.4%	0.6%
Grade 11	92.6%	4.7%	1.9%	0.3%	0.5%
Grade 12	92.2%	5.3%	1.2%	0.7%	0.6%
Wish They Could Drop Out of School?					
All	48.5%	27.8%	13.7%	6.4%	3.5%
Grade 7	48.4%	27.5%	13.0%	6.6%	4.5%
Grade 8	46.1%	29.0%	14.2%	7.3%	3.3%
Grade 9	47.3%	28.3%	15.1%	6.5%	2.8%
Grade 10	48.7%	28.9%	13.7%	5.2%	3.5%
Grade 11	52.4%	26.4%	12.9%	5.1%	3.1%
Grade 12	49.1%	26.0%	12.8%	8.0%	4.1%

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.6%	11.6%	0.7%	0.2%	1.0%
Grade 7	87.1%	10.9%	1.0%	0.2%	0.7%
Grade 8	87.0%	11.5%	0.6%	0.3%	0.6%
Grade 9	87.1%	10.4%	0.8%	0.5%	1.3%
Grade 10	85.0%	13.2%	0.7%	0.1%	1.0%
Grade 11	85.9%	11.8%	0.4%	0.1%	1.8%
Grade 12	87.1%	11.8%	0.3%	0.1%	0.6%
Out In Your Neighborhood?					
All	44.8%	45.3%	6.0%	1.0%	3.0%
Grade 7	39.0%	48.1%	7.5%	1.6%	3.8%
Grade 8	42.2%	46.3%	7.3%	1.1%	3.2%
Grade 9	45.1%	45.0%	6.0%	0.8%	3.0%
Grade 10	46.7%	44.6%	5.4%	0.7%	2.6%
Grade 11	45.7%	46.6%	4.4%	0.5%	2.9%
Grade 12	52.9%	39.5%	4.1%	1.1%	2.4%
At School?					
All	29.3%	51.4%	11.2%	4.0%	4.1%
Grade 7	30.3%	49.5%	11.1%	5.1%	3.9%
Grade 8	29.2%	50.9%	10.7%	4.3%	4.9%
Grade 9	28.6%	50.8%	11.6%	4.3%	4.7%
Grade 10	28.5%	53.0%	12.0%	2.8%	3.7%
Grade 11	26.1%	54.8%	11.3%	3.3%	4.5%
Grade 12	33.5%	49.9%	10.5%	3.6%	2.6%

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.1%	10.1%	18.3%	81.7%
Grade 7	4.1%	5.5%	12.1%	87.9%
Grade 8	5.9%	7.6%	14.5%	85.5%
Grade 9	7.1%	9.3%	17.6%	82.4%
Grade 10	8.8%	11.2%	20.1%	79.9%
Grade 11	10.6%	12.9%	23.3%	76.7%
Grade 12	15.2%	17.0%	26.9%	73.1%
Any Alcohol Product				
All	20.0%	23.1%	38.6%	61.4%
Grade 7	12.6%	14.7%	31.8%	68.2%
Grade 8	17.7%	20.2%	37.4%	62.6%
Grade 9	18.5%	21.9%	36.1%	63.9%
Grade 10	22.2%	25.1%	39.4%	60.6%
Grade 11	24.3%	28.4%	43.6%	56.4%
Grade 12	29.3%	33.5%	47.5%	52.5%
Any Illicit Drug				
All	8.6%	11.3%	15.5%	84.5%
Grade 7	3.4%	5.1%	6.8%	93.2%
Grade 8	6.3%	9.0%	11.3%	88.7%
Grade 9	8.9%	10.4%	13.7%	86.3%
Grade 10	11.9%	14.2%	18.6%	81.4%
Grade 11	9.9%	13.6%	20.3%	79.7%
Grade 12	14.0%	18.8%	28.0%	72.0%
Any Prescription Drug				
All	4.3%	6.2%	11.1%	88.9%
Grade 7	5.1%	7.1%	12.6%	87.4%
Grade 8	4.8%	7.0%	12.5%	87.5%
Grade 9	3.8%	5.4%	9.2%	90.8%
Grade 10	4.3%	6.4%	10.7%	89.3%
Grade 11	4.5%	6.0%	10.3%	89.7%
Grade 12	2.8%	5.3%	10.6%	89.4%
Any Inhalant				
All	3.3%	4.3%	9.1%	90.9%
Grade 7	4.7%	6.1%	11.3%	88.7%
Grade 8	4.3%	5.9%	10.6%	89.4%
Grade 9	3.0%	3.6%	7.8%	92.2%
Grade 10	2.5%	3.1%	7.2%	92.8%
Grade 11	2.7%	3.4%	8.9%	91.1%
Grade 12	2.1%	2.9%	8.3%	91.7%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.8%	8.1%	15.8%	84.2%
Grade 7	2.3%	3.9%	10.1%	89.9%
Grade 8	3.8%	6.0%	12.6%	87.4%
Grade 9	4.8%	7.3%	15.3%	84.7%
Grade 10	7.1%	9.6%	17.8%	82.2%
Grade 11	7.1%	10.1%	19.4%	80.6%
Grade 12	12.3%	14.6%	23.2%	76.8%
Marijuana				
All	7.8%	9.3%	13.3%	86.7%
Grade 7	2.6%	3.1%	4.4%	95.6%
Grade 8	5.3%	6.7%	8.9%	91.1%
Grade 9	8.4%	9.2%	12.2%	87.8%
Grade 10	10.8%	12.0%	16.2%	83.8%
Grade 11	9.7%	11.8%	18.2%	81.8%
Grade 12	12.6%	16.2%	25.7%	74.3%
Marijuana Only				
All	3.7%	4.5%	7.6%	92.4%
Grade 7	1.2%	1.6%	2.5%	97.5%
Grade 8	2.7%	3.6%	5.4%	94.6%
Grade 9	4.7%	5.2%	7.8%	92.2%
Grade 10	6.0%	6.6%	10.1%	89.9%
Grade 11	3.7%	5.1%	9.8%	90.2%
Grade 12	4.1%	5.9%	12.4%	87.6%
Cocaine or Crack				
All	0.7%	0.8%	1.4%	98.6%
Grade 7	0.6%	0.8%	1.1%	98.9%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.7%	0.7%	1.2%	98.8%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.5%	0.6%	1.0%	99.0%
Grade 12	1.7%	1.8%	4.1%	95.9%
Cocaine				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.3%	0.5%	0.9%	99.1%
Grade 12	1.1%	1.2%	3.5%	96.5%

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.7%	0.7%	1.2%	98.8%
Hallucinogens				
All	0.6%	1.2%	2.4%	97.6%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	0.3%	0.5%	1.2%	98.8%
Grade 10	0.6%	1.2%	2.8%	97.2%
Grade 11	0.8%	2.3%	4.1%	95.9%
Grade 12	1.6%	2.9%	6.0%	94.0%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.4%	0.7%	1.6%	98.4%
Grade 8	0.3%	0.5%	1.1%	98.9%
Grade 9	0.6%	0.7%	1.0%	99.0%
Grade 10	0.4%	0.5%	1.5%	98.5%
Grade 11	0.8%	1.3%	2.0%	98.0%
Grade 12	1.0%	1.1%	1.8%	98.2%
Ecstasy				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.3%	1.4%	98.6%

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.2%	0.2%	0.7%	99.3%
Synthetic Marijuana				
All	0.7%	1.1%	2.1%	97.9%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.5%	0.9%	1.7%	98.3%
Grade 9	0.6%	1.0%	1.7%	98.3%
Grade 10	1.6%	1.8%	2.8%	97.2%
Grade 11	0.8%	1.2%	2.0%	98.0%
Grade 12	0.7%	1.2%	4.1%	95.9%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.6%	0.9%	1.1%	98.9%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.7%	0.8%	1.5%	98.5%
Delta 8				
All	1.5%	2.3%	4.1%	95.9%
Grade 7	0.5%	0.8%	1.6%	98.4%
Grade 8	0.9%	1.4%	2.4%	97.6%
Grade 9	1.3%	1.9%	2.9%	97.1%
Grade 10	1.6%	2.9%	4.8%	95.2%
Grade 11	2.3%	3.3%	5.6%	94.4%
Grade 12	3.2%	4.6%	9.6%	90.4%

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.4%	10.0%	17.7%	82.3%
Grade 7	3.4%	4.3%	10.7%	89.3%
Grade 8	6.2%	7.5%	14.1%	85.9%
Grade 9	7.4%	8.8%	16.8%	83.2%
Grade 10	8.9%	11.1%	17.8%	82.2%
Grade 11	12.9%	15.2%	26.0%	74.0%
Grade 12	14.7%	16.7%	25.3%	74.7%
Any Alcohol Product				
All	19.6%	22.6%	38.5%	61.5%
Grade 7	11.1%	13.1%	30.9%	69.1%
Grade 8	16.1%	18.8%	37.2%	62.8%
Grade 9	19.2%	21.9%	36.2%	63.8%
Grade 10	22.3%	25.5%	39.2%	60.8%
Grade 11	25.9%	29.8%	45.9%	54.1%
Grade 12	28.2%	31.8%	45.5%	54.5%
Any Illicit Drug				
All	7.9%	10.5%	14.4%	85.6%
Grade 7	2.6%	4.1%	5.4%	94.6%
Grade 8	6.4%	9.1%	11.4%	88.6%
Grade 9	7.8%	9.4%	12.9%	87.1%
Grade 10	8.9%	11.8%	15.5%	84.5%
Grade 11	12.7%	15.8%	23.0%	77.0%
Grade 12	11.2%	16.1%	23.0%	77.0%
Any Prescription Drug				
All	4.4%	6.7%	11.9%	88.1%
Grade 7	4.8%	6.9%	11.4%	88.6%
Grade 8	5.1%	7.8%	12.8%	87.2%
Grade 9	4.5%	6.2%	11.4%	88.6%
Grade 10	5.2%	7.8%	13.9%	86.1%
Grade 11	2.8%	4.6%	9.6%	90.4%
Grade 12	3.3%	6.7%	12.2%	87.8%
Any Inhalant				
All	3.2%	4.1%	8.7%	91.3%
Grade 7	4.1%	5.3%	10.0%	90.0%
Grade 8	3.9%	5.5%	9.9%	90.1%
Grade 9	2.9%	3.5%	7.6%	92.4%
Grade 10	2.6%	3.1%	7.3%	92.7%
Grade 11	2.8%	3.6%	9.4%	90.6%
Grade 12	2.1%	2.6%	7.4%	92.6%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.7%	7.6%	14.7%	85.3%
Grade 7	1.6%	2.7%	8.3%	91.7%
Grade 8	3.7%	5.7%	11.9%	88.1%
Grade 9	4.7%	6.7%	14.1%	85.9%
Grade 10	7.0%	8.7%	16.2%	83.8%
Grade 11	8.8%	11.3%	20.8%	79.2%
Grade 12	10.8%	13.2%	20.8%	79.2%
Marijuana				
All	7.3%	8.8%	12.5%	87.5%
Grade 7	1.8%	2.2%	3.3%	96.7%
Grade 8	5.4%	6.7%	9.1%	90.9%
Grade 9	7.5%	8.4%	11.3%	88.7%
Grade 10	8.3%	10.0%	13.6%	86.4%
Grade 11	12.4%	14.8%	21.3%	78.7%
Grade 12	10.8%	14.4%	22.2%	77.8%
Marijuana Only				
All	2.8%	3.8%	6.5%	93.5%
Grade 7	1.0%	1.3%	2.0%	98.0%
Grade 8	2.7%	3.3%	5.2%	94.8%
Grade 9	3.3%	3.8%	6.3%	93.7%
Grade 10	3.2%	4.0%	7.0%	93.0%
Grade 11	4.4%	6.2%	10.4%	89.6%
Grade 12	3.0%	5.3%	10.4%	89.6%
Cocaine or Crack				
All	0.6%	0.6%	1.1%	98.9%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.3%	0.3%	1.0%	99.0%
Grade 10	0.6%	0.6%	1.6%	98.4%
Grade 11	0.7%	0.7%	1.1%	98.9%
Grade 12	1.3%	1.5%	2.5%	97.5%
Cocaine				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.6%	0.6%	1.6%	98.4%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	1.3%	1.5%	2.5%	97.5%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.2%	0.3%	1.1%	98.9%
Hallucinogens				
All	0.8%	1.5%	2.7%	97.3%
Grade 7	0.3%	0.5%	0.7%	99.3%
Grade 8	0.7%	0.9%	1.5%	98.5%
Grade 9	0.4%	0.7%	1.3%	98.7%
Grade 10	1.1%	1.4%	2.5%	97.5%
Grade 11	0.7%	3.3%	5.3%	94.7%
Grade 12	1.9%	3.2%	6.3%	93.7%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
Steroids				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.4%	0.7%	2.0%	98.0%
Grade 8	0.3%	0.6%	1.3%	98.7%
Grade 9	0.7%	0.9%	1.3%	98.7%
Grade 10	0.7%	0.8%	2.2%	97.8%
Grade 11	1.6%	2.2%	3.2%	96.8%
Grade 12	0.4%	0.6%	1.7%	98.3%
Ecstasy				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.3%	0.6%	0.7%	99.3%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.2%	0.3%	1.7%	98.3%

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.7%	1.3%	98.7%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.2%	0.2%	1.0%	99.0%
Synthetic Marijuana				
All	0.7%	1.0%	1.9%	98.1%
Grade 7	0.2%	0.5%	0.9%	99.1%
Grade 8	0.5%	0.9%	1.7%	98.3%
Grade 9	0.5%	1.0%	1.8%	98.2%
Grade 10	1.5%	1.8%	2.6%	97.4%
Grade 11	0.9%	1.3%	1.9%	98.1%
Grade 12	0.5%	0.8%	2.7%	97.3%
Methamphetamine				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.3%	1.1%	98.9%
Delta 8				
All	2.0%	2.8%	4.5%	95.5%
Grade 7	0.5%	0.6%	1.2%	98.8%
Grade 8	1.1%	1.7%	2.8%	97.2%
Grade 9	1.8%	2.6%	3.9%	96.1%
Grade 10	2.4%	3.8%	5.1%	94.9%
Grade 11	2.7%	3.6%	6.8%	93.2%
Grade 12	4.7%	6.1%	9.6%	90.4%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	7.7%	10.0%	18.9%	81.1%
Grade 7	4.9%	6.7%	13.5%	86.5%
Grade 8	5.7%	7.6%	14.8%	85.2%
Grade 9	6.8%	9.8%	18.3%	81.7%
Grade 10	8.5%	11.2%	21.9%	78.1%
Grade 11	8.6%	10.8%	20.8%	79.2%
Grade 12	14.7%	16.4%	28.0%	72.0%
Any Alcohol Product				
All	20.3%	23.5%	38.7%	61.3%
Grade 7	14.1%	16.3%	32.7%	67.3%
Grade 8	19.2%	21.6%	37.7%	62.3%
Grade 9	17.8%	21.8%	36.1%	63.9%
Grade 10	21.9%	24.5%	39.4%	60.6%
Grade 11	23.0%	27.2%	41.5%	58.5%
Grade 12	29.9%	34.8%	49.4%	50.6%
Any Illicit Drug				
All	9.2%	11.9%	16.3%	83.7%
Grade 7	4.2%	6.0%	8.2%	91.8%
Grade 8	6.2%	8.9%	11.3%	88.7%
Grade 9	9.9%	11.4%	14.5%	85.5%
Grade 10	14.4%	16.2%	21.1%	78.9%
Grade 11	7.5%	11.6%	17.7%	82.3%
Grade 12	15.7%	20.6%	31.2%	68.8%
Any Prescription Drug				
All	4.2%	5.8%	10.3%	89.7%
Grade 7	5.4%	7.3%	13.9%	86.1%
Grade 8	4.5%	6.4%	12.2%	87.8%
Grade 9	3.3%	4.6%	7.4%	92.6%
Grade 10	3.5%	4.9%	7.8%	92.2%
Grade 11	6.1%	7.3%	11.0%	89.0%
Grade 12	2.3%	3.6%	8.8%	91.2%
Any Inhalant				
All	3.5%	4.6%	9.4%	90.6%
Grade 7	5.2%	6.9%	12.6%	87.4%
Grade 8	4.6%	6.3%	11.3%	88.7%
Grade 9	3.0%	3.7%	8.0%	92.0%
Grade 10	2.5%	3.1%	7.0%	93.0%
Grade 11	2.7%	3.4%	8.6%	91.4%
Grade 12	2.3%	3.4%	8.2%	91.8%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	5.9%	8.5%	16.7%	83.3%
Grade 7	3.1%	5.2%	11.9%	88.1%
Grade 8	4.1%	6.2%	13.3%	86.7%
Grade 9	4.8%	7.8%	16.4%	83.6%
Grade 10	7.3%	10.2%	19.0%	81.0%
Grade 11	5.6%	9.0%	18.2%	81.8%
Grade 12	12.9%	15.1%	25.1%	74.9%
Marijuana				
All	8.2%	9.6%	13.8%	86.2%
Grade 7	3.3%	4.0%	5.4%	94.6%
Grade 8	5.2%	6.6%	8.9%	91.1%
Grade 9	9.3%	10.0%	13.0%	87.0%
Grade 10	12.8%	13.6%	18.3%	81.7%
Grade 11	7.2%	9.2%	15.3%	84.7%
Grade 12	13.6%	17.4%	27.7%	72.3%
Marijuana Only				
All	4.5%	5.2%	8.5%	91.5%
Grade 7	1.4%	1.9%	3.0%	97.0%
Grade 8	2.9%	3.9%	5.8%	94.2%
Grade 9	6.1%	6.5%	9.1%	90.9%
Grade 10	8.3%	8.8%	12.7%	87.3%
Grade 11	3.0%	4.1%	9.3%	90.7%
Grade 12	5.4%	6.8%	13.6%	86.4%
Cocaine or Crack				
All	0.9%	1.0%	1.5%	98.5%
Grade 7	0.9%	1.1%	1.5%	98.5%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	1.0%	1.1%	1.5%	98.5%
Grade 10	0.8%	0.8%	0.9%	99.1%
Grade 11	0.3%	0.6%	1.0%	99.0%
Grade 12	1.8%	1.8%	4.4%	95.6%
Cocaine				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.8%	1.0%	1.4%	98.6%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.7%	0.8%	1.1%	98.9%
Grade 10	0.8%	0.8%	0.9%	99.1%
Grade 11	0.2%	0.5%	0.9%	99.1%
Grade 12	0.5%	0.5%	3.0%	97.0%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	1.3%	1.3%	1.3%	98.7%
Hallucinogens				
All	0.4%	0.8%	2.1%	97.9%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.4%	0.5%	1.3%	98.7%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.1%	1.0%	2.8%	97.2%
Grade 11	0.8%	1.5%	3.0%	97.0%
Grade 12	1.1%	1.4%	4.5%	95.5%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.2%	99.8%
Steroids				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.4%	0.7%	1.3%	98.7%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.9%	99.1%
Grade 11	0.1%	0.4%	0.9%	99.1%
Grade 12	1.6%	1.6%	1.8%	98.2%
Ecstasy				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.1%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.9%	99.1%

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.3%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.4%	99.6%
Synthetic Marijuana				
All	0.9%	1.2%	2.4%	97.6%
Grade 7	0.5%	0.6%	1.2%	98.8%
Grade 8	0.5%	0.9%	1.8%	98.2%
Grade 9	0.8%	1.0%	1.7%	98.3%
Grade 10	1.6%	1.9%	3.0%	97.0%
Grade 11	0.8%	1.2%	2.0%	98.0%
Grade 12	1.1%	1.7%	5.6%	94.4%
Methamphetamine				
All	0.2%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.7%	1.2%	1.4%	98.6%
Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.5%	99.5%
Delta 8				
All	1.0%	1.8%	3.7%	96.3%
Grade 7	0.5%	1.0%	2.1%	97.9%
Grade 8	0.7%	1.2%	2.0%	98.0%
Grade 9	0.8%	1.2%	2.0%	98.0%
Grade 10	1.0%	2.3%	4.5%	95.5%
Grade 11	1.9%	2.9%	4.3%	95.7%
Grade 12	1.6%	3.0%	9.5%	90.5%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.6%	10.7%	19.5%	80.5%
Grade 7	2.7%	3.8%	9.6%	90.4%
Grade 8	5.1%	6.5%	12.6%	87.4%
Grade 9	7.6%	12.3%	20.1%	79.9%
Grade 10	11.6%	13.8%	24.2%	75.8%
Grade 11	15.4%	18.0%	35.7%	64.3%
Grade 12	20.1%	21.7%	33.0%	67.0%
Any Alcohol Product				
All	20.5%	24.9%	42.2%	57.8%
Grade 7	9.7%	11.9%	30.4%	69.6%
Grade 8	18.5%	21.3%	40.0%	60.0%
Grade 9	21.1%	28.4%	43.6%	56.4%
Grade 10	23.2%	26.5%	44.1%	55.9%
Grade 11	30.6%	38.3%	51.5%	48.5%
Grade 12	33.6%	40.0%	58.8%	41.2%
Any Illicit Drug				
All	6.8%	9.6%	13.9%	86.1%
Grade 7	2.2%	3.5%	4.9%	95.1%
Grade 8	4.7%	7.3%	8.8%	91.2%
Grade 9	8.7%	10.0%	13.0%	87.0%
Grade 10	7.7%	11.4%	19.8%	80.2%
Grade 11	11.7%	16.3%	24.7%	75.3%
Grade 12	12.2%	18.5%	28.6%	71.4%
Any Prescription Drug				
All	5.1%	7.4%	13.6%	86.4%
Grade 7	4.4%	6.5%	13.4%	86.6%
Grade 8	6.1%	9.1%	15.3%	84.7%
Grade 9	5.7%	7.4%	13.4%	86.6%
Grade 10	5.3%	7.7%	13.2%	86.8%
Grade 11	4.6%	7.0%	11.7%	88.3%
Grade 12	3.5%	5.5%	13.0%	87.0%
Any Inhalant				
All	3.5%	4.7%	9.1%	90.9%
Grade 7	2.7%	3.9%	8.0%	92.0%
Grade 8	4.3%	5.9%	10.6%	89.4%
Grade 9	2.4%	2.9%	7.0%	93.0%
Grade 10	5.0%	5.4%	9.9%	90.1%
Grade 11	2.9%	4.1%	9.0%	91.0%
Grade 12	3.9%	6.4%	10.5%	89.5%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.3%	8.9%	16.9%	83.1%
Grade 7	1.3%	2.9%	7.3%	92.7%
Grade 8	3.0%	5.6%	11.1%	88.9%
Grade 9	5.8%	10.5%	17.2%	82.8%
Grade 10	9.0%	11.5%	22.5%	77.5%
Grade 11	12.1%	15.0%	30.2%	69.8%
Grade 12	15.6%	18.1%	29.4%	70.6%
Marijuana				
All	6.1%	7.8%	11.9%	88.1%
Grade 7	1.7%	2.1%	2.9%	97.1%
Grade 8	3.6%	5.2%	6.8%	93.2%
Grade 9	8.0%	8.9%	11.5%	88.5%
Grade 10	6.8%	9.0%	16.9%	83.1%
Grade 11	11.5%	14.5%	23.1%	76.9%
Grade 12	11.6%	15.8%	25.7%	74.3%
Marijuana Only				
All	2.1%	3.2%	6.3%	93.7%
Grade 7	0.7%	1.0%	1.7%	98.3%
Grade 8	1.8%	2.8%	3.9%	96.1%
Grade 9	4.1%	4.6%	6.5%	93.5%
Grade 10	2.1%	2.8%	9.1%	90.9%
Grade 11	2.0%	4.3%	11.1%	88.9%
Grade 12	3.0%	6.2%	12.3%	87.7%
Cocaine or Crack				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.5%	0.7%	0.8%	99.2%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	1.1%	1.1%	2.2%	97.8%
Grade 12	0.5%	0.5%	2.2%	97.8%
Cocaine				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.5%	0.7%	0.7%	99.3%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	1.1%	1.1%	2.2%	97.8%
Grade 12	0.5%	0.5%	2.2%	97.8%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.1%	99.9%
Hallucinogens				
All	0.5%	0.9%	2.1%	97.9%
Grade 7	0.0%	0.2%	0.4%	99.6%
Grade 8	0.5%	0.5%	1.2%	98.8%
Grade 9	0.1%	0.5%	1.3%	98.7%
Grade 10	0.2%	0.7%	1.9%	98.1%
Grade 11	1.0%	1.9%	5.1%	94.9%
Grade 12	2.4%	3.1%	6.2%	93.8%
Synthetic Cathinones				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.5%	99.5%
Steroids				
All	0.3%	0.6%	1.5%	98.5%
Grade 7	0.5%	0.9%	2.2%	97.8%
Grade 8	0.2%	0.4%	1.3%	98.7%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.6%	1.0%	1.7%	98.3%
Grade 11	0.2%	0.9%	1.4%	98.6%
Grade 12	0.0%	0.3%	1.5%	98.5%
Ecstasy				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.5%	0.7%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.3%	0.3%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.5%	0.5%	2.3%	97.7%

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
Synthetic Marijuana				
All	1.0%	1.3%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.9%	1.7%	98.3%
Grade 9	1.2%	1.6%	2.2%	97.8%
Grade 10	2.1%	2.7%	4.3%	95.7%
Grade 11	1.8%	2.0%	3.4%	96.6%
Grade 12	2.0%	2.1%	5.1%	94.9%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.4%	0.7%	99.3%
Grade 12	0.0%	0.4%	1.1%	98.9%
Delta 8				
All	1.8%	2.6%	4.9%	95.1%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.7%	1.2%	2.4%	97.6%
Grade 9	1.8%	2.4%	4.4%	95.6%
Grade 10	3.1%	4.6%	7.2%	92.8%
Grade 11	4.0%	5.3%	9.9%	90.1%
Grade 12	3.4%	5.0%	11.7%	88.3%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	5.0%	5.6%	12.8%	87.2%
Grade 7	4.1%	4.3%	10.5%	89.5%
Grade 8	4.1%	6.6%	12.2%	87.8%
Grade 9	6.3%	6.4%	15.8%	84.2%
Grade 10	2.8%	2.8%	14.5%	85.5%
Grade 11	6.5%	6.6%	11.7%	88.3%
Grade 12	7.1%	7.1%	11.5%	88.5%
Any Alcohol Product				
All	11.7%	13.4%	29.4%	70.6%
Grade 7	11.0%	12.6%	27.0%	73.0%
Grade 8	14.1%	16.7%	33.6%	66.4%
Grade 9	7.7%	9.8%	23.8%	76.2%
Grade 10	10.6%	10.8%	26.1%	73.9%
Grade 11	11.4%	11.6%	32.6%	67.4%
Grade 12	17.8%	21.5%	37.0%	63.0%
Any Illicit Drug				
All	6.3%	8.8%	13.0%	87.0%
Grade 7	4.1%	5.5%	7.0%	93.0%
Grade 8	7.8%	9.7%	12.6%	87.4%
Grade 9	6.5%	6.9%	10.5%	89.5%
Grade 10	9.6%	10.8%	14.4%	85.6%
Grade 11	2.1%	7.1%	12.8%	87.2%
Grade 12	7.3%	15.3%	26.9%	73.1%
Any Prescription Drug				
All	3.2%	4.3%	7.7%	92.3%
Grade 7	8.5%	10.8%	15.1%	84.9%
Grade 8	3.4%	4.8%	9.8%	90.2%
Grade 9	1.8%	2.6%	5.3%	94.7%
Grade 10	2.3%	3.9%	7.4%	92.6%
Grade 11	0.5%	0.5%	1.9%	98.1%
Grade 12	0.3%	0.3%	2.7%	97.3%
Any Inhalant				
All	3.0%	3.7%	8.1%	91.9%
Grade 7	4.5%	5.3%	7.6%	92.4%
Grade 8	3.4%	5.2%	8.7%	91.3%
Grade 9	3.9%	4.1%	8.0%	92.0%
Grade 10	0.2%	0.4%	2.5%	97.5%
Grade 11	4.8%	5.1%	16.3%	83.7%
Grade 12	0.1%	0.2%	6.4%	93.6%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	2.7%	3.4%	9.2%	90.8%
Grade 7	2.2%	2.8%	7.9%	92.1%
Grade 8	2.8%	5.4%	10.4%	89.6%
Grade 9	2.1%	2.2%	9.8%	90.2%
Grade 10	2.5%	2.6%	9.8%	90.2%
Grade 11	0.8%	0.9%	5.9%	94.1%
Grade 12	7.0%	7.0%	11.4%	88.6%
Marijuana				
All	4.7%	6.1%	9.9%	90.1%
Grade 7	2.2%	2.8%	3.5%	96.5%
Grade 8	5.7%	7.0%	9.9%	90.1%
Grade 9	6.2%	6.9%	10.5%	89.5%
Grade 10	9.5%	9.8%	12.4%	87.6%
Grade 11	2.1%	2.7%	7.2%	92.8%
Grade 12	1.3%	8.0%	19.6%	80.4%
Marijuana Only				
All	3.4%	4.4%	7.1%	92.9%
Grade 7	1.1%	1.7%	2.2%	97.8%
Grade 8	4.4%	5.1%	7.3%	92.7%
Grade 9	4.5%	4.8%	8.4%	91.6%
Grade 10	7.0%	7.2%	9.7%	90.3%
Grade 11	1.5%	2.1%	6.3%	93.7%
Grade 12	0.7%	5.7%	10.4%	89.6%
Cocaine or Crack				
All	1.1%	1.2%	1.4%	98.6%
Grade 7	1.1%	1.5%	1.5%	98.5%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	6.0%	6.0%	7.3%	92.7%
Cocaine				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.7%	0.8%	1.0%	99.0%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.7%	0.7%	2.0%	98.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.9%	1.1%	98.9%
Grade 7	0.4%	0.8%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	6.0%	6.0%	6.0%	94.0%
Hallucinogens				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.9%	0.9%	1.2%	98.8%
Grade 8	0.8%	0.9%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Cathinones				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	0.0%
Grade 9	0.0%	0.0%	0.0%	0.0%
Grade 10	0.0%	0.0%	0.0%	0.0%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.0%	0.0%	0.0%	0.0%
Steroids				
All	1.0%	1.1%	1.8%	98.2%
Grade 7	0.4%	0.4%	2.0%	98.0%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.4%	0.8%	1.2%	98.8%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	1.1%	1.1%	1.8%	98.2%
Grade 12	5.3%	5.3%	5.3%	94.7%
Ecstasy				
All	0.0%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	0.0%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.0%	0.0%	0.0%	0.0%

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.6%	0.8%	1.2%	98.8%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	0.0%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.7%	0.7%	0.7%	99.3%
Synthetic Marijuana				
All	0.4%	0.4%	1.2%	98.8%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	0.4%	0.5%	1.7%	98.3%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.2%	0.2%	1.2%	98.8%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	1.0%	1.0%	2.4%	97.6%
Methamphetamine				
All	0.4%	0.5%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.6%	1.0%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	0.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.7%	0.7%	0.7%	99.3%
Delta 8				
All	0.6%	0.7%	2.1%	97.9%
Grade 7	0.3%	0.3%	1.3%	98.7%
Grade 8	0.8%	1.1%	1.6%	98.4%
Grade 9	0.8%	0.8%	1.4%	98.6%
Grade 10	1.1%	1.3%	2.2%	97.8%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.3%	0.3%	7.1%	92.9%

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.9%	11.0%	19.7%	80.3%
Grade 7	5.0%	6.7%	14.4%	85.6%
Grade 8	6.3%	7.9%	15.8%	84.2%
Grade 9	6.8%	8.9%	17.7%	82.3%
Grade 10	9.8%	12.1%	19.9%	80.1%
Grade 11	10.8%	13.5%	23.3%	76.7%
Grade 12	16.1%	18.3%	28.9%	71.1%
Any Alcohol Product				
All	22.5%	25.5%	40.1%	59.9%
Grade 7	15.1%	17.4%	34.7%	65.3%
Grade 8	18.2%	20.5%	36.3%	63.7%
Grade 9	21.6%	24.6%	38.3%	61.7%
Grade 10	24.3%	27.7%	42.0%	58.0%
Grade 11	26.2%	30.1%	44.3%	55.7%
Grade 12	31.2%	34.6%	46.8%	53.2%
Any Illicit Drug				
All	9.8%	12.5%	17.0%	83.0%
Grade 7	3.8%	5.9%	8.0%	92.0%
Grade 8	6.4%	9.5%	12.0%	88.0%
Grade 9	10.1%	12.1%	15.7%	84.3%
Grade 10	12.3%	14.7%	18.4%	81.6%
Grade 11	11.3%	14.6%	21.3%	78.7%
Grade 12	15.7%	19.8%	29.1%	70.9%
Any Prescription Drug				
All	4.1%	6.0%	10.7%	89.3%
Grade 7	4.7%	6.4%	11.2%	88.8%
Grade 8	4.2%	6.1%	11.3%	88.7%
Grade 9	4.1%	5.6%	9.5%	90.5%
Grade 10	4.0%	6.2%	10.7%	89.3%
Grade 11	5.1%	6.4%	11.1%	88.9%
Grade 12	2.4%	5.5%	10.8%	89.2%
Any Inhalant				
All	3.3%	4.3%	9.2%	90.8%
Grade 7	5.4%	7.2%	13.3%	86.7%
Grade 8	4.2%	5.8%	10.8%	89.2%
Grade 9	3.3%	4.1%	8.6%	91.4%
Grade 10	2.4%	3.0%	7.1%	92.9%
Grade 11	2.3%	3.0%	7.7%	92.3%
Grade 12	1.8%	2.3%	7.3%	92.7%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.5%	9.0%	17.2%	82.8%
Grade 7	2.9%	4.8%	12.7%	87.3%
Grade 8	4.4%	6.3%	13.9%	86.1%
Grade 9	4.4%	7.0%	16.2%	83.8%
Grade 10	8.0%	10.2%	17.9%	82.1%
Grade 11	7.4%	11.1%	19.8%	80.2%
Grade 12	13.3%	16.0%	24.4%	75.6%
Marijuana				
All	9.1%	10.6%	14.9%	85.1%
Grade 7	3.2%	3.9%	5.6%	94.4%
Grade 8	5.7%	7.2%	9.5%	90.5%
Grade 9	9.6%	10.4%	13.5%	86.5%
Grade 10	10.9%	12.1%	15.9%	84.1%
Grade 11	11.0%	13.4%	19.7%	80.3%
Grade 12	15.1%	18.3%	27.9%	72.1%
Marijuana Only				
All	4.1%	5.0%	8.3%	91.7%
Grade 7	1.5%	2.0%	3.2%	96.8%
Grade 8	2.7%	3.5%	5.6%	94.4%
Grade 9	5.4%	5.8%	8.6%	91.4%
Grade 10	5.3%	6.1%	9.2%	90.8%
Grade 11	4.7%	6.2%	10.7%	89.3%
Grade 12	5.2%	6.3%	13.4%	86.6%
Cocaine or Crack				
All	0.8%	0.9%	1.6%	98.4%
Grade 7	0.7%	0.9%	1.2%	98.8%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	0.8%	0.8%	1.5%	98.5%
Grade 10	0.9%	0.9%	1.5%	98.5%
Grade 11	0.4%	0.5%	0.8%	99.2%
Grade 12	1.3%	1.5%	4.5%	95.5%
Cocaine				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.7%	0.9%	1.1%	98.9%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.5%	0.5%	1.1%	98.9%
Grade 10	0.9%	0.9%	1.5%	98.5%
Grade 11	0.2%	0.3%	0.6%	99.4%
Grade 12	1.3%	1.5%	4.4%	95.6%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.8%	99.2%
Hallucinogens				
All	0.7%	1.6%	2.9%	97.1%
Grade 7	0.3%	0.6%	0.9%	99.1%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	0.4%	0.7%	1.4%	98.6%
Grade 10	0.7%	1.6%	3.4%	96.6%
Grade 11	0.8%	2.9%	4.3%	95.7%
Grade 12	1.6%	3.4%	6.9%	93.1%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.5%	0.6%	99.4%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.8%	0.8%	1.2%	98.8%
Grade 10	0.4%	0.4%	1.6%	98.4%
Grade 11	1.0%	1.3%	2.0%	98.0%
Grade 12	0.6%	0.6%	1.3%	98.7%
Ecstasy				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.5%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.2%	0.2%	1.4%	98.6%

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.3%	0.6%	1.0%	99.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.2%	0.2%	0.8%	99.2%
Synthetic Marijuana				
All	0.8%	1.3%	2.3%	97.7%
Grade 7	0.5%	0.8%	1.5%	98.5%
Grade 8	0.6%	1.1%	1.8%	98.2%
Grade 9	0.6%	1.1%	1.8%	98.2%
Grade 10	1.8%	2.1%	2.7%	97.3%
Grade 11	0.8%	1.3%	2.0%	98.0%
Grade 12	0.4%	1.1%	4.1%	95.9%
Methamphetamine				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.7%	1.1%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	1.0%	1.0%	1.8%	98.2%
Delta 8				
All	1.6%	2.6%	4.4%	95.6%
Grade 7	0.5%	1.0%	2.1%	97.9%
Grade 8	0.9%	1.4%	2.3%	97.7%
Grade 9	1.3%	2.0%	3.0%	97.0%
Grade 10	1.5%	3.1%	4.9%	95.1%
Grade 11	2.3%	3.5%	5.7%	94.3%
Grade 12	3.5%	5.1%	9.5%	90.5%

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	5.6%	7.0%	14.2%	85.8%
Grade 7	1.6%	2.5%	7.3%	92.7%
Grade 8	2.3%	3.1%	6.9%	93.1%
Grade 9	5.1%	6.7%	13.1%	86.9%
Grade 10	5.8%	7.6%	15.2%	84.8%
Grade 11	7.7%	9.6%	21.6%	78.4%
Grade 12	13.0%	15.1%	25.0%	75.0%
Any Alcohol Product				
All	15.7%	19.2%	35.1%	64.9%
Grade 7	8.4%	10.1%	26.0%	74.0%
Grade 8	10.3%	13.3%	30.2%	69.8%
Grade 9	13.7%	16.7%	35.9%	64.1%
Grade 10	17.9%	21.3%	32.6%	67.4%
Grade 11	21.2%	26.8%	44.2%	55.8%
Grade 12	26.6%	31.0%	45.2%	54.8%
Any Illicit Drug				
All	5.1%	7.5%	11.0%	89.0%
Grade 7	1.9%	3.0%	4.0%	96.0%
Grade 8	2.5%	3.9%	5.1%	94.9%
Grade 9	4.5%	5.5%	7.7%	92.3%
Grade 10	7.9%	9.6%	12.8%	87.2%
Grade 11	4.4%	8.5%	15.9%	84.1%
Grade 12	11.5%	17.2%	24.7%	75.3%
Any Prescription Drug				
All	4.1%	5.7%	10.3%	89.7%
Grade 7	5.6%	7.5%	13.1%	86.9%
Grade 8	4.7%	6.9%	12.1%	87.9%
Grade 9	4.6%	5.4%	9.1%	90.9%
Grade 10	1.8%	3.6%	6.8%	93.2%
Grade 11	5.3%	6.4%	9.3%	90.7%
Grade 12	1.9%	3.5%	10.5%	89.5%
Any Inhalant				
All	2.2%	3.0%	7.2%	92.8%
Grade 7	2.4%	3.5%	8.3%	91.7%
Grade 8	3.2%	4.5%	8.2%	91.8%
Grade 9	2.5%	2.9%	7.6%	92.4%
Grade 10	1.2%	1.8%	5.2%	94.8%
Grade 11	2.1%	2.3%	7.2%	92.8%
Grade 12	1.9%	2.9%	5.7%	94.3%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.1%	5.9%	11.5%	88.5%
Grade 7	0.9%	1.9%	5.3%	94.7%
Grade 8	1.6%	2.4%	5.5%	94.5%
Grade 9	3.0%	5.1%	10.5%	89.5%
Grade 10	5.4%	7.2%	12.4%	87.6%
Grade 11	4.6%	7.7%	16.6%	83.4%
Grade 12	11.0%	13.4%	21.8%	78.2%
Marijuana				
All	4.4%	5.7%	9.2%	90.8%
Grade 7	1.3%	1.5%	2.1%	97.9%
Grade 8	1.8%	2.5%	3.7%	96.3%
Grade 9	4.4%	5.0%	7.0%	93.0%
Grade 10	7.6%	8.5%	11.8%	88.2%
Grade 11	4.2%	5.8%	12.8%	87.2%
Grade 12	9.0%	13.6%	21.7%	78.3%
Marijuana Only				
All	2.4%	3.0%	5.6%	94.4%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	1.1%	1.7%	2.7%	97.3%
Grade 9	2.1%	2.5%	4.1%	95.9%
Grade 10	5.1%	5.5%	8.2%	91.8%
Grade 11	2.3%	3.3%	9.1%	90.9%
Grade 12	4.1%	5.4%	10.7%	89.3%
Cocaine or Crack				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.7%	1.0%	99.0%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	2.2%	2.3%	4.8%	95.2%
Cocaine				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.3%	0.4%	99.6%
Grade 12	0.8%	0.9%	3.4%	96.6%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.5%	0.7%	99.3%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	1.9%	98.1%
Hallucinogens				
All	0.3%	0.4%	1.4%	98.6%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.2%	1.2%	98.8%
Grade 12	1.1%	1.3%	5.4%	94.6%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.6%	99.4%
Steroids				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.6%	1.0%	1.8%	98.2%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.1%	0.2%	0.8%	99.2%
Grade 10	0.3%	0.3%	1.2%	98.8%
Grade 11	0.1%	0.7%	1.6%	98.4%
Grade 12	1.8%	1.9%	2.0%	98.0%
Ecstasy				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.3%	0.3%	1.6%	98.4%

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.1%	0.3%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.7%	99.3%
Synthetic Marijuana				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.3%	0.5%	1.4%	98.6%
Grade 10	1.2%	1.3%	1.8%	98.2%
Grade 11	0.4%	0.7%	1.3%	98.7%
Grade 12	0.9%	1.3%	3.5%	96.5%
Methamphetamine				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.6%	99.4%
Delta 8				
All	0.7%	1.0%	2.4%	97.6%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.2%	0.4%	0.6%	99.4%
Grade 9	0.6%	0.7%	1.8%	98.2%
Grade 10	1.0%	1.2%	3.3%	96.7%
Grade 11	0.8%	1.3%	2.4%	97.6%
Grade 12	1.5%	2.4%	6.9%	93.1%

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.6%	11.8%	20.6%	79.4%
Grade 7	5.8%	7.3%	15.0%	85.0%
Grade 8	8.2%	10.3%	18.8%	81.2%
Grade 9	8.0%	10.4%	19.5%	80.5%
Grade 10	10.2%	13.0%	22.6%	77.4%
Grade 11	12.8%	15.3%	24.1%	75.9%
Grade 12	16.9%	18.5%	27.7%	72.3%
Any Alcohol Product				
All	22.5%	25.3%	40.3%	59.7%
Grade 7	15.2%	17.6%	35.2%	64.8%
Grade 8	22.1%	24.3%	41.5%	58.5%
Grade 9	20.9%	24.4%	35.7%	64.3%
Grade 10	24.1%	26.6%	42.4%	57.6%
Grade 11	26.4%	29.5%	42.8%	57.2%
Grade 12	30.7%	34.8%	48.5%	51.5%
Any Illicit Drug				
All	10.7%	13.5%	18.2%	81.8%
Grade 7	4.3%	6.3%	8.6%	91.4%
Grade 8	8.5%	12.0%	15.0%	85.0%
Grade 9	11.0%	12.8%	16.7%	83.3%
Grade 10	14.3%	17.0%	21.9%	78.1%
Grade 11	13.7%	16.9%	23.0%	77.0%
Grade 12	16.0%	19.8%	30.6%	69.4%
Any Prescription Drug				
All	4.4%	6.5%	11.5%	88.5%
Grade 7	4.8%	6.9%	12.4%	87.6%
Grade 8	4.8%	7.1%	12.6%	87.4%
Grade 9	3.5%	5.1%	8.9%	91.1%
Grade 10	5.6%	7.9%	12.9%	87.1%
Grade 11	4.0%	5.7%	11.0%	89.0%
Grade 12	3.5%	6.5%	10.7%	89.3%
Any Inhalant				
All	4.0%	5.2%	10.4%	89.6%
Grade 7	6.0%	7.7%	13.1%	86.9%
Grade 8	4.9%	6.7%	12.0%	88.0%
Grade 9	3.3%	4.0%	7.9%	92.1%
Grade 10	3.3%	3.9%	8.3%	91.7%
Grade 11	3.3%	4.3%	10.3%	89.7%
Grade 12	2.4%	3.1%	10.4%	89.6%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.8%	9.3%	18.1%	81.9%
Grade 7	3.3%	5.2%	13.1%	86.9%
Grade 8	5.2%	8.1%	16.7%	83.3%
Grade 9	5.6%	8.1%	17.4%	82.6%
Grade 10	7.9%	10.6%	20.5%	79.5%
Grade 11	8.9%	11.8%	20.8%	79.2%
Grade 12	13.4%	15.5%	23.5%	76.5%
Marijuana				
All	9.8%	11.3%	15.7%	84.3%
Grade 7	3.4%	4.1%	5.8%	94.2%
Grade 8	7.4%	9.1%	12.0%	88.0%
Grade 9	10.3%	11.2%	14.6%	85.4%
Grade 10	12.7%	14.0%	18.7%	81.3%
Grade 11	13.5%	15.8%	21.6%	78.4%
Grade 12	15.3%	18.0%	28.9%	71.1%
Marijuana Only				
All	4.5%	5.4%	8.8%	91.2%
Grade 7	1.6%	2.2%	3.5%	96.5%
Grade 8	3.7%	4.7%	7.1%	92.9%
Grade 9	6.1%	6.6%	9.6%	90.4%
Grade 10	6.6%	7.3%	11.1%	88.9%
Grade 11	4.8%	6.4%	10.2%	89.8%
Grade 12	4.1%	6.2%	13.6%	86.4%
Cocaine or Crack				
All	0.9%	0.9%	1.6%	98.4%
Grade 7	0.8%	0.9%	1.1%	98.9%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	0.9%	1.0%	1.5%	98.5%
Grade 10	1.0%	1.0%	1.6%	98.4%
Grade 11	0.8%	0.9%	1.5%	98.5%
Grade 12	1.3%	1.5%	3.8%	96.2%
Cocaine				
All	0.7%	0.8%	1.4%	98.6%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.6%	0.7%	1.1%	98.9%
Grade 10	1.0%	1.0%	1.6%	98.4%
Grade 11	0.5%	0.7%	1.2%	98.8%
Grade 12	1.3%	1.5%	3.7%	96.3%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.7%	99.3%
Hallucinogens				
All	0.8%	1.7%	3.0%	97.0%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	0.7%	1.0%	2.0%	98.0%
Grade 9	0.3%	0.6%	1.2%	98.8%
Grade 10	0.8%	1.9%	3.9%	96.1%
Grade 11	1.2%	3.7%	5.9%	94.1%
Grade 12	2.0%	4.3%	6.7%	93.3%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.5%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.6%	0.8%	1.5%	98.5%
Grade 7	0.3%	0.5%	1.5%	98.5%
Grade 8	0.3%	0.5%	1.2%	98.8%
Grade 9	0.9%	0.9%	1.1%	98.9%
Grade 10	0.4%	0.5%	1.6%	98.4%
Grade 11	1.3%	1.7%	2.3%	97.7%
Grade 12	0.4%	0.5%	1.7%	98.3%
Ecstasy				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.2%	0.5%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.2%	0.3%	1.3%	98.7%

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.3%	0.5%	1.0%	99.0%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.7%	99.3%
Synthetic Marijuana				
All	0.9%	1.3%	2.5%	97.5%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	0.6%	1.3%	2.3%	97.7%
Grade 9	0.8%	1.3%	1.9%	98.1%
Grade 10	1.7%	2.1%	3.3%	96.7%
Grade 11	1.0%	1.6%	2.4%	97.6%
Grade 12	0.6%	1.1%	4.6%	95.4%
Methamphetamine				
All	0.4%	0.6%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.6%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.8%	1.2%	1.5%	98.5%
Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	1.2%	1.3%	2.2%	97.8%
Delta 8				
All	2.0%	3.1%	5.1%	94.9%
Grade 7	0.7%	1.1%	2.2%	97.8%
Grade 8	1.3%	2.1%	3.5%	96.5%
Grade 9	1.6%	2.5%	3.5%	96.5%
Grade 10	2.0%	3.9%	5.6%	94.4%
Grade 11	3.1%	4.3%	7.4%	92.6%
Grade 12	4.7%	6.4%	11.7%	88.3%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.7%	8.0%	14.6%	85.4%
Grade 7	3.2%	4.2%	9.4%	90.6%
Grade 8	4.4%	5.6%	10.7%	89.3%
Grade 9	5.8%	7.1%	14.5%	85.5%
Grade 10	6.8%	8.0%	13.5%	86.5%
Grade 11	9.1%	10.9%	19.8%	80.2%
Grade 12	14.3%	15.9%	24.6%	75.4%
Any Alcohol Product				
All	18.5%	21.3%	35.9%	64.1%
Grade 7	11.2%	12.8%	29.3%	70.7%
Grade 8	15.5%	17.8%	33.9%	66.1%
Grade 9	18.5%	21.9%	35.3%	64.7%
Grade 10	17.8%	21.1%	33.7%	66.3%
Grade 11	24.4%	27.5%	42.0%	58.0%
Grade 12	29.4%	32.6%	46.5%	53.5%
Any Illicit Drug				
All	6.8%	9.0%	12.7%	87.3%
Grade 7	2.6%	3.9%	5.3%	94.7%
Grade 8	4.3%	6.7%	8.2%	91.8%
Grade 9	7.2%	8.5%	11.6%	88.4%
Grade 10	8.3%	9.9%	13.9%	86.1%
Grade 11	9.1%	11.8%	17.8%	82.2%
Grade 12	12.7%	17.5%	25.9%	74.1%
Any Prescription Drug				
All	4.0%	6.0%	10.3%	89.7%
Grade 7	4.7%	6.5%	12.0%	88.0%
Grade 8	4.9%	6.9%	12.0%	88.0%
Grade 9	4.3%	5.7%	10.0%	90.0%
Grade 10	2.6%	4.6%	8.3%	91.7%
Grade 11	4.7%	6.1%	9.8%	90.2%
Grade 12	2.3%	5.7%	8.5%	91.5%
Any Inhalant				
All	3.0%	3.8%	8.4%	91.6%
Grade 7	4.3%	5.4%	10.3%	89.7%
Grade 8	4.3%	5.6%	9.8%	90.2%
Grade 9	2.5%	3.1%	7.9%	92.1%
Grade 10	1.7%	2.2%	6.4%	93.6%
Grade 11	2.8%	3.3%	8.3%	91.7%
Grade 12	1.4%	1.9%	6.3%	93.7%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.8%	6.5%	12.5%	87.5%
Grade 7	1.8%	2.9%	7.8%	92.2%
Grade 8	2.8%	4.3%	9.0%	91.0%
Grade 9	4.3%	6.0%	13.2%	86.8%
Grade 10	5.6%	6.8%	11.9%	88.1%
Grade 11	5.9%	8.7%	16.9%	83.1%
Grade 12	11.6%	13.4%	20.4%	79.6%
Marijuana				
All	5.9%	7.2%	10.7%	89.3%
Grade 7	1.9%	2.3%	3.3%	96.7%
Grade 8	3.2%	4.4%	5.9%	94.1%
Grade 9	6.5%	7.2%	10.0%	90.0%
Grade 10	7.3%	8.0%	11.8%	88.2%
Grade 11	8.9%	10.5%	16.6%	83.4%
Grade 12	10.6%	14.3%	22.8%	77.2%
Marijuana Only				
All	2.8%	3.5%	6.3%	93.7%
Grade 7	0.8%	1.1%	1.8%	98.2%
Grade 8	1.6%	2.3%	3.6%	96.4%
Grade 9	3.7%	4.1%	6.6%	93.4%
Grade 10	3.7%	4.1%	7.2%	92.8%
Grade 11	3.9%	4.8%	9.8%	90.2%
Grade 12	4.0%	5.9%	12.1%	87.9%
Cocaine or Crack				
All	0.8%	0.9%	1.2%	98.8%
Grade 7	0.5%	0.8%	0.9%	99.1%
Grade 8	0.4%	0.5%	0.5%	99.5%
Grade 9	0.7%	0.7%	0.9%	99.1%
Grade 10	0.8%	0.8%	1.5%	98.5%
Grade 11	0.5%	0.7%	0.8%	99.2%
Grade 12	2.0%	2.0%	3.1%	96.9%
Cocaine				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.4%	0.5%	0.5%	99.5%
Grade 10	0.8%	0.8%	1.5%	98.5%
Grade 11	0.3%	0.5%	0.6%	99.4%
Grade 12	1.0%	1.0%	2.1%	97.9%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	1.0%	1.0%	1.5%	98.5%
Hallucinogens				
All	0.4%	0.8%	1.5%	98.5%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.2%	1.0%	1.8%	98.2%
Grade 11	0.4%	1.6%	2.8%	97.2%
Grade 12	1.4%	2.0%	3.7%	96.3%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.1%	0.4%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.3%	0.7%	1.4%	98.6%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.9%	1.0%	1.4%	98.6%
Grade 10	0.3%	0.4%	1.2%	98.8%
Grade 11	0.1%	0.7%	1.3%	98.7%
Grade 12	1.2%	1.3%	2.1%	97.9%
Ecstasy				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.1%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.0%	1.4%	98.6%

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.3%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.1%	0.2%	0.2%	99.8%
Grade 12	0.3%	0.3%	1.0%	99.0%
Synthetic Marijuana				
All	0.5%	0.9%	1.8%	98.2%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.3%	0.7%	1.2%	98.8%
Grade 9	0.7%	1.0%	1.6%	98.4%
Grade 10	1.1%	1.5%	2.4%	97.6%
Grade 11	0.4%	0.8%	1.6%	98.4%
Grade 12	0.7%	1.0%	4.2%	95.8%
Methamphetamine				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.6%	1.0%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.1%	0.2%	0.9%	99.1%
Delta 8				
All	1.2%	1.8%	3.1%	96.9%
Grade 7	0.3%	0.5%	1.1%	98.9%
Grade 8	0.5%	1.0%	1.6%	98.4%
Grade 9	1.2%	1.5%	2.3%	97.7%
Grade 10	0.9%	2.1%	3.4%	96.6%
Grade 11	1.8%	2.5%	4.0%	96.0%
Grade 12	3.4%	4.3%	8.7%	91.3%

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.5%	13.5%	24.7%	75.3%
Grade 7	5.9%	7.8%	17.1%	82.9%
Grade 8	8.7%	11.3%	21.3%	78.7%
Grade 9	9.3%	13.0%	22.8%	77.2%
Grade 10	11.3%	15.9%	30.2%	69.8%
Grade 11	13.2%	16.1%	29.2%	70.8%
Grade 12	16.5%	18.6%	30.1%	69.9%
Any Alcohol Product				
All	22.4%	26.1%	43.1%	56.9%
Grade 7	15.0%	18.2%	36.4%	63.6%
Grade 8	21.6%	24.6%	43.6%	56.4%
Grade 9	18.6%	22.0%	37.8%	62.2%
Grade 10	28.7%	30.9%	48.0%	52.0%
Grade 11	24.0%	29.6%	46.0%	54.0%
Grade 12	28.9%	34.6%	49.0%	51.0%
Any Illicit Drug				
All	11.7%	15.1%	20.3%	79.7%
Grade 7	5.0%	7.3%	9.7%	90.3%
Grade 8	10.0%	13.3%	17.2%	82.8%
Grade 9	11.8%	13.6%	17.5%	82.5%
Grade 10	17.2%	20.6%	25.6%	74.4%
Grade 11	11.2%	16.7%	24.4%	75.6%
Grade 12	16.1%	20.9%	31.3%	68.7%
Any Prescription Drug				
All	4.6%	6.5%	12.2%	87.8%
Grade 7	5.8%	8.2%	13.6%	86.4%
Grade 8	4.4%	7.1%	13.3%	86.7%
Grade 9	3.1%	4.9%	8.1%	91.9%
Grade 10	6.3%	8.5%	14.0%	86.0%
Grade 11	4.2%	5.6%	11.2%	88.8%
Grade 12	3.6%	4.4%	13.7%	86.3%
Any Inhalant				
All	3.9%	5.3%	10.3%	89.7%
Grade 7	5.3%	7.5%	13.4%	86.6%
Grade 8	4.2%	6.6%	11.8%	88.2%
Grade 9	3.8%	4.4%	7.3%	92.7%
Grade 10	3.9%	4.6%	8.5%	91.5%
Grade 11	2.6%	3.6%	10.1%	89.9%
Grade 12	3.4%	4.6%	11.3%	88.7%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.4%	10.8%	21.4%	78.6%
Grade 7	3.4%	5.9%	14.4%	85.6%
Grade 8	5.8%	9.1%	19.4%	80.6%
Grade 9	5.5%	9.4%	18.9%	81.1%
Grade 10	9.0%	13.4%	26.7%	73.3%
Grade 11	9.1%	12.3%	23.6%	76.4%
Grade 12	13.4%	16.3%	27.3%	72.7%
Marijuana				
All	10.9%	12.9%	17.8%	82.2%
Grade 7	3.9%	4.8%	6.3%	93.7%
Grade 8	9.1%	10.8%	14.5%	85.5%
Grade 9	11.7%	12.5%	15.8%	84.2%
Grade 10	15.8%	17.8%	22.8%	77.2%
Grade 11	10.7%	14.0%	20.7%	79.3%
Grade 12	15.6%	19.2%	30.3%	69.7%
Marijuana Only				
All	5.1%	6.3%	9.9%	90.1%
Grade 7	2.0%	2.6%	3.9%	96.1%
Grade 8	4.8%	5.9%	9.0%	91.0%
Grade 9	6.4%	6.9%	9.7%	90.3%
Grade 10	9.5%	10.6%	14.7%	85.3%
Grade 11	3.3%	5.7%	9.9%	90.1%
Grade 12	4.2%	6.0%	12.8%	87.2%
Cocaine or Crack				
All	0.7%	0.7%	1.8%	98.2%
Grade 7	0.7%	0.8%	1.3%	98.7%
Grade 8	0.7%	0.7%	1.2%	98.8%
Grade 9	0.6%	0.7%	1.7%	98.3%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.3%	0.5%	1.2%	98.8%
Grade 12	1.1%	1.4%	5.8%	94.2%
Cocaine				
All	0.6%	0.7%	1.8%	98.2%
Grade 7	0.5%	0.6%	1.2%	98.8%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	0.6%	0.6%	1.7%	98.3%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.3%	0.5%	1.2%	98.8%
Grade 12	1.1%	1.4%	5.7%	94.3%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.3%	0.3%	0.7%	99.3%
Hallucinogens				
All	1.0%	1.9%	3.8%	96.2%
Grade 7	0.3%	0.5%	1.2%	98.8%
Grade 8	1.0%	1.2%	2.5%	97.5%
Grade 9	0.6%	1.1%	2.0%	98.0%
Grade 10	1.1%	1.7%	3.6%	96.4%
Grade 11	1.4%	3.6%	6.0%	94.0%
Grade 12	1.9%	4.5%	9.5%	90.5%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.0%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.3%	99.7%
Steroids				
All	0.7%	0.8%	1.6%	98.4%
Grade 7	0.6%	0.7%	2.1%	97.9%
Grade 8	0.5%	0.8%	1.6%	98.4%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.4%	0.6%	1.2%	98.8%
Grade 11	2.0%	2.2%	3.1%	96.9%
Grade 12	0.5%	0.8%	1.2%	98.8%
Ecstasy				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.5%	0.6%	1.4%	98.6%

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.3%	99.7%
Synthetic Marijuana				
All	1.1%	1.5%	2.6%	97.4%
Grade 7	0.5%	0.7%	1.3%	98.7%
Grade 8	0.8%	1.3%	2.5%	97.5%
Grade 9	0.6%	1.0%	2.0%	98.0%
Grade 10	2.3%	2.5%	3.5%	96.5%
Grade 11	1.5%	1.9%	2.5%	97.5%
Grade 12	0.8%	1.6%	3.9%	96.1%
Methamphetamine				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.7%	0.7%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	1.8%	1.8%	2.3%	97.7%
Delta 8				
All	2.0%	3.2%	5.6%	94.4%
Grade 7	0.9%	1.4%	2.6%	97.4%
Grade 8	1.4%	2.1%	3.7%	96.3%
Grade 9	1.4%	2.5%	4.0%	96.0%
Grade 10	2.8%	4.4%	6.3%	93.7%
Grade 11	2.8%	4.4%	7.9%	92.1%
Grade 12	2.9%	5.0%	10.9%	89.1%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	6.4%	7.9%	15.9%	84.1%
Grade 7	3.3%	4.3%	9.6%	90.4%
Grade 8	4.5%	5.8%	11.7%	88.3%
Grade 9	6.3%	8.0%	15.6%	84.4%
Grade 10	7.1%	8.4%	17.6%	82.4%
Grade 11	7.1%	8.8%	20.7%	79.3%
Grade 12	13.5%	15.4%	25.8%	74.2%
Any Alcohol Product				
All	18.6%	21.5%	37.5%	62.5%
Grade 7	10.4%	12.0%	29.2%	70.8%
Grade 8	15.7%	18.0%	35.2%	64.8%
Grade 9	17.4%	20.6%	35.0%	65.0%
Grade 10	21.8%	25.0%	39.9%	60.1%
Grade 11	22.3%	26.6%	42.6%	57.4%
Grade 12	30.1%	34.1%	49.8%	50.2%
Any Illicit Drug				
All	6.8%	9.1%	13.2%	86.8%
Grade 7	2.3%	3.5%	4.9%	95.1%
Grade 8	5.2%	7.3%	9.0%	91.0%
Grade 9	7.0%	8.6%	12.0%	88.0%
Grade 10	10.0%	12.0%	16.7%	83.3%
Grade 11	8.0%	11.3%	17.9%	82.1%
Grade 12	11.3%	16.3%	25.4%	74.6%
Any Prescription Drug				
All	4.3%	6.2%	10.6%	89.4%
Grade 7	4.5%	6.5%	11.8%	88.2%
Grade 8	4.5%	6.8%	11.8%	88.2%
Grade 9	4.0%	5.2%	8.4%	91.6%
Grade 10	4.8%	7.2%	10.8%	89.2%
Grade 11	4.8%	6.3%	9.6%	90.4%
Grade 12	2.3%	5.1%	10.6%	89.4%
Any Inhalant				
All	2.8%	3.7%	7.9%	92.1%
Grade 7	4.0%	5.1%	9.8%	90.2%
Grade 8	3.4%	4.5%	8.8%	91.2%
Grade 9	2.3%	2.8%	6.1%	93.9%
Grade 10	2.6%	3.2%	6.6%	93.4%
Grade 11	2.0%	2.5%	6.9%	93.1%
Grade 12	2.1%	3.1%	8.4%	91.6%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.7%	6.4%	13.6%	86.4%
Grade 7	1.9%	3.0%	7.9%	92.1%
Grade 8	2.9%	4.4%	10.0%	90.0%
Grade 9	4.1%	6.0%	13.4%	86.6%
Grade 10	5.7%	7.3%	15.4%	84.6%
Grade 11	5.7%	7.6%	18.0%	82.0%
Grade 12	10.8%	13.3%	21.7%	78.3%
Marijuana				
All	6.0%	7.3%	11.1%	88.9%
Grade 7	1.5%	1.8%	2.6%	97.4%
Grade 8	4.3%	5.2%	6.9%	93.1%
Grade 9	6.4%	7.3%	10.3%	89.7%
Grade 10	8.7%	9.8%	14.3%	85.7%
Grade 11	7.8%	9.6%	15.9%	84.1%
Grade 12	10.2%	13.8%	23.5%	76.5%
Marijuana Only				
All	3.0%	3.7%	6.8%	93.2%
Grade 7	0.8%	1.0%	1.7%	98.3%
Grade 8	2.4%	3.2%	4.7%	95.3%
Grade 9	4.4%	4.9%	7.7%	92.3%
Grade 10	4.7%	5.2%	9.2%	90.8%
Grade 11	2.7%	3.8%	8.4%	91.6%
Grade 12	3.3%	4.9%	12.4%	87.6%
Cocaine or Crack				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.5%	99.5%
Grade 9	0.5%	0.6%	0.7%	99.3%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.3%	0.5%	0.7%	99.3%
Grade 12	0.9%	1.1%	2.6%	97.4%
Cocaine				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.1%	0.3%	0.6%	99.4%
Grade 12	0.9%	1.0%	2.6%	97.4%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.5%	99.5%
Hallucinogens				
All	0.5%	0.8%	1.9%	98.1%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.6%	1.0%	2.5%	97.5%
Grade 11	0.4%	1.5%	2.9%	97.1%
Grade 12	1.4%	2.1%	5.6%	94.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.1%	0.1%	0.3%	99.7%
Steroids				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.3%	0.5%	1.4%	98.6%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.7%	0.8%	1.1%	98.9%
Grade 10	0.3%	0.4%	1.7%	98.3%
Grade 11	0.8%	1.3%	2.1%	97.9%
Grade 12	0.3%	0.3%	0.7%	99.3%
Ecstasy				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.4%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.2%	0.2%	0.9%	99.1%

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.1%	0.2%	0.2%	99.8%
Grade 12	0.2%	0.2%	0.5%	99.5%
Synthetic Marijuana				
All	0.5%	0.8%	1.5%	98.5%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.6%	1.0%	99.0%
Grade 9	0.4%	0.7%	1.2%	98.8%
Grade 10	1.2%	1.4%	2.1%	97.9%
Grade 11	0.7%	1.1%	1.9%	98.1%
Grade 12	0.6%	1.0%	2.7%	97.3%
Methamphetamine				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.7%	0.7%	0.8%	99.2%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.5%	99.5%
Delta 8				
All	1.3%	1.8%	3.3%	96.7%
Grade 7	0.3%	0.5%	1.1%	98.9%
Grade 8	0.6%	1.0%	1.5%	98.5%
Grade 9	1.1%	1.3%	2.0%	98.0%
Grade 10	1.1%	2.1%	3.9%	96.1%
Grade 11	2.2%	2.9%	5.5%	94.5%
Grade 12	3.3%	4.5%	8.4%	91.6%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.4%	17.8%	27.3%	72.7%
Grade 7	9.0%	12.1%	25.1%	74.9%
Grade 8	11.6%	15.1%	25.1%	74.9%
Grade 9	9.2%	14.4%	23.4%	76.6%
Grade 10	13.5%	18.2%	28.7%	71.3%
Grade 11	23.9%	26.0%	31.7%	68.3%
Grade 12	21.9%	23.1%	31.2%	68.8%
Any Alcohol Product				
All	25.4%	29.5%	43.7%	56.3%
Grade 7	24.0%	29.2%	46.6%	53.4%
Grade 8	26.7%	29.3%	47.2%	52.8%
Grade 9	19.4%	25.0%	40.2%	59.8%
Grade 10	22.0%	24.9%	38.4%	61.6%
Grade 11	32.8%	37.0%	46.0%	54.0%
Grade 12	29.4%	33.5%	45.2%	54.8%
Any Illicit Drug				
All	15.2%	19.2%	23.8%	76.2%
Grade 7	9.7%	13.9%	17.1%	82.9%
Grade 8	10.4%	15.6%	20.2%	79.8%
Grade 9	15.3%	17.2%	20.1%	79.9%
Grade 10	16.7%	20.4%	23.6%	76.4%
Grade 11	18.9%	22.8%	30.0%	70.0%
Grade 12	21.6%	27.2%	34.6%	65.4%
Any Prescription Drug				
All	4.9%	6.6%	13.1%	86.9%
Grade 7	8.9%	10.9%	18.2%	81.8%
Grade 8	6.3%	8.8%	16.1%	83.9%
Grade 9	4.3%	6.4%	11.2%	88.8%
Grade 10	2.7%	3.6%	9.6%	90.4%
Grade 11	3.7%	4.9%	13.7%	86.3%
Grade 12	3.7%	4.8%	10.0%	90.0%
Any Inhalant				
All	5.4%	7.3%	14.2%	85.8%
Grade 7	8.4%	11.6%	18.5%	81.5%
Grade 8	8.4%	12.4%	19.4%	80.6%
Grade 9	3.5%	5.0%	12.0%	88.0%
Grade 10	2.9%	3.7%	8.4%	91.6%
Grade 11	6.7%	8.3%	20.0%	80.0%
Grade 12	2.7%	2.8%	6.3%	93.7%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.2%	14.6%	23.7%	76.3%
Grade 7	5.0%	9.7%	22.6%	77.4%
Grade 8	7.8%	12.3%	22.8%	77.2%
Grade 9	6.2%	11.8%	19.9%	80.1%
Grade 10	10.4%	15.3%	25.0%	75.0%
Grade 11	13.8%	18.8%	24.5%	75.5%
Grade 12	20.0%	21.4%	28.6%	71.4%
Marijuana				
All	14.1%	16.4%	21.0%	79.0%
Grade 7	8.8%	10.4%	13.5%	86.5%
Grade 8	8.9%	12.3%	16.5%	83.5%
Grade 9	15.0%	15.7%	18.6%	81.4%
Grade 10	15.8%	17.7%	21.4%	78.6%
Grade 11	18.6%	20.1%	26.8%	73.2%
Grade 12	18.5%	23.8%	31.4%	68.6%
Marijuana Only				
All	6.6%	8.0%	11.3%	88.7%
Grade 7	3.4%	4.7%	7.0%	93.0%
Grade 8	4.0%	5.3%	8.8%	91.2%
Grade 9	6.8%	7.2%	9.8%	90.2%
Grade 10	9.1%	10.2%	12.7%	87.3%
Grade 11	8.5%	9.6%	15.4%	84.6%
Grade 12	7.9%	11.4%	14.8%	85.2%
Cocaine or Crack				
All	1.7%	1.9%	2.9%	97.1%
Grade 7	2.0%	2.8%	4.0%	96.0%
Grade 8	0.9%	0.9%	1.6%	98.4%
Grade 9	1.1%	1.2%	3.0%	97.0%
Grade 10	1.7%	1.7%	2.2%	97.8%
Grade 11	1.4%	1.4%	1.6%	98.4%
Grade 12	3.8%	3.9%	5.8%	94.2%
Cocaine				
All	1.2%	1.3%	2.4%	97.6%
Grade 7	1.8%	2.3%	3.5%	96.5%
Grade 8	0.5%	0.7%	1.5%	98.5%
Grade 9	1.1%	1.2%	3.0%	97.0%
Grade 10	1.6%	1.6%	2.1%	97.9%
Grade 11	1.4%	1.4%	1.5%	98.5%
Grade 12	0.9%	0.9%	2.8%	97.2%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.7%	0.8%	1.2%	98.8%
	Grade 7	0.6%	1.4%	3.0%	97.0%
	Grade 8	0.7%	0.7%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.1%	0.1%	0.3%	99.7%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	3.0%	3.1%	3.6%	96.4%
	Hallucinogens	All	1.2%	2.5%	4.5%
Grade 7		0.5%	0.9%	2.3%	97.7%
Grade 8		1.4%	1.7%	3.4%	96.6%
Grade 9		0.8%	1.4%	2.9%	97.1%
Grade 10		0.4%	2.1%	4.2%	95.8%
Grade 11		2.1%	6.0%	9.7%	90.3%
Grade 12		2.1%	3.4%	5.1%	94.9%
Synthetic Cathinones		All	0.1%	0.2%	0.5%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.3%	0.5%	1.3%	98.7%
	Grade 9	0.0%	0.4%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.4%	99.6%
	Steroids	All	1.1%	1.4%	2.3%
Grade 7		0.7%	1.5%	2.8%	97.2%
Grade 8		0.3%	0.5%	2.0%	98.0%
Grade 9		0.3%	0.3%	0.9%	99.1%
Grade 10		0.8%	0.8%	1.4%	98.6%
Grade 11		1.2%	1.3%	1.9%	98.1%
Grade 12		3.8%	4.5%	5.8%	94.2%
Ecstasy		All	0.3%	0.4%	1.1%
	Grade 7	0.4%	0.4%	0.6%	99.4%
	Grade 8	0.5%	0.8%	1.4%	98.6%
	Grade 9	0.4%	0.5%	1.1%	98.9%
	Grade 10	0.0%	0.0%	0.4%	99.6%
	Grade 11	0.2%	0.3%	0.6%	99.4%
	Grade 12	0.4%	0.5%	2.2%	97.8%

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.3%	0.9%	1.7%	98.3%
Grade 8	0.2%	0.4%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.0%	0.0%	0.8%	99.2%
Synthetic Marijuana				
All	1.5%	2.3%	4.5%	95.5%
Grade 7	1.4%	2.1%	3.9%	96.1%
Grade 8	1.2%	2.3%	4.5%	95.5%
Grade 9	1.9%	2.5%	4.2%	95.8%
Grade 10	1.9%	2.7%	4.0%	96.0%
Grade 11	1.5%	1.8%	2.5%	97.5%
Grade 12	1.2%	2.2%	8.6%	91.4%
Methamphetamine				
All	0.3%	0.7%	1.4%	98.6%
Grade 7	0.4%	0.6%	1.6%	98.4%
Grade 8	0.7%	0.8%	1.9%	98.1%
Grade 9	0.1%	0.1%	0.8%	99.2%
Grade 10	0.6%	2.1%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.3%	1.6%	98.4%
Delta 8				
All	2.6%	4.2%	7.0%	93.0%
Grade 7	1.7%	2.6%	4.7%	95.3%
Grade 8	2.2%	3.2%	6.2%	93.8%
Grade 9	2.3%	3.5%	4.9%	95.1%
Grade 10	3.9%	6.7%	7.9%	92.1%
Grade 11	3.5%	4.8%	6.7%	93.3%
Grade 12	2.4%	4.5%	13.0%	87.0%

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	1,053,416	49.2%
Female	1,086,268	50.8%
Frequency Missing	14,585	

Hispanic or Latino

Q5a	Frequency	Percent
No	849,427	39.8%
Yes	1,285,221	60.2%
Frequency Missing	19,621	

Grade

Q2	Frequency	Percent
Grade 7	401,918	18.7%
Grade 8	406,442	18.9%
Grade 9	403,423	18.8%
Grade 10	351,220	16.4%
Grade 11	315,752	14.7%
Grade 12	267,682	12.5%
Frequency Missing	7,833	

Ethnicity

Q5b	Frequency	Percent
American Indian	47,223	2.3%
Asian American	60,780	3.0%
African American	286,417	14.1%
Pacific Islander	7,249	0.4%
White	770,838	37.9%
Other	551,841	27.1%
More Than One Race	312,190	15.3%
Frequency Missing	117,732	

Live with Both Parents

Q3	Frequency	Percent
No	787,428	36.8%
Yes	1,350,530	63.2%
Frequency Missing	16,311	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	12,936	0.6%
Mostly D's	31,931	1.5%
Mostly C's	281,619	13.4%
Mostly B's	986,234	46.8%
Mostly A's	795,773	37.7%
Frequency Missing	45,778	

Age

Q4	Frequency	Percent
11 or younger	3,497	0.2%
12	168,386	7.8%
13	383,884	17.9%
14	366,619	17.0%
15	381,128	17.7%
16	343,083	16.0%
17	327,884	15.2%
18	159,492	7.4%
19 or older	16,479	0.8%
Frequency Missing	3,818	

Do You Have a Job

Q7	Frequency	Percent
No	1,695,628	80.3%
Yes	415,458	19.7%
Frequency Missing	43,183	

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	411,128	19.5%
Yes	926,438	43.9%
Don't Know	773,175	36.6%
Frequency Missing	43,529	

**Participate in School Athletics (UIL, Varsity,
Jr Varsity)**

Q9a	Frequency	Percent
No	1,122,096	55.3%
Yes	907,599	44.7%
Frequency Missing	124,575	

**Participate in Academic
Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	1,563,876	80.8%
Yes	371,992	19.2%
Frequency Missing	218,401	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	1,544,667	79.0%
Yes	411,228	21.0%
Frequency Missing	198,375	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	1,488,473	76.7%
Yes	451,131	23.3%
Frequency Missing	214,665	

Participate in School Choir

Q9c	Frequency	Percent
No	1,749,490	91.2%
Yes	168,651	8.8%
Frequency Missing	236,129	

**Participate in Athletic Teams Outside of
School**

Q9h	Frequency	Percent
No	1,414,081	72.0%
Yes	549,379	28.0%
Frequency Missing	190,809	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	1,803,051	93.7%
Yes	120,958	6.3%
Frequency Missing	230,261	

**Participate in Other Clubs or Groups
Outside of School**

Q9i	Frequency	Percent
No	1,582,488	82.1%
Yes	346,179	17.9%
Frequency Missing	225,602	

**Participate in Student Government/School
Newspaper/Yearbook**

Q9e	Frequency	Percent
No	1,800,144	94.0%
Yes	114,993	6.0%
Frequency Missing	239,132	

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	1,853,258	86.6%
Somewhat Safe	247,270	11.6%
Not Very Safe	14,227	0.7%
Not Safe At All	4,550	0.2%
Don't Know	21,490	1.0%
Frequency Missing	13,475	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	954,324	44.8%
Somewhat Safe	966,115	45.3%
Not Very Safe	127,006	6.0%
Not Safe At All	20,653	1.0%
Don't Know	64,457	3.0%
Frequency Missing	21,715	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	1,354,334	64.5%
Yes	744,549	35.5%
Frequency Missing	55,386	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	624,545	29.3%
Somewhat Safe	1,097,323	51.4%
Not Very Safe	239,097	11.2%
Not Safe At All	84,757	4.0%
Don't Know	87,932	4.1%
Frequency Missing	20,615	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	132,735	6.3%
A Few	426,339	20.3%
Some	479,653	22.9%
Most	712,284	34.0%
All	345,114	16.5%
Frequency Missing	58,145	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	196,309	9.4%
Some High School	232,896	11.2%
Finished High School	453,693	21.8%
Some College	192,634	9.2%
Finished College	304,578	14.6%
Post-Secondary	193,123	9.3%
Don't Know or N/A	511,423	24.5%
Frequency Missing	69,613	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	52,102	2.5%
A Few	265,444	12.7%
Some	508,241	24.2%
Most	831,978	39.7%
All	438,614	20.9%
Frequency Missing	57,891	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	169,408	8.1%
Some High School	206,413	9.9%
Finished High School	394,139	18.9%
Some College	259,223	12.4%
Finished College	423,957	20.3%
Post-Secondary	278,472	13.4%
Don't Know or N/A	353,938	17.0%
Frequency Missing	68,720	

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	1,006,868	48.5%
A Few	577,729	27.8%
Some	284,791	13.7%
Most	133,759	6.4%
All	73,079	3.5%
Frequency Missing	78,044	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	1,756,737	84.2%
A Few	200,962	9.6%
Some	80,014	3.8%
Most	31,116	1.5%
All	18,264	0.9%
Frequency Missing	67,176	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	2,075,002	99.4%
In Your Lifetime	6,339	0.3%
Since School Began	2,184	0.1%
In the Past Month	4,455	0.2%
Frequency Missing	66,290	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	1,897,261	90.8%
A Few	121,462	5.8%
Some	40,273	1.9%
Most	15,696	0.8%
All	15,017	0.7%
Frequency Missing	64,562	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	2,018,967	96.4%
In Your Lifetime	52,037	2.5%
Since School Began	9,227	0.4%
In the Past Month	13,223	0.6%
Frequency Missing	60,817	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	2,066,644	98.6%
In Your Lifetime	19,875	0.9%
Since School Began	2,088	0.1%
In the Past Month	7,911	0.4%
Frequency Missing	57,751	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	2,066,652	98.8%
In Your Lifetime	16,179	0.8%
Since School Began	3,108	0.1%
In the Past Month	4,781	0.2%
Frequency Missing	63,550	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	2,025,907	96.8%
In Your Lifetime	45,503	2.2%
Since School Began	6,235	0.3%
In the Past Month	14,617	0.7%
Frequency Missing	62,008	

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	2,075,611	99.3%
In Your Lifetime	8,278	0.4%
Since School Began	2,437	0.1%
In the Past Month	2,973	0.1%
Frequency Missing	64,971	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	2,050,757	98.0%
In Your Lifetime	25,215	1.2%
Since School Began	4,202	0.2%
In the Past Month	12,438	0.6%
Frequency Missing	61,657	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	1,606,382	77.1%
In Your Lifetime	270,252	13.0%
Since School Began	63,398	3.0%
In the Past Month	144,530	6.9%
Frequency Missing	69,707	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	2,062,837	98.6%
In Your Lifetime	16,529	0.8%
Since School Began	2,871	0.1%
In the Past Month	9,645	0.5%
Frequency Missing	62,387	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	1,733,932	83.1%
In Your Lifetime	172,071	8.2%
Since School Began	56,757	2.7%
In the Past Month	123,465	5.9%
Frequency Missing	68,044	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	1,956,704	93.3%
In Your Lifetime	94,737	4.5%
Since School Began	13,300	0.6%
In the Past Month	31,769	1.5%
Frequency Missing	57,759	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	1,706,676	82.0%
In Your Lifetime	240,463	11.6%
Since School Began	49,255	2.4%
In the Past Month	83,690	4.0%
Frequency Missing	74,186	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	2,020,835	96.7%
In Your Lifetime	37,481	1.8%
Since School Began	9,383	0.4%
In the Past Month	22,247	1.1%
Frequency Missing	64,323	

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	1,653,199	79.5%
In Your Lifetime	219,625	10.6%
Since School Began	70,293	3.4%
In the Past Month	135,456	6.5%
Frequency Missing	75,696	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	2,048,568	98.1%
In Your Lifetime	26,851	1.3%
Since School Began	3,618	0.2%
In the Past Month	9,824	0.5%
Frequency Missing	65,408	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	1,762,910	84.2%
In Your Lifetime	161,260	7.7%
Since School Began	47,660	2.3%
In the Past Month	121,758	5.8%
Frequency Missing	60,682	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	2,043,597	97.6%
In Your Lifetime	25,206	1.2%
Since School Began	13,102	0.6%
In the Past Month	12,635	0.6%
Frequency Missing	59,729	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	1,847,326	88.2%
In Your Lifetime	123,598	5.9%
Since School Began	38,224	1.8%
In the Past Month	86,192	4.1%
Frequency Missing	58,930	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	2,088,679	99.7%
In Your Lifetime	3,166	0.2%
Since School Began	1,176	0.1%
In the Past Month	1,975	0.1%
Frequency Missing	59,273	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	2,075,582	99.1%
In Your Lifetime	14,168	0.7%
Since School Began	2,237	0.1%
In the Past Month	3,479	0.2%
Frequency Missing	58,803	

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	2,070,086	98.9%
In Your Lifetime	12,795	0.6%
Since School Began	3,714	0.2%
In the Past Month	6,649	0.3%
Frequency Missing	61,026	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	2,088,299	99.7%
In Your Lifetime	3,660	0.2%
Since School Began	630	0.0%
In the Past Month	1,207	0.1%
Frequency Missing	60,474	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	2,082,269	99.6%
In Your Lifetime	5,683	0.3%
Since School Began	1,122	0.1%
In the Past Month	2,128	0.1%
Frequency Missing	63,066	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	2,088,951	99.7%
In Your Lifetime	3,154	0.2%
Since School Began	1,327	0.1%
In the Past Month	2,063	0.1%
Frequency Missing	58,775	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	1,925,568	93.0%
In Your Lifetime	71,857	3.5%
Since School Began	30,436	1.5%
In the Past Month	42,646	2.1%
Frequency Missing	83,763	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	2,082,485	99.5%
In Your Lifetime	2,973	0.1%
Since School Began	1,855	0.1%
In the Past Month	5,687	0.3%
Frequency Missing	61,269	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	2,033,670	98.3%
In Your Lifetime	23,063	1.1%
Since School Began	4,804	0.2%
In the Past Month	7,478	0.4%
Frequency Missing	85,255	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	2,060,788	98.4%
In Your Lifetime	16,421	0.8%
Since School Began	5,458	0.3%
In the Past Month	11,957	0.6%
Frequency Missing	59,645	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	2,029,678	98.3%
In Your Lifetime	19,719	1.0%
Since School Began	5,700	0.3%
In the Past Month	9,840	0.5%
Frequency Missing	89,333	

Recent Delta 8 Use

Q16l	Frequency	Percent
Never Heard/Used	2,016,080	96.5%
In Your Lifetime	34,041	1.6%
Since School Began	14,311	0.7%
In the Past Month	25,438	1.2%
Frequency Missing	64,400	

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	2,008,117	97.2%
In Your Lifetime	25,362	1.2%
Since School Began	11,395	0.6%
In the Past Month	20,901	1.0%
Frequency Missing	88,494	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	1,948,572	94.4%
In Your Lifetime	54,553	2.6%
Since School Began	18,572	0.9%
In the Past Month	41,938	2.0%
Frequency Missing	90,634	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	2,045,024	98.8%
1-2 times	17,580	0.8%
3-10 times	4,176	0.2%
11+ times	2,703	0.1%
Frequency Missing	84,787	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	2,009,403	97.6%
In Your Lifetime	22,128	1.1%
Since School Began	7,108	0.3%
In the Past Month	20,380	1.0%
Frequency Missing	95,250	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	1,922,679	92.7%
1-2 times	68,760	3.3%
3-10 times	34,442	1.7%
11+ times	48,305	2.3%
Frequency Missing	80,083	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	1,993,201	96.1%
1-2 times	46,121	2.2%
3-10 times	14,154	0.7%
11+ times	20,638	1.0%
Frequency Missing	80,155	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	2,062,935	99.6%
1-2 times	6,645	0.3%
3-10 times	1,142	0.1%
11+ times	634	0.0%
Frequency Missing	82,913	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	1,715,571	82.9%
1-2 times	226,038	10.9%
3-10 times	85,765	4.1%
11+ times	41,811	2.0%
Frequency Missing	85,085	

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	2,067,169	99.8%
1-2 times	2,009	0.1%
3-10 times	799	0.0%
11+ times	321	0.0%
Frequency Missing	83,972	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	1,783,293	86.2%
A few	187,984	9.1%
Some	59,264	2.9%
Most	28,408	1.4%
All	9,785	0.5%
Frequency Missing	85,535	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	1,394,830	67.4%
A few	369,208	17.8%
Some	171,380	8.3%
Most	100,172	4.8%
All	32,929	1.6%
Frequency Missing	85,751	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	1,956,905	95.0%
A few	72,473	3.5%
Some	19,826	1.0%
Most	7,774	0.4%
All	2,908	0.1%
Frequency Missing	94,384	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	1,602,126	77.6%
A few	242,776	11.8%
Some	109,823	5.3%
Most	84,108	4.1%
All	25,000	1.2%
Frequency Missing	90,435	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	1,929,648	93.2%
8 or younger	13,757	0.7%
9 years old	5,508	0.3%
10 years old	9,619	0.5%
11 years old	11,120	0.5%
12 years old	20,266	1.0%
13 years old	24,237	1.2%
14 years old	17,835	0.9%
15 years old	17,796	0.9%
16 years old	13,574	0.7%
17 years old	4,859	0.2%
18 or older	1,640	0.1%
Frequency Missing	84,411	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	1,471,897	71.3%
8 or younger	81,816	4.0%
9 years old	27,820	1.3%
10 years old	42,783	2.1%
11 years old	44,982	2.2%
12 years old	68,465	3.3%
13 years old	89,866	4.4%
14 years old	73,525	3.6%
15 years old	76,300	3.7%
16 years old	53,981	2.6%
17 years old	23,607	1.1%
18 or older	10,107	0.5%
Frequency Missing	89,119	

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	2,013,491	97.7%
8 or younger	11,775	0.6%
9 years old	4,244	0.2%
10 years old	5,287	0.3%
11 years old	5,744	0.3%
12 years old	6,482	0.3%
13 years old	7,176	0.3%
14 years old	2,891	0.1%
15 years old	1,733	0.1%
16 years old	2,421	0.1%
17 years old	221	0.0%
18 or older	36	0.0%
Frequency Missing	92,768	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	1,826,655	88.5%
8 or younger	6,967	0.3%
9 years old	2,892	0.1%
10 years old	6,494	0.3%
11 years old	17,322	0.8%
12 years old	30,463	1.5%
13 years old	45,897	2.2%
14 years old	44,050	2.1%
15 years old	42,611	2.1%
16 years old	27,812	1.3%
17 years old	11,646	0.6%
18 or older	1,807	0.1%
Frequency Missing	89,654	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	2,051,725	99.3%
8 or younger	721	0.0%
9 years old	17	0.0%
10 years old	259	0.0%
11 years old	846	0.0%
12 years old	850	0.0%
13 years old	1,416	0.1%
14 years old	2,256	0.1%
15 years old	3,739	0.2%
16 years old	2,293	0.1%
17 years old	1,114	0.1%
18 or older	424	0.0%
Frequency Missing	88,610	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	2,057,369	99.7%
8 or younger	419	0.0%
9 years old	167	0.0%
10 years old	240	0.0%
11 years old	713	0.0%
12 years old	700	0.0%
13 years old	763	0.0%
14 years old	1,158	0.1%
15 years old	852	0.0%
16 years old	913	0.0%
17 years old	287	0.0%
18 or older	33	0.0%
Frequency Missing	90,653	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	2,063,034	99.8%
8 or younger	769	0.0%
9 years old	14	0.0%
10 years old	55	0.0%
11 years old	265	0.0%
12 years old	562	0.0%
13 years old	518	0.0%
14 years old	548	0.0%
15 years old	440	0.0%
16 years old	404	0.0%
17 years old	102	0.0%
Frequency Missing	87,559	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	2,062,511	99.8%
8 or younger	1,928	0.1%
9 years old	323	0.0%
10 years old	288	0.0%
11 years old	129	0.0%
12 years old	542	0.0%
13 years old	721	0.0%
14 years old	156	0.0%
15 years old	214	0.0%
16 years old	459	0.0%
17 years old	0	N/A
18 or older	33	0.0%
Frequency Missing	86,965	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	2,047,966	99.1%
8 or younger	5,202	0.3%
9 years old	545	0.0%
10 years old	539	0.0%
11 years old	1,433	0.1%
12 years old	2,645	0.1%
13 years old	1,011	0.0%
14 years old	1,397	0.1%
15 years old	3,165	0.2%
16 years old	933	0.0%
17 years old	1,308	0.1%
18 or older	85	0.0%
Frequency Missing	88,040	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	2,060,615	99.6%
8 or younger	1,084	0.1%
9 years old	513	0.0%
10 years old	103	0.0%
11 years old	491	0.0%
12 years old	1,116	0.1%
13 years old	1,108	0.1%
14 years old	1,173	0.1%
15 years old	1,701	0.1%
16 years old	144	0.0%
17 years old	58	0.0%
18 or older	57	0.0%
Frequency Missing	86,108	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	2,037,565	98.6%
8 or younger	1,224	0.1%
9 years old	703	0.0%
10 years old	306	0.0%
11 years old	1,104	0.1%
12 years old	3,970	0.2%
13 years old	4,302	0.2%
14 years old	5,507	0.3%
15 years old	6,812	0.3%
16 years old	3,633	0.2%
17 years old	1,427	0.1%
18 or older	370	0.0%
Frequency Missing	87,347	

Age When First Used Delta 8

Q21m	Frequency	Percent
Never used it	1,997,717	96.7%
8 or younger	1,478	0.1%
9 years old	564	0.0%
10 years old	1,409	0.1%
11 years old	3,356	0.2%
12 years old	6,163	0.3%
13 years old	9,074	0.4%
14 years old	14,968	0.7%
15 years old	14,898	0.7%
16 years old	9,959	0.5%
17 years old	4,452	0.2%
18 or older	919	0.0%
Frequency Missing	89,311	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	910,503	44.9%
Impossible	430,220	21.2%
Very Difficult	147,214	7.3%
Somewhat diff	167,274	8.2%
Somewhat easy	185,488	9.1%
Very easy	189,342	9.3%
Frequency Missing	124,228	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	752,314	37.1%
Impossible	283,218	14.0%
Very Difficult	131,908	6.5%
Somewhat diff	194,682	9.6%
Somewhat easy	294,388	14.5%
Very easy	369,863	18.3%
Frequency Missing	127,897	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	1,088,989	54.0%
Impossible	319,060	15.8%
Very Difficult	80,266	4.0%
Somewhat diff	94,164	4.7%
Somewhat easy	138,080	6.8%
Very easy	297,347	14.7%
Frequency Missing	136,365	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	884,655	43.7%
Impossible	470,421	23.2%
Very Difficult	153,039	7.6%
Somewhat diff	141,934	7.0%
Somewhat easy	167,265	8.3%
Very easy	207,420	10.2%
Frequency Missing	129,536	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	1,027,562	50.7%
Impossible	637,154	31.5%
Very Difficult	176,165	8.7%
Somewhat diff	93,817	4.6%
Somewhat easy	43,410	2.1%
Very easy	46,679	2.3%
Frequency Missing	129,482	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	1,055,974	52.2%
Impossible	648,036	32.0%
Very Difficult	172,702	8.5%
Somewhat diff	75,127	3.7%
Somewhat easy	36,546	1.8%
Very easy	35,874	1.8%
Frequency Missing	130,010	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	1,188,802	58.7%
Impossible	580,771	28.7%
Very Difficult	136,427	6.7%
Somewhat diff	56,025	2.8%
Somewhat easy	28,106	1.4%
Very easy	35,265	1.7%
Frequency Missing	128,872	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	1,093,366	54.1%
Impossible	564,497	27.9%
Very Difficult	156,428	7.7%
Somewhat diff	107,826	5.3%
Somewhat easy	50,443	2.5%
Very easy	49,151	2.4%
Frequency Missing	132,558	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	1,250,142	61.8%
Impossible	479,045	23.7%
Very Difficult	117,353	5.8%
Somewhat diff	61,962	3.1%
Somewhat easy	53,235	2.6%
Very easy	59,652	3.0%
Frequency Missing	132,881	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	1,274,181	63.1%
Impossible	503,093	24.9%
Very Difficult	123,918	6.1%
Somewhat diff	56,770	2.8%
Somewhat easy	26,531	1.3%
Very easy	34,387	1.7%
Frequency Missing	135,389	

Difficult to Get Delta 8

Q22m	Frequency	Percent
Never heard of	1,254,984	62.3%
Impossible	434,762	21.6%
Very Difficult	110,678	5.5%
Somewhat diff	63,753	3.2%
Somewhat easy	58,543	2.9%
Very easy	91,982	4.6%
Frequency Missing	139,568	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	1,162,792	57.5%
Impossible	602,476	29.8%
Very Difficult	141,647	7.0%
Somewhat diff	55,858	2.8%
Somewhat easy	24,971	1.2%
Very easy	33,784	1.7%
Frequency Missing	132,741	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	13,114	0.6%
Several times/wk	9,821	0.5%
Several times/mo	11,221	0.6%
About once/month	22,656	1.1%
About once/year	16,010	0.8%
Less than once/year	47,381	2.3%
Never used	1,906,702	94.1%
Frequency Missing	127,366	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	3,823	0.2%
Several times/wk	18,091	0.9%
Several times/mo	65,147	3.2%
About once/month	140,203	6.9%
About once/year	134,997	6.7%
Less than once/year	142,514	7.1%
Never used	1,514,385	75.0%
Frequency Missing	135,109	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	1,296	0.1%
Several times/wk	352	0.0%
Several times/mo	860	0.0%
About once/month	1,920	0.1%
About once/year	3,954	0.2%
Less than once/year	4,776	0.2%
Never used	2,008,191	99.3%
Frequency Missing	132,920	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	1,553	0.1%
Several times/wk	2,323	0.1%
Several times/mo	3,752	0.2%
About once/month	6,465	0.3%
About once/year	7,138	0.4%
Less than once/year	15,894	0.8%
Never used	1,985,039	98.2%
Frequency Missing	132,106	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	2,073	0.1%
Several times/wk	219	0.0%
Several times/mo	141	0.0%
About once/month	386	0.0%
About once/year	569	0.0%
Less than once/year	857	0.0%
Never used	2,020,129	99.8%
Frequency Missing	129,896	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	21,317	1.1%
Several times/wk	24,270	1.2%
Several times/mo	31,783	1.6%
About once/month	34,622	1.7%
About once/year	36,291	1.8%
Less than once/year	52,135	2.6%
Never used	1,822,007	90.1%
Frequency Missing	131,845	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	4,183	0.2%
Several times/wk	2,794	0.1%
Several times/mo	850	0.0%
About once/month	1,549	0.1%
About once/year	1,183	0.1%
Less than once/year	6,236	0.3%
Never used	2,007,327	99.2%
Frequency Missing	130,147	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	513	0.0%
Several times/wk	574	0.0%
Several times/mo	483	0.0%
About once/month	266	0.0%
About once/year	1,833	0.1%
Less than once/year	2,833	0.1%
Never used	2,017,490	99.7%
Frequency Missing	130,277	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	1,301	0.1%
Several times/wk	1,940	0.1%
Several times/mo	4,197	0.2%
About once/month	3,857	0.2%
About once/year	8,729	0.4%
Less than once/year	8,942	0.4%
Never used	1,992,193	98.6%
Frequency Missing	133,111	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	663	0.0%
Several times/wk	770	0.0%
Several times/mo	681	0.0%
About once/month	402	0.0%
About once/year	468	0.0%
Less than once/year	1,524	0.1%
Never used	2,018,917	99.8%
Frequency Missing	130,844	

How Often Normally Use Delta 8

Q23m	Frequency	Percent
Every day	4,639	0.2%
Several times/wk	6,446	0.3%
Several times/mo	6,839	0.3%
About once/month	10,542	0.5%
About once/year	16,498	0.8%
Less than once/year	16,318	0.8%
Never used	1,947,438	96.9%
Frequency Missing	145,550	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	980	0.0%
Several times/wk	67	0.0%
Several times/mo	527	0.0%
About once/month	770	0.0%
About once/year	572	0.0%
Less than once/year	2,232	0.1%
Never used	2,019,458	99.7%
Frequency Missing	129,663	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	1,549,127	76.6%
12+ drinks	20,445	1.0%
9-11 drinks	19,769	1.0%
5-8 drinks	37,259	1.8%
3-4 drinks	58,675	2.9%
2 drinks	62,750	3.1%
1 drink	92,413	4.6%
Less than 1 drink	182,847	9.0%
Frequency Missing	130,985	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	1,670,709	82.6%
12+ drinks	18,613	0.9%
9-11 drinks	10,491	0.5%
5-8 drinks	33,986	1.7%
3-4 drinks	64,218	3.2%
2 drinks	57,784	2.9%
1 drink	74,498	3.7%
Less than 1 drink	91,739	4.5%
Frequency Missing	132,231	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	1,189,401	59.4%
0 days	679,791	33.9%
1 day	50,845	2.5%
2 days	29,896	1.5%
3 to 5 days	24,116	1.2%
6 to 9 days	8,822	0.4%
10 or more days	19,590	1.0%
Frequency Missing	151,810	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	1,659,696	82.4%
12+ drinks	8,131	0.4%
9-11 drinks	3,568	0.2%
5-8 drinks	13,292	0.7%
3-4 drinks	24,351	1.2%
2 drinks	45,082	2.2%
1 drink	94,061	4.7%
Less than 1 drink	167,094	8.3%
Frequency Missing	138,994	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	1,434,856	71.2%
Never	241,907	12.0%
Seldom	219,789	10.9%
Most of the Time	77,315	3.8%
Always	42,245	2.1%
Frequency Missing	138,158	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	1,598,244	79.1%
12+ drinks	21,941	1.1%
9-11 drinks	10,373	0.5%
5-8 drinks	41,712	2.1%
3-4 drinks	83,317	4.1%
2 drinks	61,414	3.0%
1 drink	78,295	3.9%
Less than 1 drink	124,119	6.1%
Frequency Missing	134,853	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	1,482,840	73.7%
Never	297,300	14.8%
Seldom	118,373	5.9%
Most of the Time	90,718	4.5%
Always	22,924	1.1%
Frequency Missing	142,115	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	1,513,622	75.3%
Never	404,671	20.1%
Seldom	45,445	2.3%
Most of the Time	32,107	1.6%
Always	14,767	0.7%
Frequency Missing	143,657	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	1,438,808	71.4%
Never	260,626	12.9%
Seldom	133,475	6.6%
Most of the Time	112,500	5.6%
Always	69,343	3.4%
Frequency Missing	139,517	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	1,504,154	74.9%
Somewhat	241,814	12.0%
Not very	77,950	3.9%
Not at all	21,633	1.1%
Don't know	163,309	8.1%
Frequency Missing	145,410	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	1,518,107	75.8%
Never	321,140	16.0%
Seldom	83,334	4.2%
Most of the Time	45,713	2.3%
Always	34,888	1.7%
Frequency Missing	151,088	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	1,342,701	66.7%
Somewhat	282,273	14.0%
Not very	183,637	9.1%
Not at all	83,632	4.2%
Don't know	119,668	5.9%
Frequency Missing	142,359	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	1,394,004	69.2%
Somewhat	384,957	19.1%
Not very	95,718	4.8%
Not at all	19,918	1.0%
Don't know	119,995	6.0%
Frequency Missing	139,678	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	1,762,960	87.6%
Somewhat	110,703	5.5%
Not very	13,563	0.7%
Not at all	6,707	0.3%
Don't know	118,697	5.9%
Frequency Missing	141,639	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	1,093,337	54.3%
Somewhat	535,207	26.6%
Not very	239,679	11.9%
Not at all	41,658	2.1%
Don't know	103,905	5.2%
Frequency Missing	140,485	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	1,776,654	88.2%
Somewhat	90,603	4.5%
Not very	12,245	0.6%
Not at all	6,317	0.3%
Don't know	127,563	6.3%
Frequency Missing	140,887	

Dangerous for Kids to Use Ecstasy

Q27h	Frequency	Percent
Very	1,626,633	80.9%
Somewhat	105,404	5.2%
Not very	17,219	0.9%
Not at all	7,768	0.4%
Don't know	254,423	12.6%
Frequency Missing	142,822	

Dangerous for Kids to Use Synthetic Marijuana

Q27l	Frequency	Percent
Very	1,585,424	78.8%
Somewhat	135,595	6.7%
Not very	44,144	2.2%
Not at all	16,782	0.8%
Don't know	229,678	11.4%
Frequency Missing	142,646	

Dangerous for Kids to Use Steroids

Q27i	Frequency	Percent
Very	1,529,889	76.1%
Somewhat	217,230	10.8%
Not very	69,302	3.4%
Not at all	19,279	1.0%
Don't know	173,975	8.7%
Frequency Missing	144,594	

Dangerous for Kids to Use Delta 8

Q27m	Frequency	Percent
Very	1,490,696	74.2%
Somewhat	160,017	8.0%
Not very	78,520	3.9%
Not at all	37,333	1.9%
Don't know	243,060	12.1%
Frequency Missing	144,644	

Dangerous for Kids to Use Heroin

Q27j	Frequency	Percent
Very	1,730,952	86.1%
Somewhat	85,085	4.2%
Not very	11,638	0.6%
Not at all	7,712	0.4%
Don't know	174,458	8.7%
Frequency Missing	144,424	

Dangerous for Kids to Use Any Prescription

Q27n	Frequency	Percent
Very	1,537,740	76.5%
Somewhat	219,054	10.9%
Not very	57,800	2.9%
Not at all	17,215	0.9%
Don't know	177,249	8.8%
Frequency Missing	145,210	

Dangerous for Kids to Use Methamphetamine

Q27k	Frequency	Percent
Very	1,748,113	86.8%
Somewhat	79,957	4.0%
Not very	9,502	0.5%
Not at all	7,432	0.4%
Don't know	168,451	8.4%
Frequency Missing	140,814	

Dangerous for Kids to Use Electronic Vapor Products

Q27o	Frequency	Percent
Very	1,400,990	69.6%
Somewhat	307,631	15.3%
Not very	134,906	6.7%
Not at all	42,121	2.1%
Don't know	127,740	6.3%
Frequency Missing	140,883	

Days Skipped Since September

Q28a	Frequency	Percent
None	1,513,300	76.8%
1-3 days	306,730	15.6%
4-9 days	79,342	4.0%
10+ days	71,327	3.6%
Frequency Missing	183,570	

Someone Called Home Since September

Q28e	Frequency	Percent
None	1,760,438	89.5%
1-3 days	162,892	8.3%
4-9 days	25,913	1.3%
10+ days	18,723	1.0%
Frequency Missing	186,304	

Days Ill Since September

Q28b	Frequency	Percent
None	588,910	29.9%
1-3 days	910,512	46.2%
4-9 days	349,569	17.7%
10+ days	123,430	6.3%
Frequency Missing	181,849	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	1,920,791	97.7%
1-3 times	36,429	1.9%
4-9 times	5,447	0.3%
10+ times	3,430	0.2%
Frequency Missing	188,173	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	721,789	37.1%
1-3 days	916,639	47.1%
4-9 days	201,975	10.4%
10+ days	105,554	5.4%
Frequency Missing	208,313	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	1,928,298	98.1%
1-3 times	29,238	1.5%
4-9 times	2,681	0.1%
10+ times	4,559	0.2%
Frequency Missing	189,493	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	1,731,528	87.8%
1-3 days	189,735	9.6%
4-9 days	30,501	1.5%
10+ days	19,806	1.0%
Frequency Missing	182,699	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	1,918,922	97.7%
1-3 times	38,736	2.0%
4-9 times	3,371	0.2%
10+ times	3,687	0.2%
Frequency Missing	189,553	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	1,918,544	97.7%
1-3 times	28,524	1.5%
4-9 times	5,236	0.3%
10+ times	10,489	0.5%
Frequency Missing	191,477	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	1,912,607	97.3%
1-3 days	41,950	2.1%
4-9 days	4,943	0.3%
10+ days	6,070	0.3%
Frequency Missing	188,699	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	1,871,215	95.3%
1-3 days	43,304	2.2%
4-9 days	11,737	0.6%
10+ days	37,779	1.9%
Frequency Missing	190,234	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	1,950,629	99.5%
1-3 days	6,658	0.3%
4-9 days	1,492	0.1%
10+ days	2,316	0.1%
Frequency Missing	193,173	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	1,931,119	98.6%
1-3 days	19,737	1.0%
4-9 days	3,281	0.2%
10+ days	3,661	0.2%
Frequency Missing	196,471	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	1,266,137	64.5%
Seldom	94,386	4.8%
Half the time	56,324	2.9%
Most of the Time	106,644	5.4%
Always	105,263	5.4%
Don't Know	31,854	1.6%
Didn't attend	303,202	15.4%
Frequency Missing	190,459	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	1,415,656	72.2%
Seldom	61,935	3.2%
Half the time	39,945	2.0%
Most of the Time	58,016	3.0%
Always	48,031	2.5%
Don't Know	35,925	1.8%
Didn't attend	300,955	15.4%
Frequency Missing	193,806	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	1,780,326	94.2%
Yes	109,082	5.8%
Frequency Missing	264,862	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	1,215,989	63.1%
Yes	710,963	36.9%
Frequency Missing	227,317	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	1,441,087	75.2%
Yes	475,218	24.8%
Frequency Missing	237,964	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	831,899	43.4%
Yes	1,083,510	56.6%
Frequency Missing	238,861	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	1,137,521	59.4%
Yes	778,101	40.6%
Frequency Missing	238,647	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	1,176,147	61.4%
Yes	739,459	38.6%
Frequency Missing	238,664	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	604,064	31.2%
Yes	1,329,500	68.8%
Frequency Missing	220,705	

Would Not Seek Help

Q33i	Frequency	Percent
No	1,446,126	76.3%
Yes	448,968	23.7%
Frequency Missing	259,176	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	803,122	41.9%
Yes	1,115,286	58.1%
Frequency Missing	235,862	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	1,150,720	59.9%
Yes	768,959	40.1%
Frequency Missing	234,591	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	812,087	42.3%
Yes	1,109,774	57.7%
Frequency Missing	232,409	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	935,585	48.8%
Yes	979,643	51.2%
Frequency Missing	239,041	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	1,280,321	67.1%
Yes	627,400	32.9%
Frequency Missing	246,548	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	1,283,678	67.4%
Yes	620,780	32.6%
Frequency Missing	249,811	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	1,526,354	80.2%
Yes	376,895	19.8%
Frequency Missing	251,021	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	1,529,410	78.6%
Mild disapprove	120,704	6.2%
Neither	89,556	4.6%
Mildly approve	12,526	0.6%
Strongly approve	10,625	0.5%
Don't know	182,630	9.4%
Frequency Missing	208,819	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	1,358,254	71.3%
Yes	547,262	28.7%
Frequency Missing	248,754	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	1,187,780	61.1%
Mild disapprove	253,295	13.0%
Neither	241,234	12.4%
Mildly approve	72,116	3.7%
Strongly approve	18,018	0.9%
Don't know	172,313	8.9%
Frequency Missing	209,513	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	1,583,085	83.3%
Yes	316,589	16.7%
Frequency Missing	254,595	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	1,492,768	76.8%
Mild disapprove	125,513	6.5%
Neither	108,957	5.6%
Mildly approve	28,688	1.5%
Strongly approve	17,346	0.9%
Don't know	170,618	8.8%
Frequency Missing	210,379	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	1,304,730	68.4%
Yes	603,604	31.6%
Frequency Missing	245,936	

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor.r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar.r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Delta 8	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16l : delta8_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Delta 8 (Q21m : delta8_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Delta 8 (Q23h : delta8_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

